

## **Table of Contents**

PAGE	PAGE	PAGE	PAOE	PAGE
Aeroelinium65	Chlves	Galllardia74	Matricaria77	Rose Moss85
Ageratum65	Chrysanthemum71	Garden Hints2	Manrandla 77	Rose Multiflora85
Alfalfa	Cineraria71	Garlic34	Melon6, 38 to 41	Rosemary61
Alsike62	Clarkia71	Geraulum,	Mesembryanthemmin76	Roots 93 to 95
Alyssum65	Clematls	Gilliflower	Mexican Fire Bush77	Rue61
Amaranthus65	Clover 62	Gladiolus75, 94	Mignonette78	Ruta Baga60
Amaranth, Globe75	Cobrea71	Globe Amaranth75	Mignonette Vine95	Rye 64
Anemone65	Cockseomb71	Gloxinia	Millet	
Anise61	Colx Lachryma71	Golden Feather85	Mlmosa78	E a ffe
Antirrhinum65	Cold-Frame12	Gomphrena	Mimulus 78	Saffron61
Aquilegia	Colens72	Gourd	Mirabills78	Sage61
Arabls 65	Collards29	Grass Seeds62, 63	Momordica78	Salpiglossis85
Artlehoke13	Columbine	Gypsophilia75	Monkey Flower78	Salsify52
Asparagus	Convolvulus Major 72	out professional	Moon Flower	Salvia 85
Aster	Convolvulus Minor72	Half Sugar Mangel21	Morning Glory78	Savory, Summer61
·	Coreopsis69	Hedysarum	Morning Glory, Dwarf.72	Scarlet Flax
Baby'a Breath67	Corlander61	Helianthus75	Mourning Bride78	Scarlet Flax
Bachelor's Button67	Corn	Helichrysum 75	Mushroom 41	Schlzanthus 85
Balloon Vine68	Corn Flower71	Heliotrope75	Musk Melon6, 38, 89	Sea Kale20
Balm61	Corn Salad30	Herbs	Musk Plant78	Seed Drills96, 97
Balsam68	Cosmos	Hesperis	Mustard41	Sensitive Plant 85
" Apple78	Cowpea68	Hiblsens Africanus75	Myosotls 74	Smilax 85 Snapdragon85
" Pear78	Cress32	Hollyhock76	Myrsiphyllum78	Sorghum
Barley63	Crimson Trefoll62	Honeysnekle 74		Sorghim64 Sorrel52
Basil, Sweet61	Cuenmber6, 81 to 88	Horehound61	Nasturthum41, 79	Spluach53
Beans4, 14 to 19	Cucurbita72	Horse Radish34	Nicotiana79	Spinach Beet20
Beet	Cup and Saucer69	Hotbeds12	Nigelia	Squash10, 54, 55
Begonia 68, 93	Cyclamen72	Humulus Japonieus76	, rigina	Stock86
Bell Flower69	Cypress Vine73	Hungarian	4574 43	Straw Flower86
Bellis		Hunnemannia73	Œnothera79	Sugar Beet21
Blgnoula68	Dahlia	Hyaclith Bean	Okra41	Sugar Cane 64
Bird Seeds 64	Daisy	flyssop61	Onions42 to 44	Summer Cypress78
Bleeding Heart93	Dandellon84	113000000000000000000000000000000000000	Onlon Sets44	Sunflower64, 86
Books99	Datnra73	Tberls	Oxalls 79	Swede 60
Borage	Delphininm73	Ice Plant		Sweet Peas2, 87 to 90
Borecole35	Devil-In-a-Bush77	Impatiens Balsamina.76	Pansy80	Sweet Rocket 86
Brazillan Morning	Diauthus70, 78, 82, 91	Immortelles76	Papaver84	Sweet Sultan 71
Glory	Dielytra(Dicentra)93	Ipomœa78, 76, 78	Parsley45	Sweet William91
Broccoll 21	Digitalis78	2,000	f'arsnlp	Swiss Chard20
Brussels Sprouts 21	Dill61	Japanese Hop76	Peas	
Buckwheat63	Dlmorphoteca73	Job's Tears76	" Everlasting80	Tipographica 64
Bulbs,93 to 95	Dolichos78	Joseph's Coat 76	" Swect2, 87 to 90	Tagetes91
Butterfly Flower68	Dusty Miller71	West Pile Color	Pelargoulum80	Tecoma
	Dwarf Morning Glory.,72	Kale	Pentstemon81	Thyme
Cabbage6, 22 to 24		Kochia	Peopper	Tobacco
Caladium93	Rehlnocystis92	Kohl Rahl 35	1	Tomato10, 56, 57
Calceolaria68	Egg Plant84	Kom italia.	Pepper Grass32 Perlwinkle81	Torenia91
Calendula	Elephant's Ear98	Fada Slingon 69	Pe Tsul24	Tritoma95
	Emerald Feather78	Lady Slipper 68 Lady-in-the-Green	Petunia81	Tropæolum91
Calilopsis		Lautana	Phlox Drunmondl2, 82	Trowels97
Campanula69	Escarolle		Pie Plaut52	Trumpet Vine68
Canary Bird Flower69	Eschscholtzia73	Larkspnr	Pinks82	Tuberose95
Candytuft69	Everlastings65, 75, 85	" Odoratus76	Plant Bed Cloth97	Turnlp
Canna	1 221 Cl testings00, 10, 60	Lavender 61	Poor Man's Orchid84	2
Canterbury Bell69	Farm and Garden Im-	Lawn Grass68	Рорру	Vegetable Oyster52
Caraway	plements96, 97	Leek	Portulaca84	Verbena91
Curpet of Snow 69	Farm Seeds, Miscel-	Lettuce8, 36, 37	Primrose84	Vetches or Tares64
Cardiospernium68	laneous63, 64	Lilles95	Prinnila 84	Vlnea92
Carnation	Fennel, Florence84	Linum	Pumpkin49	Viola Tricolor92
	" Sweet61	Lobella77	Pyrethrum85	Vlrglu's Bower71
Castor Bean70	Ferns	Love-In-a-Mist77		Virginian Stock92
Canliflower26	Feverfew78	Lucerne or Alfalfa62	Pedich 10 50 to 50	State Stock
Celery	Flnocehlo34	Lupin	Radish10, 50 to 52	Wallflower92
			Rape	Water Melon6, 40, 41
Celeriac28 Celosla70	Flowering Sage85	Madelra Vlne95	Reference Tables98, 99	Weeders 97
Centaurea71	Flower Seeds, Culture.65 Flower Seeds2, 65 to 92	Malcomla	Reseda78	Wild Cucumber92
Cheiranthus71	Forget-Me-Not74	Mangel Wurzel 21	Rhodanthe85	Wind Flower65
Chervil28	Four O'Clock	Marigold77	Rhubarb52	Wistaria Chinensis92
Chicory29	Foxglove74	Marjoram, Sweet61	Richus85	Wormwood61
Chinese Cabbage24	French Honeysuckle74	Marvel of Peru77	Rocket, Sweet85	
Chinese Primrose84	Fuchsia74	Mathiola	Roquette52	Zinnla92
211111111111111111111111111111111111111			4.000	

# D. M. FERRY & CO'S 1915 SEED ANNUAL

1915

#### **FOREWORD**

F THIS were a world of chance, where things just happened and no amount of individual effort would have any effect upon results, seed selection and breeding would be a waste. Fortunately, however, there are fixed laws of life for every plant that grows and the tiller of the soil knows that proper conditions secure sure results.

The first condition is good seed. There may be differences of opinion concerning the effects of heredity upon human beings but every one knows that strong, healthy plants of desirable type cannot be expected from inferior seeds.

The gardener, whether for pleasure or profit, can not afford to gamble. He must have the best seeds that money can buy. He has not the facilities for selecting, breeding and testing but must have seeds that have been carefully selected, bred and tested; to insure getting such stocks he buys from those who have these facilities.

Our stock seed farm and experimental garden are the largest and best equipped in America. They are operated with the one idea of furnishing our customers the best that skill and experience can produce. Our business is selling critically tested, carefully selected, pedigree seeds.

We try to make our Seed Annual accurately descriptive of the vegetables and flowers listed, and truly helpful by giving plain and easily understood cultural directions. The illustrations are of actual products and not fanciful images created from the artist's imagination.

With good seeds, good soil properly prepared and the necessary care and attention the gardener may expect results because all nature is working for him. Begin right by planting Ferry's seeds.

OUR TERMS ARE STRICTLY CASH WITH THE ORDER. We do not send C. O. D., as the cost of collecting return charges is quite an unnecessary item of expense and the prices being given, we can conceive of no necessity to warrant goods being so sent.

HOW TO SEND MONEY. Remittances may be made at our risk by any of the following methods, viz: Postal Money Order, Draft on New York or Chicago, or Express Company's Money Order.

The rates charged for Postal Money Orders and Express Money Orders are now so low that these are the best ways to remit. We will bear the expense of sending money in either of these ways, or of the cost of a New York or Chicago Draft if no more expensive than a Postal Money Order. Deduct the cost of the order from amount sent. Express Money Orders can be obtained at all offices of the principal Express Companies. They are cheap and absolutely safe.

When Money Orders cannot be obtained, letters containing money should always be registered. Money in ordinary letters is unsafe. If currency is sent by express, the charges should be prepaid, and if local checks are used they must be certified.

FREE OF POSTAGE OR EXPRESS CHARGES. Packets, Ounces, Two Ounces, Quarter Pounds or Pounds, ordered at list prices, will be sent free by mail or express.

Customers ordering enough for a freight shipment, 100 pounds or more, or desiring to pay their own express charges, may deduct 10 cents per pound from prices of this catalogue on all seeds quoted by the pound or less.

PINTS AND QUARTS. Pints, Quarts and Four Quarts, ordered at list prices, fifteen cents per quart, ten cents per pint, must be added for transportation and packing and they will then be sent free. We do not put up half pints.

ONE-FOURTH BUSHEL, BUSHEL AND HUNDRED POUND LOTS. Where One-Fourth Bushel, Bushel or Hundred Pound lots are ordered, we deliver free at depot or express office in Detroit, Mich., the freight or express charges to be paid by the party ordering.

Where perishable or other goods are ordered to be sent by freight or express to such great distances that the cost of transportation will nearly or quite equal the value of the goods, we must decline to ship unless purchasers remit us, in addition to the price of goods, sufficient funds to prepay transportation charges. When this requirement is not complied with, we reserve the right of declining the order and returning money to the person ordering.

SEEDS BY MEASURE. One-fourth bushel and over sold at bushel rates; four quarts and over up to one-quarter bushel sold at four-quart rates; less than four quarts sold at quart or pint rates.

SEEDS BY WEIGHT. We supply half pound and over at pound rates; less than half pound lots are charged at ounce, two-ounce or quarter pound rates; 25 lbs. and over at 100 lb. rates when quoted.

BAGS. To every order for one-quarter bushel and upwards, to the amount of two bushels, 25 cents must be added for a new bag in which to ship.

SEEDS IN PACKETS. We offer the following inducements to those wishing to purchase seeds in packets: Select packets to the value of \$1.15 and send us \$1.00; for \$2.35 send \$2.00; for \$3,60 send \$3.00; for \$4.85 send \$4.00; for \$6.15 send \$5.00; for \$12.50 send \$10.00; for \$26.00 send \$20.00. The seeds will be sent by mail, postpaid, but these low rates apply to seeds in packets only and at catalogue prices and not to seeds by weight or measure.

NAME AND ADDRESS SHOULD ALWAYS BE GIVEN. Frequently we receive unsigned letters. Sometimes they contain money and orders. Sometimes too, letters are received in which the name of the town is left out and the postmark is blurred. We cannot fill orders unless we know the name and address of the buyer. The easiest way for you is to use our order sheet filling in the blanks.

NON-WARRANTY. Sometimes though not often our sceds do not come up after planting. This may be due to one or more of several reasons, such as covering too deeply or not deeply enough, too much or too little water, too cold weather or a baking sun which forms a crust too hard for the tender shoots to penetrate. Sometimes insects destroy plants at the surface before they are seen by the gardener. We cannot personally direct the use of our goods after they leave our hands; neither can we fully control anywhere or at any time the operation of natural law as it affects seeds; therefore, we give no warranty, express or implied, as to description, purity, productiveness, or any other matter of any seeds or bulbs we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

D. M. Ferry & Co.

Detroit, Mich., January 1, 1915.

#### GARDEN HINTS

"I'm a beginner, Mr. Seedsman. I have a little garden. What shall I plant?"

That depends on what you yourself consider desirable. Aims, tastes and local conditions differ so radically that no one can be sure of knowing precisely what would suit you. Nevertheless we are glad to make the following suggestions as to what we think you will do well to try. Remember that everything we list appeals to enough people to warrant our selling it. Experience will enable you to adapt our knowledge to your needs.

The first things to start in the house in a little window box are Tomato and Cabbage seeds. This should be done some time in March, depending on latitude. Reliable early Tomatoes are Earliana and Chalk's Early Jewel. One of the best first early Cabbages is Early Jersey Wakefield. If you care to plant at the same time a second early and a somewhat later sort we suggest Early Summer and Succession or Early Winnigstadt.

The soil for the window box should be fine soft earth with leaf mold on top if available. It is best to have the soil moistened and well warmed before planting the seed.

The early indoor planting may include Peppers, of which desirable varieties are Large Bell or Bull Nose and Giant Crimson; also for early table use, you will do well to sow in your window box a packet of White Portugal or Bunching Onion.

As early in spring as a part of your garden can be spaded and worked well, plant some Lettuce. The most easily grown clustering lettuce is Ferry's Early Prize Head. If you want a cabbage or heading lettuce we suggest California Cream Butter or Big Boston.

Onion Seed may be sown outdoors at the same time as Lettuce. Some prefer red onions, some yellow and others white. Among the best of each class are Yellow Globe Danvers, Southport Red Globe and White Globe. If you wish small radishes, sow now also French Breakfast or Early Scarlet Turnip, White Tipped. Others might prefer Early Long Scarlet or Crimson Giant Turnip. For succession plant radish seed again in two weeks. Improved Thick Leaved Spinach and Champion Moss Curled Parsley are often sown by home gardeners at the same time as their Onion and Radish seed.

Even a small garden should have its flowers. Plant a few Sweet Peas. We suggest our Choice Mixed or, if you wish the largest waved blossoms, our Spencers Mixed. Some Nasturtiums, either Dwarf or Trailing, may be added at convenience, depending upon space available. Our mixtures of Asters, Pansies Petunias, Phlox Drummondi, Poppies, Morning Glories, Marigolds, Verbenas and Zinnias, all are easily grown. A few packets of flowers well grown will give an abundant harvest of pleasure.

If you have no Rhubarb, Asparagus or Horse Radish in your garden, roots of each may be set out; for these see that the soil is well enriched,

Plant Alaska, Nott's Excelsior, Premium Gem and Champion of England Peas, or for succession repeat Nott's Excelsior once a week. A packet each of Extra Early Milan Turnip and Detroit Dark Red or Crosby's Egyptian Beet may be planted the same day as your peas.

Your cabbage plants should have been pricked out into other boxes and be large enough by this time to set out in the garden; your onion plants also if they were sown in boxes.

When the ground is dry and warm, and danger of frost seems past, plant Mammoth White Cory, Crosby's Early or Golden Bantam Corn for early; or Ferry's or Stowell's Evergreen for later use.

Beaus, Cucumbers, Squash, Musk Melons, Water Melons, Carrots, Parsnips and Salsify may follow in the order named, depending upon your individual preferences and the space at your command.

For Beaus we suggest Golden Wax or Prolific German Wax, Black Seeded. If you are partial to Beans, three or four plantings may be made two weeks apart. Early White Spine and Arlington are good varieties of Cucumbers; Manmoth White Bush Scallop and Manmoth Summer Crookneck are good Squashes for summer early Delicious and Hubbard cannot be excelled for fall and winter. Musk Melons should include Emerald Gem and Admiral Togo or Osage, and Water Melons, Peerless and Monte Cristo. Danvers and Chantenay Carrots, Hollow Crown Parsnip and Manmoth Sandwich Island Salsify are all desirable for the home garden.

By this time if not earlier your Tomato and Pepper plants will have grown large enough to set out in the garden. For late fall and winter Cabbages sow outdoors Early Winnigstadt and Fottler's Brunswick, also after July 1st, Turnips such as the Milans and Purple Top, Strap Leaved.

Our friends must realize that this catalogue goes to every community from Nova Scotia to California and from Alaska to Florida. We have therefore in the above suggestions omitted dates of planting. It should also be remembered that some of the best vegetables for the home garden are too tender to stand handling on the market and that the experienced gardener for his locality may have learned from his previous plantings that many varieties other than the few we have mentioned are adapted to his needs.

#### Spencer Sweet Peas

The designs of Spencer Sweet Peas shown on the covers of this Seed Annual were executed in natural colors from specimens grown in the regular trials at our Experimental Gardens the past season. Our list of Spencers this year includes additions of great merit such as Elfrida Pearson, Loyalty Spencer, Margaret Madison, Stirling Stent, Thomas Stevenson and Vermilion Brilliant. Our Spencers Mixed are grown for us by the most careful methods from proven stocks. Our Ferry's Superb Spencers Mixed is without a superior in mixed sweet peas. (See pages 87, 88, 89 and 90)

#### Shirley Poppies and Phlox Drummondi

The magnificent Shirley Poppies on the opposite page are reproductions in natural colors from specimens grown at our Experimental Gardens. The Shirleys are of charmingly delicate colors and range through shades of pink and rose to brightest scarlet and carmine-red. The large flowering strains of Phlox Drummondi we offer are unsurpassed in the magnificent display of their many and brilliantly colored flowers. They are especially attractive in masses or ribbon beds of contrasted colors and are desirable for combining in mixed bouquets. (See colored plate, page 83, also pages 82 and 84 for Phlox Drummondi and Poppies in named varieties and very choice mixtures)



#### Beans-Bountiful

This excellent dwarf, green podded sort is similar in appearance to Early Yellow Kidney Six Weeks but is of better quality. The vines are vigorous and productive. The pods are very long, straight, broad, flat, tender, absolutely stringless and of handsome appearance. Bountiful is a most desirable early sort for snaps for the home garden. (See cut and further description, page 16) Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

## Beans—Baldwin Wonder Wax


A hardy, vigorous and very prolific wax podded pole variety for the home garden. When in condition for use as snaps the pods are very long, about seven inches, cylindrical, exceptionally brittle and stringless. The color is a very attractive light yellow. We are able to introduce Baldwin Wonder Wax this year in packets only. (See cut, atso further description, page 19) Pkt. 20c; 3 Pts. 50c; 7 Pkts. \$1.00

#### Beans—Scotia or Striped Creaseback

This is a hardy and very productive cornfield bean. The pods are long, about six inches, cylindrical, distinctly crease-backed, very fleshy and of excellent quality. The color when in condition for use as snaps is light silvery green, becoming tinged with purple as the pods mature. We consider the variety especially suitable for growing on corn for snaps. (See cut and further description, page 18) Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

#### Beans—Harlequin

We are convinced by further trials the past season that this splendid horticultural pole variety is by farthe most desirable of its class. It is earlier, more productive and has much longer



BALDWIN WONDER WAX

and more attractive pods than the well known London Horticultural. The Harlequin is also hardier and a more reliable cropper. The stock we offer is of our own growing and is very superior. (See colored plate opposite and further description, page 19) Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

#### Corn—Mammoth White Cory

This is the best extra early corn for table use. The ears are very large for so early a variety. They are twelve rowed, six to seven inches long, symmetrical, very white and of remarkably good quality for such an early sort. Their size and beauty give them ready sale even when the market is overstocked. We consider it unquestionably the most desirable extra early corn for the home garden. It is also the best for the market gardener whose customers appreciate quality in a first early sort. (See colored plate opposite and further description, page 29) Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

#### Corn—Avon Evergreen

Those who consider that size, beauty and quality are three essential features in corn for their home garden will find Avon Evergreen the best of its class. It is a trifle earlier than the well known Stowell's Evergreen, has a longer ear and thicker kernel. The ears are remarkably white. They remain long in condition for use and are of surpassing sweetness. Avon Evergreen was introduced by us two years ago. It has made friends in every section where it has been tried. We recommend it as a splendid main crop sort for the market, home garden and canner. (See further description, page 30) Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00 If beans or corn are ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for transportation and packing.



#### Cabbage—Early Jersey Wakefield


This standard variety as offered by its maintains its reputation as the earliest and surest heading of the first early cabbages for market gardening trade. Our stock, grown and selected with great care, is of first quality. (See further description, page 22) Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼ Lb. 90c; Lb. \$2.75

#### Copenhagen Market

We are convinced by repeated trials on our own grounds as well as reports from critical growers that this first early sort is the most valuable cabbage of recent introduction. Our strain produces the characteristic large round heads that for their solidity and excellent quality make this variety so valuable. (See further description, page 22) Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb. \$4.50

#### Cucumber-Improved Long Green

The stock we offer under this name is in a class by itself. The fruits are very long, often twelve to fifteen inches when mature,



ADMIRAL TOGO-AN ORANGE FLESHED ROCKY FORD

and are sometimes longer. They are uniformly slender and of a beautiful dark green color. The large warts and spines are well distributed over the surface instead of being clustered at one end as in inferior stocks. We have given this variety especial attention for many years and we believe the stock we offer has no equal. (See cotored ptate, page 33, and further description, page 32) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

#### Musk Melon—Admiral Togo

This small, oval orange fleshed variety stands shipment as well as any of the green fleshed sorts and has proven distinctly superior in quality. The fruits are exactly similar in size and shape to the green fleshed Netted Gem or Rocky Ford and will pack equally well in the standard crate. Our stock is earcfully bred in size and shape. It is densely netted. The flesh is very thick. We recommend Admiral Togo to the most discriminating buyers. (See cut, also further description, page 39) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

#### Musk Melon—Osage or Miller's Cream

We have developed our strain of this standard specialty until we believe it to be unequaled for very small seed eavity and the size and flavor of its richly colored fruits. They are of the medium to large size so desirable for later markets and are always in demand where highly flavored salmon flesh is appreciated. The variety is also one of the best for the home garden. We believe the seed we offer will please the most critical trade. (See colored plate, page 33, and further description, page 39) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

#### Water Melon-Monte Cristo or Kleckley's Sweets

This delicious melon is unsurpassed for home use and near markets. The flesh is very bright rich red, and is exceedingly sweet, crisp and tender. We offer carefully grown and selected seed of this well known variety and where quality is preferred it cannot fail to give satisfaction. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c;

#### Water Melon-Tom Watson

No melon has ever gained first place among shipping melons as quickly as Tom Watson. In many markets it has taken in popular favor to the exclusion of all others. The sales of Tom Watson with us during the past four years have shown that it has met in unparalleled degree the demand for a superior quality of shipping melon. The fruits are large and long. The rind is tough, making the variety especially suitable for reaching distant markets in prime condition. It is without doubt among southern growers the most popular of all shippers. (See cut on this page and further description, page 40) Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00



TOM WATSON WATER MELON



GREENHOUSES AT OUR EXPERIMENTAL GARDENS.

Over 50,000 Viability Tests are made in our Greenhouses each year.



PORTION OF 1914 CABBAGE TRIAL.

In our Cabbage Trials uniformity in habit of growth, evenness of maturing and the shape and quality of the head are all carefully observed.

Lettuce—May King

Our many comparative trials have convinced us that May King is the most reliable first early heading It is the best extremely early heading sort yet introduced for forcing under glass. It is equally desirable for first early planting out of doors where marketable heads are required as early as possible. Our stock is of superior quality. (See cut and further description, page 36) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

Lettuce-Big Boston

Among our leading specialties is this compact, large lettuce which heads up under cold weather conditions better than any other variety. The plants are large and vigorous. The outer leaves are broad, thin, very hard and erisp. The inner leaves form large solid heads which blanch readily to an attractive greenish white, tinged with light yellow. Big Boston is desirable not only for outdoor enfure but also for foreing in cold-frames. It is grown very extensively in the south for shipment north in the winter. The seed we offer is of first quality. (See eut and further description, page 36) Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$1.75

Peas—Alderman

This very productive, tall growing, dark green variety is in many respects the very best early main crop pea of the valuable Telephone type. The pods are of largest size, similar to but a little larger and a shade darker than those of Duke of Albany and about the same in season. The peas are unsurpassed in quality. Our stock has been grown and selected with the greatest eare and we recommend it unreservedly. (See cut, page 47, and further description, page 48) Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50



THOMAS LAXTON PEA

#### Peas-Ferry's First and Best

The earliest and most even strain of first early white peas, maturing so well together that sometimes a single picking will secure the entire crop. The stock we offer is much superior to most on the market. (See further description, page (6) Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

#### Peas-Thomas Laxton

The peas of this extra early wrinkled variety are very large and are of unsurpassed quality. The vines are similar to Gradus but are darker in color. The pods are large and very attractive, with square ends, similar to but larger, longer aud darker than those Champion of England and as uniformly well filled. The earliuess, productiveness, handsome appearance and quality of Thomas Laxton make it a most valuable early sort for the market as well as home garden. (See further description, page 46) Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

#### Peas—Little Marvel

An excellent dwarf sort for the market and home garden. The pods average a little longer than those of Premium Gem, are more attractive in shape and color and the peas are of superior quali-The vines are heavily set with large, straight, deep green pods which are square ended at the bottom and are well filled with large tender peas. Season about the same as Premium This is a recent introduction which from our trials we believe to be of exceptional merit. (See further descriplion, page 46 Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

If peas are ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for trans-portation and packing,



SCENE AT OUR OAKVIEW STOCK SEED FARM.

In the distance may be seen the Horse Barns and Implement Sheds. We have  $684\,\mathrm{acres}$  in our Stock Seed Farm and Experimental Gardens.



PART OF FLOWER SEED TRIALS WITH GARDEN OFFICES IN BACKGROUND.

More than 900 Outdoor Quality  $\tau_{\rm rid}$ s of Flower Seeds are reade annually at our Experimental Gardens.

#### Celery-Columbia

No better celery has ever been produced than our strain of Columbia. It is early maturing. The plants are stocky and heavy, and when well grown the heart blanches to a very attractive light golden yellow. Columbia has no superior in beauty of golden shading, solidity and size of stalk. In rich nutty flavor we have found it unsurpassed. The variety is not only very desirable for the private garden but is well suited for the home market. Try it and be convinced. (See cut on this page and further description, page 27) Pkt. 5c; Oz. 85c; 2Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00

#### Celery—Golden Yellow Self Blanching

This is the standard variety that is grown much more extensively than any other sort for early use. Our stock has been very carefully selected and grown. There is none better. (See cut and further description, page 27) Pkt. 5c; ½ Oz. 50c; ½ Oz. 90c; Oz. \$1.65; 2Oz. \$2.85; ¼ Lb. \$5.25; Lb. \$20.00

#### Radish—Half Long Black Winter

The roots are grayish black, and are intermediate in shape between the Round and the Long Black Spanish. The flesh is white, very compact, pungent and well flavored. We have given this variety special attention and consider it the best of its class. We offer a superior stock. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

#### Squash-Delicious

The increased demand for this squash shows conclusively that its high quality is becoming more generally known and appreciated. Many prefer it to Hubbard, so long regarded as the standard of excellence. Delicious is a fall and winter squash of medium size. The fruits are moderately hard, usually dark green and are without any hard shell. The flesh is bright yellow, thick, very fine grained and of most excellent flavor. We believe the seed we offer is equal to the best obtainable. (See cut and further description, page 55) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



EARLY DETROIT TOMATO



COLUMBIA CELERY

#### Tomato-Earliana

Our strain of this first early sort is earlier and decidedly superior to much that is sold as Sparks' Earliana, and the extreme earliness of its large, smooth fruits makes it a very profitable tomato for market gardeners. The vines are small but vigorous and productive. The fruits are bright deep scarlet, medium to large, nearly round and are exceptionally smooth for so early a variety. We consider this by far the best first early scarlet tomato. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼Lb. 90c; Lb. \$3.00

Tomato—Early Detroit

Early Detroit has been thoroughly tried as a shipping sort during the past six years and has been found to meet the most exacting requirements. The variety is not only the most productive of the purplish pink tomatoes for the early market, but in uniformity and size of fruit, freedom from cracking and from tendency to blight it leads all others of its class. It continues better than any other market sort with which we are acquainted to give large smooth fruits to the end of its season. It is also a desirable tomato for the home garden. Since its introduction by us in 1509 we have given the variety particular attention and the seed we offer is of very superior quality. (See cut on this page and further description, page 56) Pkt, 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50



OUR SEED WAREHOUSE "A" 300 X 120 FEET

The Essentials to the Production of

## Good Vegetables and Beautiful Flowers

Good Soil A rich, sandy loam is the best, but a fair degree of success may be secured from any soil which can be made rich and friable. Vegetables of the best quality cannot be grown on barren sand, a cold, hard, lumpy clay, nor in the shade of orchard or other trees.

clay, nor in the shade of orchard or other trees.

A soil which does not need enperiod or their trees.

A soil which does not need enperiod or their trees.

A soil which does not need enperiod or the liberality with which fertilizers have been used. Well decomposed stable manure where straw bedding has been used is the best; manure where sawdust has been used for bedding is not so good. Often wood ashes at the rate of one peck up to one bushel to the square rod will be the which good stable manure is not available, commercial fertilizers may be used at the rate of four to twelve pounds to the square rod and the more concentrated forms, such as Nitrate of Soda, Guano, Dried Blood and Potash Salts, at the rate of one to six pounds to the rod, the larger amounts preferably in three or four applications and at intervals of about ten days. A mass or lunn of any of the commercial fertilizers, even if it is but a quarter of an inch in diameter, is liable to kill any seed or young plant which comes in contact with it, so it is very important if such fertilizers be used that they be thoroughly Prepayation.

Rich soil and liberal manure.

Thorough Preparation

Rich soil and liberal manuring will avail little without thorough preparation. The soil must be made friable by thorough and judicious working; if this is well done all that follows will be easy; if it is neglected, only partial sneees is possible and that at the cost of a great deal of hard work. The garden should be well plowed or dug to a good depth, taking care, if it is a elay soil, that the work is not done when it is too wet. If a handful from the furrow moulds with slight pressure into a ball which eannot be easily crumbled into fine earth again, the soil is too wet and if stirred then made as fine and smooth as possible with the harrow or rake. It is generally desirable to plow the whole garden at once and to do this in time for the earliest crops, but the part which is not planted for some weeks should be kept mellow by frequent cultivation.

Good Seeds appointment and failure among amateur Properly Planted gardeners than hasty, eareless or improper sowing of the seed. A seed consists of a minute plant enclosed in a hard and more or less impervious shell with a sufficient amount of food stowed in or around the germ to sustain it until it can expand its leaves, form roots and provide for itself. Moisture, heat and a certain amount of air are necessary to secure germination. The germinating seed first absorbs water and swells. The starchy matters gradually become soluble. The seed-coats are ruptured, the stemlet and bud emerge. The embryo lives for a time on the stored food, but gradually the plaintlet seemes a foothold in the soit and gathers food for itself. Germination is complete when the plantlet is able to shift for itself. shift for itself.

A dry seed may retain its vitality and remain unchanged for years, but after germination has commenced a check of a day or two in the process may be fatal. There is no time in the life of a plant when it is so susceptible on injury from the overabundance or want of sufficient heat and moisture as at the period between the commencement of germination and the formation of the first true leaves. It is just then that the gardener should aid in securing favorable conditions. These are:

able conditions. These are:

FIRST—A proper and constant degree of moisture. The soil should always he moist, never wet. To seeme this cover the seed as soon as it is planted with well pulverized, freshly prepared earth pressing it firmly over the seed. This firming of the soil is very important as it brings the particles of carth into close contact with seeds and roots, prevents the drying out of the soil and facilitates quiek growth. The best results are obtained in small gardens by laying a board on the row and then walking upon the hoard, or the back of the hoe may be used, but for truck farms and field crops a roller is equally satisfactory.

SECOND—A proper degree of heat, secured by sowing the seed when the temperature of the soil is that most favorable to the germination of the seed of that particular plant. Too high a temperature is often as detrimental as one too low. The proper temperature for each sort may be learned from a careful study of the following pages and the experience of the most successful gardeners in your vicinity.

THIRD Covering the seed to such a depth that while a uniform degree of heat and moisture is preserved the necessary air can roadily reach the germinating seed and the tiny stem push the forming leaves into the light and air. This depth will wary with different seeds and conditions of the soil and can be learned only from practical experience. In general, seeds of the size of the turnip should not be covered with more than half au inch of earth pressed down, while corn may be an inch, beans an inch to two inches and peas one to three inches deep.

FOURTH—Such a condition of soil that the ascending stem can easily penetrate it and the young roots speedily find suitable food. We can usually secure this by thorough preparation of the ground and taking care never to sow fine seeds when the ground is wet. Occasionally a heavy or long continued rain followed by a bright sun will so bake and crust the surface that it is impossible for the young plant to find its way through it, or a few days of strong wind will so dry the surface that the young plants will be killed. In such cases the only remedy is to plant again.

Judicious Cultivation

Not only should every weed be removed as soon as it appears, but the crust which forms after a rain should be broken up and the ground stirred as soon as it is dry enough to permit it. The more frequently and deeply the soil is stirred while the plants are young, the better, but as they develop and the roots occupy the ground, cultivation should be shallower until it becomes a mere stirring of the surface. The yield and quality of vegetables have often been decidedly lowered by injudiciously deep and close cultivation after the roots of the plants had fully occupied the ground. A very small garden, well cultivated and cared for, will give larger returns and be in every way more satisfactory than a much larger one poorly prepared and neglected.

### HOW TO BUILD AND MANAGE HOTBEDS

For early vegetables, some provision for starting certain plants earlier than can be done in the open air is desimble; for this purpose nothing is better than a good hotbed and Its construction is so simple and the expense so slight that every garden should have one. A hotbed proper not only protects the plants from the cold, but supplies bottom heat. By this term the gardener means that the soil is constantly kept several degrees warmer than the air above, that being the condition, so far as heat is concerned, which is most favorable for rapid and vigorous growth, and gardeners usually secure it by making a compact pile of some fermenting material and covering it with the earth in which the plants are to grow.

Heating Material The best heating material that is easily available is fresh horse manure, containing a liberal quantity of straw bedding. Such manure, if thrown into a loose pile, will heat violently and unevenly and will soon become cold. What is wanted in the hotbed is a steady and moderate but lasting heat. To secure this, the manure should be forked over, slaken apart and if dry, watered and allowed to stand a few days and then be forked over again, piled and allowed to heat a second time, the object being to get the whole mass into a uniform degree of fermentation and as soon as this is accomplished it is fit for use.

Sash Some gardeners use sash made especially for hotbeds and glazed with small lights cut from odds and ends and sofurnished at very low rates. Such sash can usually be procured in any of our large cities and costs much less than if made to order. For garden use, however, we much prefer a smaller sash that can be easily handled and the use of larger and better glass. We recommend that for home gardens the sash be about two and oue-half by four or five feet and that the glass be not less than 10x14, laid with not more than one-quarter inch lap. In giving the order to one unaccustomed to the work, it would be well to state what they are to be used for, and that they Some gardeners use sash made especially for hotbeds be well to stato what they are to be used for, and that they need to be made like skylight sash.

The Frame
This may be made of sound one-inch lumber, the back twelve to fourteen inches high, the front ten to twelve. It should be well fitted to the sash so as to leave as little opening as possible and yet allow the sash to be easily moved up and down, even when the frame is quite wet.

The Soil This should be light, rich, friable. Any considerable amount of clay in it is very objectionable. If possible, it should be unfrozen when put into tho bed; for this reason it is much better to prepare it the fall before and cover the pilo with enough coarso manure or straw to keep out the frost.

Making the Bed this requires careful attention as future success depends largely upon the manner in which this work is done. Having cleared away snow and ice, build a rectangular bed one foot larger each way than the frame to be used, carefully shaking out and spreading each forkful and repeatedly treading down the manure so as to make the bed as uniform as possible in solidity, composition and moisture. It is of the utmost importance that this shaking apart and evenly pressing down of the manure should be carefully and thoroughly done; unless it is, one portion will heat quicker than the other and the scil will settle unevenly, making it impossible to raise good plant. The proper depth of the bed will vary with the climate, season and tho kind of plants to be raised. A shallow bed will quickly give a high temperature which will soon subside; a deeper one, if well made, will heat more moderately, but continue much longer. For general purposes, a bed about two feet deep will be best

subside; a deeper one, if well made, will heat more moderately, but continue much longer. For general purposes, a bed about two feet deep will be best.

The bed completed, the frame and sash may be put on and fresh mannre carefully packed around the outside to the very top (if the weather is at all severe, this outside banking should be replenished as it settles). The bed should then be allowed to stand with the sash partially open for a day or two to allow the steam and rank heat to pass off.

Tho earth should then be evenly distributed over the surface of the bed and carefully leveled. The earth should not be shoveled or dumped in one or more places in the bed and then leveled; if this is done uneven settling of the bed invariably results. Care should be taken that the soil is dry and friable. If wet or frozen soil must be used, it should be placed in small piles until well dried out before spreading. The heat at first will be quite violent, frequently rising to

120 degrees, but it soon subsides and when it recedes to 90 degrees the seed may be planted. The importance of using dry soil and allowing the tirst rank heat to pass off is very great. Every season thousands of hotbeds fail of good results from these causes and seedsmen are blamed for failure resulting from overheat, or wet, soggy soil.

Management of the Bed success are a steady uniform degree of heat and moisture; keeping the soil at all times a few degrees warmer than the air and the careful 'hardening off' '(by exposure to the air and diminishing the supply of water) of the plants before transplanting into the open air. Simple as these may seem to be, there are many difficulties in the way of securing them, prominent among which is overheating the air under a bright sun.

Without experience one would scarcely believe how quickly the temperature inside of a well built hotbed will rise to 90 or 100 degrees upon a still, sunny day, even when the temperature outside is far helow freezing, or how quickly the temperature will fall to that outside, if upon a windy, cloudy day the sash is left open ever so little. A rush of cold air driven over the plants is far more injurious than the same temperature when the air is still. Again, in cloudy weather, a bed will go several days without watering, but will dry up in an bour when open on a sunny day.

The details of management, however, must be learned by experience, but may be easily acquired by one who gives the matter careful atteution, keeping constantly in mind the essentials given above.

tials given above.

matter careful atteution, keeping constantly in mind the essentials giveu above.

is a simple construction of boards for wintering over young plants, Cabbage, Lettuce, Cauliflower, etc., and is also useful to protect and harden off plauts from the greenhouse or hotbed before fully exposing them in the open air.

Select a dry, southern exposure, form a frame from four to six feet wide and as long as required. The back should be fourteeu to eighteen inches high and the front eight to twelve, with a cross-tie every three feet. The frame may be covered with sash or cloth. Seeds of the vegetables to be wintered, sown in open border early in September, will be ready to plant in cold frames about the last of October. The soil should be well prepared and smoothly raked before planting. Admit air freely on pleasant days, but keep close in severe weather.

These frames are particularly useful in the south and may be covered more cheaply with cloth shades than by sash. The shades are made as follows: Make light but strong wooden frames to fit over the bed and of a width to receive some common brand of cottou cloth. The cloth may be unbleached and should be stretched over and securely tacked to the frames. We have found that Plant Bed Cloth, which we have for sale, is superior to any ordinary cloth for this purpose.

is superior to any ordinary cloth for this purpose.

Transplanting In transplanting, the main points to be regarded are: eare in taking up the plants so as to avoid injury to the roots, setting out as soon as possible to prevent the air coming in contact with the roots, setpossible to prevent the air coming in contact with the roots, serting firmly so as to enable the plant to take a secure hold of the soil and shading to prevent the hot sun from withering and blighting the leaves. Where a rank or soft growth of tops has been made in hotbed it is frequently desirable to trim off some of the larger leaves before taking up to transplant so that evaporation later may be greated. poration later may be retarded.

In transplanting from a hotbed, harden the plants by letting

In transplanting from a hotbed, harden the plauts by letting them get quite dry a day or two before, but give an abundance of water a few hours before they are taken out. It is most apt to be successful if done just at evening, or immediately before or during the first part of a rain, about the worst time being just after a rain, when the ground being wet it is impossible to sufficiently press it about the plant without its baking hard. If water is used at all it should be used freely and the wet surface immediately covered with dry soil.

Watering The best time to water plants is early in the watering in orning or in the evening. Water may be given to the roots at any time, but should never be sprinkled over the leaves while they are exposed to bright sunshine. If watering a plant has been commenced, continue to supply it as it is needed, or more injury than good will result from what has been given. One copious watering is better than many scanty sprinklings. The ground should always be stirred with a hoe or rake before it becomes so very dry as to cake or crack.

#### ILLUSTRATED AND DESCRIPTIVE CATALOGUE

## VEGETABLE SEEDS

WITH GENERAL DIRECTIONS FOR CULTIVATION

The varieties in each class (for example, Wax Podded Beans) are usually arranged in their order of earliness. The descriptions of the varieties offered by us are based upon our very careful observations of the types as understood by us after many years of experience in carrying on a very large business. Our comparative trials of vegetables and flowers have been conducted on a large scale at our Experimental Gardens and Oakview Stock Seed Farm, both out of doors and in greenhouses, and our inspection each year of crops grown for us has extended not only from the Atlantic to the Pacific but has included many of the countries of Europe. Nevertheless it should always be remembered, that many vegetables are much affected in their habit of growth of plant and size, form and quality of the fruits by conditions of soil, climate, location and mode of culture which are often beyond our control, and our descriptions are for what may be expected under conditions that are approximately normal and favorable for good development.

The cultural directions in this catalogue are necessarily limited but they are as complete as space permits. For additional cultural information see list of books ou the inside of back cover of this Seed Annual.

#### ARTICHOKE

The seed we offer is that of the true artichoke which is an extensively used vegetable in Europe. In it the edible portion is the thickened scales at the base of the flower-heads or buds. The plant is very different from what is known in America as Artichoke or Jerusalem Artichoke, in which the edible portion is the tuber.

In February or March sow and transplant in hotbed so as to give plenty of room until danger of frost is over. Then set in very rich, well drained soil in rows four feet apart and two feet ajart in the row. The plants can be raised in seed beds out of doors, but in that case will not be likely to produce heads the first year. Late in the fall cut off the old tops and thoroughly protect the crowns with leaves or straw to prevent severe freezing.



PALMETTO

The second year thin the starting shoots to three of the best, which will commence to form heads about July 1st. The plants may also be blauched like eardoons. This is done by cutting back the stems close to the ground in July, the rapidly growing shoots which then start up may be tied and blanched like eelery. As artichoke plants do not yield satisfactorily after three or four years, it is best to start a new plantation as often as once in three years.

Green Globe
The plant of this variety is of medium height with rather deep green leaves. The buds or flower-heads are green, nearly round or somewhat elongated. The scales are rather narrow and spiny, and are moderately fleshy at the base. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00

#### **ASPARAGUS**

This is one of the earliest and most delicious of spring vegetables. We strougly urge all those having enough available space to put in a bed for their own use, following carefully the cultural directions given below.

strougly urge all those having enough available space to put in a bed for their own use, following carefully the cultural directions given below.

Beds are usually formed by setting roots which can be procured of us. If you wish to grow plants from the seed yourself, pour warm wate; in the seed and allow it to stand until cool; pour it off and releat two or three times with fresh warm water. Sow in spring in drills about eighteen inches apart and two mehes deep in light, rich soil, planting fifteen to twenty seeds to each foot of row. When the plants are we is up, thin to about one inch apart and give frequent and thorough cultivation during the summer. If this has been well done, the plants will be fit to set the next spring.

The permanent beds should be prepared by deep plowing or spading and thoroughly enriching the ground with stable manure or other fertilizer; a moist, sandy soil is best. If the subsoil is not naturally loose and friable, it should be made so by thoroughly stirring with a subsoil plow or spade. Set the plants about four inches deep and one to two feet apart in rows four to six feet apart. After the plants are well started, give frequent and thorough cultivation. Early the next spring spade in a heavy dressing of manure and about one quart of salt and double the quantity of fresh wood ashes to each square rod and cultivate well as long as the size of plants will permit, or until they begin to die down. The next season the bed may be cut over two or three times, but if this is done, all the shoots, no matter how small, should be cut. After the final cutting, give a good dressing of manure, ashes and salt. Cultivate frequently until the plants meet in the rows. In autumn after the tops are fully ripe and yellow, they should be cut and burned. A bed fifteen by fifty feet, requiring about one hundred plants, if well cultivated and manured, should give the following season an abundant supply for an ordinary family and continue productive for eight or ten years.

Palmetto A very early maturing and prolific variety, producing an abundance of very large, deep green shoots of the best quality. SEED-Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c. ROOTS-Postpaid, \$1.40 per 100; by freight or express, not prepaid, 90c. per 100; \$6.00 per 1000

Conover's Colossal This gent is one of the largest and most extensively used green varieties. Shoots bright green, sometimes tinged with purple at the top, very tender and of the best quality. SEED-Pkt, 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c, ROOTS-Postpaid, \$1.40 per 100; by freight or express, not prepaid, 90c. per 100; \$6.00 per 1000

Columbian Mammoth White

This excellent variety, introduced by us in 1893, furnishes shoots of exceptionally large size and of superior tenderness and flavor. The color is clear white until four to six inches above the surface. A large proportion of the seeds will produce white shoots and the green ones can be rejected when setting out the permanent bed. SEED Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c. ROOTS Postpaid, \$1.50 per 100; by freight or express, not prepaid, \$1.00 per 100; \$6.50 per 1000

## BEANS

No crop responds more readily than Beans to good soil and cultivation. A light, rich, well drained loam which was manured for the previous crop is the most desirable. If too rank manure is used it is apt to make the plant run too much to vine.

Beans are very sensitive to both eold and wet and it is useless to plant them before the ground has beeome dry and warm. The large returns will result from planting in drills from two to three feet apart. Cover the seed one and one-half to two inches deep and thin the young plants three to six inches apart in the row. If planted in hills, make the hills about two feet apart each way. For succession, plant at intervals of two weeks till midsummer. The plants up to the time of blossoming should have frequent shallow cultivation, but any mutilation of the roots by cultivation after the plants come into bloom is likely to cause the blossoms to blast and so cut off the crop. Cultivation should always be very shallow and it is useless to expect a crop from a field so poorly prepared as to need deep stirring after planting.

We give greatly attention to election the election of the crop of the crop in the control of the crop of the cro

We give careful attention to selecting and improving the different varieties and keeping them pure and we invite the most eritical comparison of our stocks with those of any other grower.

The varieties of garden beans we offer have been separated for convenience into five groups: Wax Podded Dwarf or Bush sorts. Green Podded Dwarf or Bush sorts, Dwarf Limas. Pole or Running sorts and Pole Limas. Nearly all of these sorts, except the Limas, are sultable when young for use as snaps. The low growing sorts are called Bunch beans in some sections. In northern latitudes the term "butter beaus" is often applied to low growing wax podded sorts. In the south, however, by "butter beans" Is usually meant limas.

#### DWARF OR BUSH—WAX PODDED SORTS

or market garden. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

D. M. Ferry & Co's Golden Wax This is one of the ear-

Folden Wax of the earliest and best dwarf sorts for the home market and private gardens. The plants are erect, compact, and very productive. The pods are of medium length, four and one-half to five inches, nearly straight, broad, that, golden yellow, very fleshy and wax-like. The variety cooks quitekly as snaps, shelling well when green, and is of superior quality used in either way. Seed medium sized, oval, white, more or less covered with two shades of purplish red. The amount and shade of color on this and all parti-colored beans will be affected greatly by conditions of soil and ripening. This very extensively used sort was introduced by usin 1876. We are convinced by many careful tests that none of the so-called improved strains is equal to the seed we offer of this standard variety. Pkt. 10c; Pt. 35c; Qt. 60c; 4 Qts. \$2.00; Bu. \$12.00

Michigan This splendid variety is one White Wax of the earliest dwarf, snap beans. It is a white-



CHALLENGE DWARF BLACK WAX

snap beans. It is a write-seeded Golden Wax bean of the original Golden Wax quality. Michigan White Wax was introduced by us in 19(... It is a vigorous and very productive garden variety. The pods are abundantly produced and are uniform in size and color which is a very attractive light golden yellow. They are four and one-half to five inches long, comparatively broad, meaty and of the same superior quality as our Golden Wax. Seed medium sized, oval, clear white. This last feature alone gives the variety an advantage over all other early wax podded beans in that as snaps they cook without discoloring and thus are more attractive on the table. It is a most desirable home garden, market and canning sort. Pkt. 10c; Pt. 35c; Qt. 60c; 4 Qts. \$2.00; Bu. \$12.00

Grenell Rust Proof Wax

The plants are a little more upright and hardier than our Golden Wax. The handsome deep yellow pods are about five inches long, are broader and flatter than our Golden Wax but are slightly inferior in quality. Seed similar to our Golden Wax but darker. This variety is sometimes called an Improved Golden Wax and is popular with some gardeners. Pkt. 10c; Pt. 30c; Qt. 50c; 4 Qts. \$1.75; Bu. \$10.00

Refugee Wax

The stock we offer is very productive, early and of superior quality. The plants are very vigorous and a clear, light yellow color. Seed medium sized, cylindrical, rounded at ends, yellowish drab, heavily splashed with a bluish black. This is an extensively used sort for canning and is suitable also for the home garden and market. (Sold out)

Keeney's Rustless Golden Wax

The plants of this very hardy and productive second early or intermediate sort are strong, vigorous and have short runners, and rather small smooth leaves. The pods are about five inches long, oval-flat, stringless, light yellow, wax-like and handsome. Seed similar to a light colored Golden Wax. Pkt. 10c; Pt. 30c; Qt. 50c; 4 Qts. \$1.75; Bu. \$10.00

If beans are ordered by mail or express prepaid add 40 cents per pint, 15 cents per quart for transportation and packing.

### BEANS-DWARF OR BUSH WAX PODDED SORTS-Continued

D. M. Ferry & Co's Detroit Wax The vines of this early dwarf sort are hardy and productive. The plants are very erect. The pods are attractive light yellow, straight, broad and tlat, and are about four to four and one-half inches in length. Seed an edium sized, oval, white with more or less Irregular dark brown or black markings about the eye. This is need for the home garden as well as market and shipping. Pkt. 10c; Pt. 30c; Qt. 50c; 4 Qts. \$1.75; Bu. \$10.00

Prolific German Wax, Black Seeded This improved strain of Black Wax we offer under this name is exceptionally productive, very hardy, reliable and of the best quality. It is very extensively used for snaps for the home gardea and market. The plants are medium sized, erect in growth, with small foliage, very vigorous, early intermediate in season with longer bearing period than most sorts. The pods are of medium length, four and one-fourth to four and one-half inches, borne well up from the ground, curved, cylindrical and fleshy. They are of a clear, light goldea yellow color and remain a long time in condition for use as snaps. Seed small, oblong, jet black. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

Pencil Pod Wax best sorts for home use and for near markets where highest quality is desired. The plants are strong growing with roughened leaves. The pods are loag, five and one-half to six inches, straight, round, fleshy and of a bright yellow color. They are tender, absolutely stringless and are produced through a loag season. Seed long, round, medium sized, solid black. (Sold out)

Currie's Rust Proof Wax

It has been claimed that this variety, usually midseason but sometimes earlier maturing, is absolutely rust proof and we have found it as nearly rust proof as any wax podded bean. The plants are very vigorous, hardy and productive. The pods are light yellow, similar in shape to Golden Wax but longer, about five and one-half to six laches in length. Seed long, oval, rounded at ends, medium sized, purplish black. This is a well known market gardeniag and truckers'sort in some sections. (Sold out)

Dwarf Unrivaled Wax Goldea Wax and a little lighter in color, are rather aarrow and somewhat flattened but fleshy, and when ia proper condition for use are very attractive on the market. This variety usually matures soon after our Golden Wax and is sometimes as early. The plants are large and vigorous with leaves similar to Golden Wax in color and shape but are a little larger. The pods when well grown are borne in abundance well up from the ground. Seed small, flat, slightly kidney shaped; color ochre-brown. This sort is suitable for market gardeners and is also used for the home garden. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

Wardwell's Kidney Wax This standard variety maturiag a little later than Golden Wax, yields a large crop of large size, about six iaches long, and are of good quality. They always command a ready sale, making the variety one of the most profitable for the market gardeaer as well as shipper. This is also very extensively used for snaps for the home garden. The plaats are strong growing and bear their long pods well up from the ground. The leaves are large, broad and slightly rougheaed. Seed large, flattened, kidney shaped, white with dark markings about the eye. Pkt. 10c; Pt. 35c; Qt. 60c; 4 Qts. \$2.00; Bu. \$12.00

Davis Wax This is also called Davis White Kidaey Wax. It is a well known market sort, much used for shipping. The plants are very hardy and productive and the variety is very desirable where a handsome wax-podded, white seeded intermediate sort is wanted. The plants are very vigorous. The pods are remarkably loag, about six inches, sometimes longer. They are handsome, light yellow, straight, very attractive and whea young are crisp and teader. The dry beans are excellent for baking. Seed medium large, kldney shaped, clear white. (Sold out)

Round Pod Kidney Wax A very handsome midseasoa variety, especially desirable for snaps for the home garden. The plants are of strong growth, spreading and very productive. The leaves are large, broad and roughened. The pods are loag and round, five and one-half to six inches, slightly curved, light yellow, wax-like, striagless and of the very best quality. Seed long, cylindrical, medium sized, nearly white with a little dark marking about the eye. (Sold out)


Scarlet Flageolet Wax This handsome variety of intermediate season seems to do especially well in the south and is a favorite with imamy truckers. The plants are large, strong growing, erect and produce very long, flat, rather coarse, deep yellow wax-like pods seven to eight inches in length. Seed very large, flat, bright red changing to plum-violet. (Sold out)

Violet Flageolet Wax This sort is known also as Perfection Wax. The those of Scarlet Flageolet Wax. When well grown this is one of the most showy wax varieties. Seed large, flat, dark violet. (Sold out)

Hodson Wax

The plants of this late maturing variety are exceedingly vigorous, hardy and productive. It is rust resistant and is becoming popular with shippers. While not of the excellent quality of our Golden Wax, this variety is very well adapted for market gardening purposes on account of its productiveness and freedom from bean diseases. The pods are handsome, clear creamy white, very long, about six to seven inches, straight or slightly curved, flat but fleshy and of good quality. They are crisp and tender if picked when quite young. Seed long, cylindrical, uniform in shape; color dull purplish red splashed with pale buff. Pkt. 10c; Pt. 30c; Qt. 50c; 4 Qts. \$1.75; Bu. \$10.00 Hodson Wax

Crystal White Wax wax bean. It is desirable for pickles. The plants are vigorous, branching and very productive. The leaves are small. The pods are greenish white with silvery shade, short, about three and one-half laches in length, curved, rouad or thicker than wide, with crease in the back; very fleshy and brittle. Seed very small, oval, white. Pkt. 10c; Pt. 35c; Qt. 60c; 4 Qts. \$2.00; Bu. \$12.00



HODSON WAX

### BEANS—DWARF OR BUSH GREEN PODDED SORTS

The green podded dwarf sorts are perhaps the most important class of garden beans and are probably more extensively used for snaps than the wax podded varieties, although the latter are considered by many as the more attractive in appearance. The green podded sorts are as a rule the more productive, being less sensitive to unfavorable conditions of soil and climate and of late years have been less susceptible to beau diseases.

Extra Early Refugee slightly curved, of medium size, about five inches long and of fine quality. The plants are a little smaller, more upright, and the leaves a little larger than those of the late Refugee, and the seed much the same in shape and color. Our stock is uniform, the vines ripening pods well together and long before those of the Refugee or Thousand to One. Seed long, cylindrical, rounded at ends, drab, nearly covered with dark purple blotches. This is an excellent snap bean for early markets and stands shipment well. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Round Yellow Six Weeks, Improved Round Pod Six Weeks in size or general appearance of the plants the pods are shorter, much thicker, fleshier and mature earlier. The pods are about four and one-half inches long, attractive slight green and are desirable for early snaps for the home garden and market. Seed medium sized, round, light yellow with slightly darker marking about the eye. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Early Yellow Kidney Six Weeks are long, about six inches, straight, flat, handsome, rather light green and when young are of good quality for snaps. Seed medium sized, long, kidney shaped, light yellow with small brownish circle about the eye. This is early maturing and a fine shipper. It is much used for the home garden and market. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Bountiful This excellent dwarf, green podded sort is

Bountiful This excellent dwarf, green podded sort is similar in appearance to Early Yellow Kidney Six Weeks but is of much better quality. The vines are vigorous and productive. The pods are very long, six to seven inches, straight, broad, flat, of handsome appearance and absolutely stringless for snaps. They are tender and brittle much longer than most sorts. The pods are longer, broader and have longer tips than those of Long Yellow Six Weeks. Seed medium sized, slender, light yellow with brownish circle about eye. Bountiful is a most desirable early sort for snaps for the home garden. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

Extra Early Round
Pod Red Valentine
and many prefer it to the wax varieties. The plants are
of medium length, about four and one-half inches, medium
green color, curved, eylindrieal, with crease in back, very
fleshy, erisp and tender. Where the young plants have to
eontend with adverse conditions, no other dwarf bean is
more certain than the Valentines are to set pods. Seed long,
of medium size and unsymmetrical in shape, purplish pink
splashed with pale buff. Lack of symmetry in the seed of
this variety is an indication of superior fleshiness and good
quality in the pods. We know of no stock of Red Valentine
which ean be compared with that we offer in uniformly high
quality of pod. Our strain combines in high degree all the
good qualities of the sort. Pkt. 10c; Pt. 25c; Qt. 40c;

Black Valentine

A very hardy and productive green podded sort with strong, vigorous very handsome, are much longer, straighter and less fleshy than Red Valentine, the plant a little more spreading, and in season a little later. A large erop can be depended ou and the product is very attractive on the market. It is very extensively used for shipping. The pods are of nedium dark green color and about six inches long. Seed small to medium sized, black, oblong, slightly flattened. Pkt. 10c; Pt. 30c; Qt. 50c; 4 Qts. \$1.75; Bu. \$10.00

Early Mohawk
way will often furnish beans fit for use before any other green
podded variety. The plants are large and stout, with large
coarse, dark green leaves. The pods are medium dark green,
long, six to six and one-half inehes, straight, coarse, flat,
with long tapering points. Seed long, large, kidney shaped,
variegated, drab, purple and brown. Pkt. 10c; Pt. 25c;
Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Stringless Green Pod A very desirable dwarf green garden and largely grown for the market. The plants are large, spreading and productive. The pods are nedium green, five to six inches long, cylindrical, larger than those of Red Valentine but are quite as fleshy, of equally high quality and remain crisp and tender longer. They mature a little later. Seed of medium size and length, yellowish brown. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Giant Stringless Green Pod handsome sort. The plants are large, vigorous and spreadhandsome sort. The plants are large, vigorous and spreading. The pods are large and nearly round, and of medium green eolor. They mature a few days later than those of Stringless Green Pod, average about one-fourth ineh longer and more nearly straight. The quality is very good for snaps for home use. The variety is suitable also for the market. Seed is long, slender, yellow. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

If beans are ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for transportation and packing.



BOUNTIFUL

### BEANS-DWARF OR BUSH

#### GREEN PODDED SORTS—Continued

Tennessee Green Pod known in other parts of the country is considered of exceptional merit. It is the longest polded dwarf sort. The plants are large, somewhat spreading and prolific. The foliage is dark green, with leaves large and crumpled. The pods are very long, often six to seven inches, flat, irregular in shape, bright but rather dark green and of exceptionally fine flavor. The green shell pods are much depressed between seeds. Seed of medium size, oval, flat, yellowish brown in color. After careful selection we have developed a uniformly true stock of the variety which is giving splendid satisfaction. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Dwarf Horticultural

One of the best dwarf sorts for green shell beans for the home garden and market and can be with large leaves. The mature pods are about five to five and one-half inches in length, broad and thick, enryed, with splashes of bright red on a yellowish ground. They become fit for use as green shelled beans early and in this condition the beans are very large, easily shelled and are about equal to the Lima in quality. Seed large, oval, plump, pale buff splashed with deep red. (Sold out)

Refugee or Thousand to One spreading, exceedingly hardy, with many small, smooth light green leaves. The mature pods are about five and one-fourth riches loag, cylindrical, slightly curved, inedium greea when in condition for use as snaps but as they mature becoming light rellow, sometimes splashed with purple. Seed long, cylindrical, light drab, thickly dotted and splashed with purple. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$8.50

The following four Dwarf or Bush sorts are also extensively planted as field beans.

Early Marrow Pea or Dwarf White Navy large, and spreading, with small, this leaves and occasional runners, ripening their erop comparatively early. The plants are light green, straight, short, about three and three-fourths inches, but usually containing six beans. The beans are small, oval, white, haudsome and of superior quality for use as dry beans. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

Large White Marrow or Mountain

The plants of this very prolife sort are large, slender, spreading, with short runners and small leaves. The pods are broad, about five and one-pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$5.50

The plants of this very prolife sort are large, slender, spreading, with short runners and small leaves. The pods are broad, about five and one-pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$5.50

Vineless Marrow A very prolific and valuable sort for field culture. The plants are large, strong and vigorous, but are light green, about five and three-eighths inches long. The dry beams are medium large, ovoid, very white, cook quickly and are of exceptionally fine quality. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$5.50

Royal Dwarf Kidney

The plants of this late variety, also called White Kidney, are upright, very large. branching, with large, broad leaves. The pods are coarse, dark green and about six inches long. Seed large, white, kidney shaped, slightly flattened and of excellent quality, greeu or dry. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

#### DWARF LIMAS

The dwarf lima class cannot be recommended too highly. The beaas can be grown and gathered much more easily than the pole limas as the vines require no support. They can also be grown closer together than those of any pole variety. Dwarf limas are fully equal in quality to pole limas and as a rule are earlier maturing.

Limas require a longer season for maturing than other garden beans. Do not plant till the ground is dry, weather warm and deager of frost is over. If possible select rich, light soil. Plant in drills two to three feet apart, dropping the beans three to four inches apart and covering one and one-half to two inches deep. If planted ia hills, make the hills two to three feet apart one way and two to two and one-half feet the other and plant four to six beans in a hill. Hoe often but only when the leaves are dry.

Bush Lima or Dwarf Sieva (henderson's) A dwarf form of the small white Lina, valuable on that account, and because of its extreme earliness, hardiness and productiveness. The plants are without runners but coatinne to grow and set pods until stopped by frost. The leaves are small and very dark green; flowers small, yellowish-white, borae in clusters and often above the foliage. The pods are medium dark green, short, about two and three-fourths inches, that and contain two to four beans which are of excellent quality either green-shelled or dry. This is much used by canners, as well as for home and market garden use. Seed small, flat and white with slight tinge of yellow. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

Burpee's Improved Bush Lima This is a little the earliest maturing of the large seeded limas. The plants are vigorous and productive. The pods are medium green, very large, about five inches long, thick and usually contain four beans, which are unusually thick, of largest size and of excellent quality. Seed very large, thick and usually shows a greeaish white tinge which is generally considered an indication of superior quality. One of the best and most extensively used bush limas for the market as well as home gardea. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

Dwarf Large White Lima A bush form of the true Large White Lima and of equally good quality. The plants are uniformly dwarf but very productive. The pods are medium green, are as broad and very nearly as long as those of the pole variety of Large White Lima and are a little more curved. They contain from three to five very large, flat beans of very good quality for home garden or market. Seed very large, flat, white with slight greenish tinge. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Fordhook Bush Lima An improved dwarf liana of the Kumerle type. It is sometimes called Potato Bush Lima. The plants are vigorous and erect, bearing well above the ground. The pods, which are produced in large clusters, are medium greea, about four and three-fourths inches long and each contains three to five large beans of exceptionally fine quality. It is much more productive than Kumerle and matures earlier. Seed large, irregularly oval in shape, very thick, white with greenish tinge. This sort is popular for home and market use, especially in the east. Pkt. 10c; Pt. 35c; Qt. 60c; 4 Qts. \$2.00; Bu. \$12.00 Bu. \$12.00



FORDHOOK BUSH LIMA

### BEANS—POLE OR RUNNING

Although pole beans require considerable care and labor, they are when properly grown usually of longer bearing period than the dwarf sorts and are generally more productive.

Pole beans are even more sensitive to cold and wet, as well as to drought and hot winds, than the dwarf varieties, but are of superior quality and productiveness. After settled warm weather, set poles four to eight feet long in rows four feet apart and extending north and south, the poles being three feet apart in the row. Let the poles slant slightly toward the north. Set in this way the vines climb better, and the pods are straighter and nore easily seen. Around each stake plant five to eight beans one and one half to two inches deep. When well started thin to four plants, and see that they all climb around the pole in the same way, for they will not grow if tied up in the opposite direction.

Another plan is to plant in rows thickly enough so that there will be one plant to eight or ten inches. Set posts five feet high firmly at each end of the rows and drive stakes made of two by two lumber at intervals of about sixteen feet along the rows. Stretch a wire, size number 10 or 12, between the posts along each row, and fasten it to the tops of the stakes with wire staples. Run a lighter wire or twine along the bottom about six linehes from the ground and fasten to the posts and stakes with wire staples. Between these two stretch a wire or twine wherever there is a plant. The vines will run up these until they reach the top wire, when they will care for themselves. Another way is to omit the bottom wire and stick small stakes two to six inches in the soil and fasten to top wire.

White Creaseback

This green podded, white seeded creaseback variety is valuable for its extreme earliness and its in good soil wonderfully productive, bearing round, fleshy pods in elusters of from four to twelve. The pods are of medium sized, vigorous and length, usually about five inches, comparatively straight and of attractive light green color. They are of the best quality as snaps for home use and stand shipping better than most sorts. Seed small, oval, white. The beans are too small to be of well walle when shelled green, but are considered by many to be of very superior quality for baking. Pkt. 10c; Pt. 25c;

Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Kentucky W. Also known

Kentucky Wonder

Also known as Old Homestead.

Kentucky Wonder

Me believe this variety is the most practically useful of the green podded pole beans snitable for use as snaps. It is an early, very prolific sort, with showy pods which are of most excellent quality. The vines are vigorous, climbing well and very productive, bearing pods in large clusters. The pods are inclining light green, very long, often reaching nine or ten inches, curved and twisted, nearly round and very erisp when young, becoming very irregular and spongy as the beans ripen. Seed long, oval, slightly flattened, dun colored. One of the very best early pole snap beans for the home garden or market. The quality of our stock is musurpassed. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

St. Louis Perfection White green podded, white seeded pole sort desirable for snaps and unsurpassed in its class as green shell beans. The vines are vigorous and very productive. The pods are round, very long, often eight to nine inches, irregular in shape and quite stringless. The beans when shelled green are large, very tender and white, a very desirable feature when comparison is made with the colored beans of other varieties of this class. Seed medium long, oval or well rounded, solid white. Many gardeners consider this bean the most desirable pole sort. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Red Speckled Cut Short green po ided climbing sort, or Corn Hill in the south tor planting among corn. It will give a good crop without the use of poles. The vines are medium sized, but vigorous, twining loosely with dark colored leaves. The snap pods are short, three to three and one half inches, straight, flat to oval. Heshy and of good quality. The pods as they mature become light yellow tinged with red, the beans showing distinctly through the pod. Seed nearly oblong, cut off diagonally at the ends, light grayish white, covered about the eye and at one end with reddish or purplish brown, and irregularly dusted over most of the surface. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$7.00

Scotia or Striped Creaseback A hardy and very podded cornfield bean. The vines are sturdy and of good climbing habit, with small medium, deep green leaves. The pods are long, about six inches, cylindrical, distinctly creasebackd, very fleshy and of excellent quality. The color when in condition for use as snaps is light silvery green, becoming tinged with purple as the pods mature. Seed small-medium, kidney shaped, mottled putty color with dark striping. We consider the variety especially suitable for growing on corn for snaps. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Dutch Case Knife

The vines of this well known green podded kidney bean for green shell use are of good elimbing habit. but twining rather loosely and may be used for a corn hill sort of medium season. It is used for snaps when quite young. The leaves are large and crumpled. The pods are very long, seven to eight inches, flat, irregular, medium green, becoming lighter as they maune. Seed broad, kidney shaped, flat, clear white and of excellent quality whether used green or dry. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Kentucky Wonder Wax

This vigorous wax podded pole bean is very similar to the green podded Kentucky Wonder but the pods are a little bronder. They are very fleshy and stringless as snaps and are of excellent quality. The pods are very long, handsome light yellow, often eight to nine inches in length. Seed medinin sized, oval, flattened, very irregular, usually somewhat shriveled, dark brown. The earliness and hardiness commend this as a pole bean well adapted even for northern latitudes. Pkt.10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

If beans are ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for transportation and packing.



SCOTIA OR STRIPED CREASEBACK

### BEANS-POLE OR RUNNING-Continued

Baldwin Wonder Wax A hardy, vigorous and very prolific wax podded pole variety for the home garden. When in condition for use as snaps the pods are very long, about seven inches. They are uniforally cylindrical, exceptionally brittle, stringless and of excellent quality. The color of the pods at the snap stage is a most attractive light yellow. Seed medium sized, flattened kidney shaped; color putty with brownish or bronze green striping. We are able to introduce Baldwin Wonder Wax this year in packets only. Pkt. 20c; 3 Pkts. 50c; 7 Pkts. \$1.00

Early Golden Cluster Wax
saap pole beaas. The viaes are large, strong growing, vigorous and hardy, with large, light green, eriaiped leaves. The pods are six to eight inches long, borne in abundaat elusters, each containing from three to six pods varying in color from golden yellow to ereany white. The pods are very broad, thick and flesby. They are of very good quality and stay in condition for use a long time. Seed anclium sized, flatteued, oval, dull white. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

Harlequin

Earlier, more productive, and with much longer and more attractive pods than the well known London Horticultural or Speekled Cranberry, also hardier and a more reliable eropper. The large ovate beans are of the highest quality either green shelled or dry. The vines are vigorous with large light colored leaves. The pods are very long, six to seven inches, striped or splashed a deeper and more brilliant red than London Horticultural; dry beans a trifle longer. We consider this the most attractive and the finest bean of the Horticultural class. (See colored plate, page 5) Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

London Horticultural or Speckled Cranberry shell bean for home or market. The vines are leaves. The pods are medium leugth, four aad one-half to five and one-half iaches, pale green when young, becoming as they mature yellowish green striped or splashed with red. The beans are large, ovate, flesh eolored, splashed and spotted with wine-red aad of the highest quality, either green or dry. Many like this sort better than limas. This well known horticultural pole beaa is sold also as Wren's Egg. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

Lazy Wife One of the best of the later green podded pole beaas for snaps elusters, are five and one-half to six and one-half inches long, broad, thick, fleshy and entirely stringless. When young they have a rich, buttery flavor which is retained until they are nearly ripe. The dry beans are excellent for winter use. Seed white, medium size, slightly oval or nearly rouad. Pkt. 10c; Pt. 35c; Qt. 55c; 4 Qts. \$2.00; Bu. \$11.00

#### POLE LIMAS

Of all the pole beaas, limas are considered to have the greatest economic Of all the pole beaas, limas are considered to have the greatest economic value. The culture is the same as for other pole beans except that being more tender, the seed is usually planted one to two weeks later. In firm soils it will be found of advantage to place the beaas oa edge with the eye down as when planted in this anamer they germinate and come up more readily.

Seibert's Early Lima other early limas for either the home garden or market. The vines are vigorous and remarkably productive. The pods are medium green, large. flat, about five inches long, moderately eurved. The greea shell beaas are very large, very tender and of finest quality. This standard early pole lima was introduced by us in 1895. Seed ovoid, flat with slight greeaish tinge. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

Small White Lima, Carolina or Sieva This very early and reliable small seeded pole lima is especially adapted for planting in the south. The vines are vigorous, with anaay short branches. The leaves are small, smooth, stiff, glossy dark green. The pods are dark green, short, about three inches, eurved, flat. Seed small, flat, white with slight tinge of yellow. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00



Ideal Pole Lima One of the largest and most valuable lima beans yet introduced. The vines are exceptionally vigorous The pods usually contain four to six large beans of excellent quality. This variety matures a little later than Scibert's Early Lima but the pods are much larger. Seed large, ovoid, flat, white with slight greenish tinge. This is a splendid variety for anarket gardeners. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

King of the Garden Lima The vines of this standard pole lima are very vigorous and productive. The pods are five very large white beans of finest quality. On account of its large pods it is a favorite with market gardeners. It will come into bearing earlier and make larger pods if not anore than two vines are left to grow on a pole. Seed very large, ovoid, flat, white, with slight greenish tinge. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

Carpinteria Pole Lima A laost desirable pole lima for the home and market garden. The vines are strong growing and vigorous, producing an abundance of fine, large, medium green pods, five to six inches long, usually closely filled with four beans of largest size, much thicker than the average pole lima. The color is distinctive in having a decided greenish tint, an indication of very finest quality. When cooked the beans are very thin skinned, extremely teader and of finest flavor. Seed very large, exceptionally thick, retaining the distinctly green tinge. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Large White Lima some sections by Seibert's Early Lima. The vines are tall and vigorous but slender, with nacdium sized, smooth, medium green leaves. The pods are borne in clusters and are five to five and one-half lnches long, broad, very thin and are of ancilium green color. Seed very large, ovoid, flat, white with slight tinge of greea. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

4 Qts. \$1.50; Bu. \$8.00

Challenger Lima

The vines of this desirable late maturing variety are stout, vigorous and productive. The pods are medium green, about four inches long, shorter and comparatively thicker than those of other pole limas and it is sometimes called Potato Pole Lima. The pods usually contain four to five beans which are large, thick, white and of very good quality. It is similar to, but better than Dreer's laproved Lima. Seed smaller and thicker than the other pole limas, ovoid, white with slight greenish tinge. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

If beans are ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for transportation and packing.

## BEET


The best results are obtained on a deep, rich, sandy loam. If wanted very early, sow such sorts as Crosby's Egyptian and Detroit Dark Red in hotbeds and transplant, cutting off the outer leaves. For general crop sow in freshly prepared soil as soon as the ground will permit, in rows eighteen inches apart covering about an inch deep and pressing the soil firmly over the seed. When the plants are well established thin out to six iaches apart in the row.

For winter use the turnip varieties may be sown in June so as to mature late ia the season. The roots are stored in a cellar and covered with sand or sandy soil to prevent wilting, or they may be kept outdoors in pits such as are used for applesand potatoes.

This is the best variety for fore-

Extra Early Egyptian Blood Turnip This is the best variety for fore-early crop outdoors, being very early, with small tops. The leaves are dark green, shaded and veined with dark red. The roots are very dark red, moderately thick, a little rounded on top, distinctly flat on the bottom, and about two inelies in diameter when mature. The flesh is dark purplish red, zoned lighter shade; firm, crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Crosby's Egyptian This very desirable table beet does not closely resemble the original Egyptian except in its extreme earliness. The tops are small. The roots are flattened globe shaped and very smooth. The exterior color of root is bright red. The flesh of our strain is bright vermilion-red, zoned with a lighter shade, very sweet, tender and of excellent quality. This is one of the best for early planting outdoors and is much used for bunching. It becomes fit for use earlier than any other variety but it is not so well suited as Extra Early Egyptian Blood Turnipfor foreing in hotbeds or for transplanting. Our stock is exceptionally uniform in shape and color, and is earlier than the older strains which are similar in shape but show the purplish red color. Pkt. 5c; Oz. 15c; V4 Lb. 40c; Lb. \$1.25





Detroit Dark Red We believe this is the best beet for the market and home garden, and on account of its uniformly deep rich color the most desirable for eanning. The tops are small and upright in growth. The leaves are dark green, shaded with red. The roots are medium sized, globular or nearly round, very smooth and of dark blood red color. The flesh is deep vermilion-red, zoned with a lighter shade of the same color. The variety is very desirable for bunching. Careful comparisons with all prominent varieties on the market prove that Detroit Dark Red is the most uniform in shape and size and the most attractive in color. It is unsurpassed in quality. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

shape and size and the most attractive in color. It is unsurpassed in quality. Pkt, 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Early Eclipse
An early beet especially desirable for the home gardea and used for hunching. The tops are small. The roots are bright deep red, smooth, round or slightly top shaped, with a small tap and small collar. The flesh is bright red, zoned with pinkish white, very sweet, erisp and tender, especially whea young. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Early Blood Turnip (Improved) Aa extra selected stock of Blood Turnip, having larger, courser tops and root than betroit Dark Red and requiring a longer time to mature. The roots are dark red and nearly round or slightly flattened. This is an excellent market and home gardea sort for summer and autumn use. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Edmand's Early home garden. Tops short, rather spreading; ribs and leaf Blood Turnip stalks dark red, interior color purplish red with little zoning; crisp, tender, sweet and an excellent keeper. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Rastian's Farly A medium early, bright

Bastian's Early

A medium early, bright red, turnip shaped heet of very good quality for market and home garden use. The tops are medium sized, with bright green leaves. The roots are thick and slightly top shaped with a medium sized tap. The flesh is light purplish red, zoned almost white; erisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

Dewing's Blood Turnip early table sort is tender, sweet and a good kreper. Tops medium sized; leaf stems and veins dark red; leaves green. Roots dark republish and turnip darks. greea. Roots dark purplish-red, turnip shaped with medium sized tap. Flesh earmine with purplish tinge, zoned with lighter shade. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

This Early Turnip Bassano

When young is very sweet and tender. It is
excellent for the table, being especially adapted
for use as greens. The tops are large. The roots
attain a large size, are light red in color and flattened turnip-shaped with rather heavy tap.
The flesh is pink, zoned with ereamy white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

D. M. Ferry & Co's Half Long Blood best variety for winter and spring use. It is excellent to slice for pickles. The tops are very upright with exceptionally smooth leaves. The roots are deep red, half long, smooth and uniform in shape. The flesh is very deep, rich red, sweet and tender. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Long Dark Blood A standard long late variety of very good quality which keeps well through the winter. The roots are smooth, rather slender, growing largely underground, with few or no side roots and when mature about eight or ten inches in length, sometimes loager when grown in deep, well-dug and well-manured soil. The exterior color of the roots is very dark purple, almost black. Flesh is dark red, tender and sweet. It is an excellent sort for pickles. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

SWISS CHARD (Sea Kale or Spinach Beet) This kind of beet is grown exclusively for the numerous, deshy, tender leaves and leaf stalks, which are superior to those of other beets for use as greens. Later in the season the wax-like leaf stems are cooked like asparagus or are pickled. This variety we offer has large, broad, undulated leaves of attractive yellowish green color, and remarkably large, broad white stalks and midribs or chards. It is well worthy of a place in the home gardea as well as for market use. Swiss Chard is sometimes called Leaf Beet and Silver Beet. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00



D. M. FERRY & Co's HALF LONG BLOOD

## SUGAR BEET

The Sugar Beets are desirable not only for sugar making but are valuable for stock feeding and when small may be used for the table. The best soil is a rich friable sandy, or clayey loam. Rich, mucky soils will often give an immense yield of roots which, though excellent for feed, are of little value for sugar making.

Plant early in spring in drills two to two and one-half feet apart, and about one inch apart in the row, covering with about one and one-half inches of fine soil firmly pressed down. Cultivate frequently. When about three inches bigb begin thinning and continue at intervals until the roots stand about ten inches apart.

#### FOR SUGAR MAKING

Jaensch's Victrix

This is innquestionably the most highly developed strain of beet for sugar making. The roots are of medium size, white with tinge of gray, half long, and very uniform in type. The flesh is white and is exceptionally rich in sugar content. Per Lb. 50c, postpaid. Lots of 5 Lbs. to 25 Lbs. by express, at purchaser's expense, 40c per Lb.

Vilmorin's Improved
eontent, It will do better on new lands than
any other, suffers less from an excess of
nitrogen and will keep the best. The tops are
of medium size, with smooth, bright green
leaves. The roots are of medium size, similar
in appearance to Jaenseh's Victrix, with
white flesh and often yield from ten to sixteen
tons per aere. Pkt. 5c; Oz. 10c; 2 Oz. 15c;
1/4 Lb. 20c; Lb. 50c.

Klein Wanzleben The roots are a little larger than Vilmorin's Improved and a little harder and easier grown. The tops are rather large and the leaves slightly waved. This sort often yields under careful culture from twelve to eighteen tons per aere. It is probably the best sort for the experimenter to use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 50c.

## HALF SUGAR MANGEL FOR STOCK FEEDING

Giant Feeding Sugar Beet of giant or Half Sugar Mangel half sugar white heet is especially desirable for stock feeding, affording not only a very large crop much easier to harvest than other sorts but also having higher nutritive value, being especially rich in sugar. The roots are light bronze green above ground, grayish white below, with white flesh. On account of growing partly out of the ground and the long ovoid shape the crop can be harvested and stored easily and at less expense than any other root crop. Pkt. 5c; Oz. 10c; ½ Lb. 15c; Lb. 40c.



GIANT FEEDING SUGAR BEET OR HALF SUGAR MANGEL

## MANGEL

The eulture of the Mangel Wurzel, also called Mangel, Cattle Beet and Field Beet, is much the same as for Sugar Beets. The Mangels may be grown in almost any soil, but deep loams are necessary for beavy yields of the long varieties.

Long Red A large, long variety grown for stock feeding. The roots are light red, grow well ont of the ground and are easily harvested. The flesh is white, tinged with rose. Pkt. 5c; Oz. 10c; 1/4 Lb. 15c; Lb. 40c.

D. M. Ferry & Co's Improved

The roots are very large, uniformly straight and well formed and comparatively thicker Mammoth Long Red than the common sort. The flesh is white tinged with rose. This strain under careful culture is enormously productive. Our stock will produce the largest and finest roots which can be grown for feeding stock and is vastly superior to many strains offered under other names, such as Norbitan Giant, Colossal, Monarch, etc. Pkt. Sc; Oz. 10c; ¼ Lb. 15c; Lb. 40c.

Yellow Leviathan

The roots of this exceedingly productive sort grow about one-half out of the ground and very easily harvested. In shape they are long fusiform, or spindle shaped tapering from the middle to each end, and have a small collar. The color is light gray tinged with brown above ground, yellow. The flesh is white, sometimes slightly tinged with yellow. The tops are green and comparatively small. The roots have less tendency to become woody than most sorts. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 40c.

Golden Tankard The tops are comparatively small, with the leaf stalks and velus distinctly tinged with yellow. The gray above ground, deep orange below. The flesh is yellow, zoned with white. Pkt. 5c; Oz. 10c; 1/4 Lb. 15c; Lb. 40c.

BROCCOLI The heads resemble somewhat a coarse cauliflower and the culture is the same in all essentials as for that vegetable. Broccoli is well adapted only to those sections where the season is long, cool and rather moist. One of the most valuable features is that it withstands greater extremes of temperature than eauliflower.

Early Large White French This is considered the best sort for most sections. The plants are very hardy, vigorons and easily grown. The heads are white, compact, hard and of good quality. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

BRUSSELS SPROUTS This vegetable is used in the fall and early winter and by some considered more tender and delicious than any eabbage. The plant resembles the eabbage, the edible part being the numerous very small heads or sprouts an ineli or two in diameter formed on the stalk at each leaf joint. The enluture is the same in all essentials as for cabbage, except the leaves should be broken down in the fall to give the little heads more room to grow.

This force it is probably the most useful variety. The plants are half dwarf

Improved Half Dwarf
This favorite Paris market sort is probably the most useful variety. The plants are half dwarf, growing about one and one-half to two and one-half feet high. They are very hardy and produce compact, rounded, grayish green sprouts of good size and fine quality. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

## CABBAGE

For many years cabbage seed has been a leading specialty with us. Our cabbage seeds are all grown from approved stock seeds which are largely of our own development on our Oakview Stock Seed Farm; they are all grown under our personal inspection and supervision. We believe there is no seed that is more reliable, nor any that can be more implicitly depended upon to give planters uniformly satisfactory results.

The requisites for complete suecess with cabbage are: First, good seed. In this crop the quality of the seed used is of the greatest importance. No satisfactory results can possibly be obtained when poor seed is planted. Second, rich, well prepared ground. A heavy, moist and rich loam is most suitable. Third, frequent and thorough cultivation. The ground should be highly mannred and worked deep. Cabbage is grown all over the country and specific directions regarding the time and methods of planting applicable to all localitios cannot be given. In general, north of the 40th parallel the early sorts should be sown very early in hotbeds, hardened off by gradually exposing them to the night air and transplanted as early as the ground is in good condition, setting eighteen to thirty-six inches apart, according to size of variety. South of the 40th parallel sow about the setting in open ground as early as possible in the spring.

The late autumn and winter varieties may be sown from the middle to the last of spring and transplanted when four to six

The late autumn and winter varieties may be sown from the middle to the last of spring and transplanted when four to six inches high. If the weather and soil are dry the late sowings should be shaded and watered in order to lasten germination, but it is important that the plants should not be shaded or erowded in the seed-bed, or they will run up weak and slender and will not endure transplanting well. Cabbages should be hoed every week and the ground stirred as they advance in growth, drawing up a little earth to the plants each time until they begin to head, when they should be thoroughly cultivated and left to mature. Loosening the roots will sometimes retard the bursting of full grown heads.

Of late years many crops of early eabbages have been destroyed by maggots at the roots. An effective remedy seems to be to remove the earth carefully from around the stem so as to form a funnel-shaped cup and apply Zenoleum, Sanax Dip, or some similar preparation, diluted at the rate of one part to eighty parts of water. Apply one pint to a plant. A well known remedy is to apply an emulsion of keroseae which may be made as follows: Add one quart of kerosene oil to two quarts of boiling fish oil soap (whale oil soap), soft soap or any clieap soap which has been thinned to the consistency of cream. Stir the oil thoroughly by churning or other method until it has united with the soap and forms a cream-like substance. Then dilute with five times as much water and apply once a week. A preventative for the maggot is to spray on forcibly a carbolic acid emulsion diluted with thirty parts of water, applied the day after the cabbage plants are transplanted, and repeated several times at intervals of a week.

The cabbage worms, which destroy the leaves and bads later may be killed by dusting with pyrellymm powder.

The eabbage worms which destroy the leaves and heads later may be killed by dusting with pyrethrum powder, slug shot or Paris green. The last two are poisonous and should not be used in large quantities, or late in the season; lowever, should their use be necessary, eare should be taken to remove the outside leaves before the heads are used. If the disease called einb-root should get a foothold, do not plant the land with any of the eabbage family for a year or two. This is usually an effective remedy.

To preserve cabbages during winter, pull them on a dry day and turn them over on the heads a few hours to draia. Set them out in a cool cellar, or bury them in loag trenches in a dry situation, covering with boards or straw so as to keep out frost and rain.

For further information see books listed on iuside of back cover.

A great many of the varieties of cabbages are simply strains rather than distinct sorts and are really the same as some older and better known kinds. We are confident that every good quality can be found in a greater degree in the varieties we offer than in any other kinds.

#### FIRST EARLY SORTS

Early Jersey Wakefield This most excelleat variety is the earliest and surest heading of first early eabbages for the market and home garden. Most gardeners depend upon it for the bulk of their extra early erop. The plants are exceedingly hardy, not only in resisting eold but other unfavorable conditions. They are compact and erect or very slightly spreading, with few outer leaves, which are smooth, thick, nearly oval and deep green. The stem is short. The heads are of medium size, very solid, uniformly pointed and of excellent quality. Our stock, grown and selected with great care, is of first quality. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼ Lb. 90c; Lb. \$2.75



CHARLESTON OR LARGE WAKEFIELD



EARLY JERSEY WAKEFIELD

Copenhagen Market

The earliest large round-headed eabbage yet introduced. The heads are exceptionally large for so early a variety, very solid and of most excellent quality. The plants are vigorous but eompact, with short stem and few outer leaves which are of rather upright growth. The leaves are medium light green, nearly round, comparatively thick and smooth. This is a most excellent sort, both for the home garden and market gardening trade. Our strain produces the characteristic large, round heads that for solidity and excelleat quality make this variety so valuable. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb. \$4.50

Charleston or Large plant is larger and a Wakefield little later than Early Jersey Wakefield but less pointed and considerably larger. The leaves are rather large, smooth and comparatively thick. It averaging the problems are larged to the large and the larged the larged to the lar leaves are rather large, smooth and comparatively thick. Its exceeding hardiaess, earliness and size of head have made it with market gardeaers and shippers a popular sort to follow Jersey Wakefield. The plants are medium sized, very vigorous, slightly spreading. The heads are blunt-pointed but very broad at the base. Our stock eau be depended upon to produce uniformly fine, marketable heads. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ½ Lb. 90c; Lb. \$2.75

Early Spring The earliest flat-headed variety, The plants are vigorous, very eompact, with few outer leaves and a short stem, The leaves are nearly round, broad, smooth aad of distinctive light green color, almost without bloom. The heads are broad, round, slightly flatteaed-Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2 50.

### CABBAGE—SECOND EARLY AND INTERMEDIATE SORTS

Early Dwarf Flat Dutch The plants of this sort are short stemmed, compact and upright with comparatively few and short leaves. The heads are large for size of plant, are nearly round or somewhat the paratherly lew and short leaves. The heads are large for size of plant, are nearly round or somewhat flat-tened, close, firm and very solid. They mature a little earlier than Early Summer. This variety is extensively used for the home garden and market. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Henderson's Early Summer
somewhat flattened cabbage, valuable for the home
garden and takes well on the market. It is also well
adapted for kramt. The plants are vigorous and strong
growing but eompact, with numerons but not large,
rather spreading outer leaves which are somewhat
frilled; stem rather short. The heads are of medium
size, round, somewhat flattened and keep longer without
bursting than most early sorts. Pkt, 5c; Oz. 30c;
2 Oz. 50c; ¼ Lb. 90c; Lb. \$2.75 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75

Glory of Enkhuizen This second early variety is very sure heading and of excellent quality. The plants are of vigorous growth, with large, rather spreading onter leaves which are noticeably curved and frilled. The heads are globular or very nearly round, very solid and of large size for so early a variety. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50



EARLY DWARF FLAT DUTCH



Succession

All Head Early
so early a cabbage and of very good quality. It is desirable not only for general spring planting but by planting late it can be used as a full and early winter eabbage. The variety is well adapted for krant. The plants are compact, with few onter leaves which are comparatively smooth and rather thick; stem short. The heads are solid and flat but very deep. Our strain is of special value. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50

Early Winnigstadt best of the second early or medium early sorts, very hardy, with a very hard sharply pointed head and is a very sure cropper. Owing to its compact and upright habit of growth and peculiar texture of its rather short and thick, dark green leaves, the variety resists cold, wet and insect pests exceptionally well. The heads are of medium size, very closely and convolutely wrapped, sharply conical, of good quality and keep very well. The leaves are dark bluish green with much bloom. The variety is very extensively used for the home garden. It is sometimes planted late and then makes a desirable winter eabbage, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Fottler's Early Drumhead or Brunswick Short Stem stemmed flat cabbage is one of the very best and most extensively used second early or intermediate sorts. It is especially adapted for the home garden. The plants are of dwarf and compact but strong growth, with rather few outer leaves which are fairly smooth or slightly waved. The heads are large for size of plant, distinctly flat, solid and of excellent quality. This sort is also suitable for later use. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Succession A sure heading sort, intermediate or second early in season and adapted for autimin as well as late summer use. The plants are vigorous and strong growing, with a short stem and have numerons, rather short, outer leaves, which are somewhat frilled. The heads are large, deep, very firm and of excellent quality. The seed we offer is from earefully grown selected stock. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

All Seasons A very desirable large eabbage of intermediate season, adapted for autumn as well as late summer use, and considered one of the most desirable for krant. The plants are very vigorous and sure heading, with few outer leaves which are large and fairly smooth or slightly waved. The heads are nearly round or somewhat lattened, very solid and of excellent quality. It is remarkable for its ability to stand the hot sun and dry weather, rennaining an exceptionally long time in condition for use. Sometimes sold as Vandergaw. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50



EARLY WINNIGSTADT

### CABBAGE—LATE OR AUTUMN AND WINTER SORTS

The Warren or Improved
Stone Mason mediate or main erop
variety produces large,
flattened but deep heads of most excellent
quality. The plants are distinctly compact
with only a moderate number of leaves
which are rather light green, thick, rounded,
entire and slightly blistered. The heads are
large, flattened but deep, oval on the top,
tender but compact and very solid. It is an
especially desirable fall or early winter
cabbage where quality is desired. Pkt. 5c;
Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50 Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

Volga A main crop sort, very desirable where large, uniformly round heads with short stem and plants of compact growth are wanted. This sort matures very early for a variety furnishing such large heads of excellent shape. The outer leaves are thick, long oval and rather smooth. The variety is hardy, usually very solid and a good keeper. Pkt. 5c; Oz. 25c; 20c; 40c; 44 lb. 75c; th. \$2.50. Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Surehead

One of the most reliable main erop or late enbbages for northern latitudes, being very hardy and exceptionally sure heading. In some sections this is used largely as a late home market eabbage and for shipping. The plants are rather upright, with many outer leaves which are waved, thin edged, crimped and distinctly frilled; stem rather short. The heads are large and broad, thick, somewhat flattened, compact, very solid and of excellent quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

This strain D. M. Ferry & Co's Premium Late is Flat Dutch sult of much eare on our part to develop and maintain the good qualities which have made maintain the good qualities which have inade this sort so popular. The plants are very hardy, comparatively slow growing but very sure heading; stem rather short. The plants are exceptionally vigorous, with very large, broad, spreading outer leaves which are moderately smooth or very slightly waved and slightly blistered. The heads are uniformly large, often very large, flat but deep, distinctly flattened on the top, solid and of excellent quality. This is considered by many as the standard, very large late cabbage for home garden and market. It is an excellent keeper. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

D. M. Ferry & Co's We recommend this sort for markets that require a very large and Premium Late Drumhead deep head. It is also much used as a main erop or late sort for the home garden. The plants are large, fairly compact but distinctly vigorous, with medium length stem and large outer leaves, which are upright in growth and moderately waved. The heads are uniformly large, very large when grown in good, rich soil, are flattened on top but very deep, compact and of excellent quality. The heads can be kept in good condition until late in spring. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

An early Savoy eabbage

Early Dwarf Ulm Savoy

An early Savoy eabbage
of small size and most exeellent flavor. The plants are rather small but vigorous. The
outer leaves are medium sized, much erumpled, thick, fleshy, deep green. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50



HOLLANDER OR DANISH BALL HEAD

Hollander or Danish Ball Head sure heading, very solid, of good quality and as one of the very best keepers this is particularly desirable for distant markets or for late spring use. The plants are vigorous and compact, with stem of medium length. They are exceedingly hardy in resisting cold and stand dry weather well. The leaves are distinctly upright in growth, few but rather large, thick, smooth, bluish green covered with whitish bloom. The heads are medium sized, round, exceptionally solid and stand shipment better than any other late sort. Our strain of Hollander is shorter stemmed and produces heads generally larger than other stocks. We offer seed of our own growing which, judging from our trials, will produce more uniformly typical heads than ean be grown from stock obtainable elsewhere. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb. \$4.50

Mammoth Rock Red The largest and surest heading red eabbage, much better than stock offered as Red Drumhead. The plants are large and vigorous with medium length stem and spreading outer leaves which are dark green with red veining. The heads are late maturing, large, round, very solid and of very attractive deep red color. The variety is much used for cold slaw and pickling. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Improved American Savoy

for home use or market. The plants are vigorous, of
medinm size, with rather short stem, and are very sure
heading. The outer leaves are medium large, thick, fleshy
and densely and uniformly erumpled. The heads are large,
nearly round, fairly solid, sweet and tender. The quality
is superior to sorts that have been offered as Perfection,
Green Globe or Drimhead Savoy. Pkt. 5c; Oz. 25c; 2 Oz. 40c;
¼ Lb. \$2.50 1/4 Lb. 75c; Lb. \$2.50



D. M. FERRY & CO'S PREMIUM LATE FLAT DUTCH

CHINESE (PE-TSAI) The improved strain CABBAGE we offer resembles when well grown Cos Lettuee rather than Cabbage. It is often ealled Celery Cabbage on the market.

The leaves of the plant when young are erimped at the edges, of light green eolor and appear like smooth leaved mustard but with much broader and heaviermidribs.

smooth leaved mustard but with much broader and heaviermidribs. The plant as it matures becomes more upright and forms leads much like Cos Lettuce. The inner leaves blanch an attractive light yellow or creamy white with very white midribs. It is of distinctive flavor, very mild and pleasant. It is served as a salad like lettuce or cooked like asparagus.

Sow in this latitude after July

Sow in this latitude after July Sow in this latitude after July 1st at the same time as turnips. The early plantings of Pe-Tsai run quickly to seed in hot weather. Sow in drills fourteen to twenty inches apart and thin seedlings two or three times; or if grown for the market start in boxes and transplant like late eabbage. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

## CARRO

The carrot is one of the most wholesome and nutritious of our garden vegetables and it should be planted in every garden as well as among the field crops. For horses and as winter feed for milch cows, the carrot cannot be surpassed and it should be more largely grown by farmers for this purpose.

While a sandy loain made rich by manuring the previous year is the best soil for the earrot, any good land if theroughly and deeply worked will produce satisfactory crops. It is advisable to sow as early in the spring as the ground is fit to work, though good crops may be grown from sowings as late as June 15. For table use sow the smaller kinds early in rows sixteen to eighteen inches apart. For field culture sow in drills eighteen to twenty-four inches apart, using from one and one-half to three pounds of seed to the acre. Cover one-half to one inch deep and see to it that the soil is pressed firmly above the seed. As soon as the plants appear, use the cultivator or wheel hoe. Thin two tosix inches apart in the row, according to the size of the variety.

Earliest Short Horn (French Forcing) One of the earliest varieties in cultivation and very desirable for forcing. The tops are very small. The roots are reddish orange and are nearly round when forced quickly in very rich, well prepared soil, but are somewhat longer when grown outdoors. When fully matured the roots are about two to two and one-half inches long, but they should be used before fully grown while young and tender. (Sold out)

Early Scarlet Horn

This variety is excellent for early planting out of doors for the table. The tops are small. The roots are orange-red. about three inches long, top shaped but tapering abruptly to a small tap. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Early Half Long Scarlet The tops of this early half long frame sort carentan are very small and seed may be sown very thickly as the variety is well adapted for forcing. The roots are of medium size, slender, cylindrical with remarkably small neek, handsome deep orange color, tender throughout and of the best quality. They are usually four and one-half to five inches in length, but sometimes grow considerably longer. (Sold out)

Half Long Scarlet Nantes, This extensively used, half long Stump Rooted early variety has small tops and is excellent for the market or home garden. The roots are cylindrical, smooth and of a bright orange color. The tlesh is orange, becoming yellow in center but very tender throughout. This variety is of the finest quality and is one of the most symmetrical and handsome of the medium sized sorts. The mature roots are usually five to six inches long. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Chantenay

A most excellent, medium early, half long variety. It is one of the best in quality for the market and home garden, while its great productiveness and the ease with which it can be harvested make it desirable as a field sort. The tops are medium sized with small neck. The mature roots are thick, five and one-half to six inches in length, uniformly half long or stump rooted but tapering slightly, smooth, deep orange-red in color. The flesh is very crisp and tender. Although a medium early sort the roots are snitable for use nearly as early as any. The variety is extensively used for bunching. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Guerande or Ox Heart

Especially desirable for soil so hard and stiff that longer rooted sorts would not thrive in it. The tops are comparatively small. The mature roots are four and one-half to five inches long, very thick, ending abruptly in a small tap root. The tesh is bright orange, fine grained and sweet. When young the roots are desirable for table use as a medium early carrot and when mature they are equally good for stock feeding. Pkt. 5c; Oz. 10c;

2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00


Danvers largely on account of its great productiveness and adaptability to all classes of soil. It is a desirable second early carrot for the home garden and is also suitable for field culture. The tops are of medium length, six to eight inches long, tapering uniformly to a blunt point. The flesh is deep orange, tender and of good quality. Although the roots of this variety at maturity are comparatively short they often produce as large a bulk as the longer field sorts and are more easily lurivested. Pkt, 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Improved Long Orange cided improvement obtained by years of eareful selection of the best formed and deepest colored roots of the old Long Orange, which was the most popular of the older sorts for farm use on deep and mellow soil. The roots of the strain we offer are very deep orange, long and comparatively thick, often twelve inches in length and three inches in diameter at the erown, tapering regularly to a point. The tops are rather large. This intermediate to late maturing sort is snitable for table use as well as stock feeding, combining great productiveness with uniform shape where grown in light, deep, quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

One of the very best field corrects have

D. M. Ferry & Co's One of the very best field carrots because of its enormous productiveness and the ease with which it can be harvested. The roots are half long, seven to nine inches in length, smooth, very white with light green crown. The fiesh is white, solid, erisp and of excellent quality for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.





GUERANDE OR OX HEAHT



## CAULIFLOWER

Cauliflower, although one of the most delicious vegetables, is but little grown except by professional gardeners because of the erroneous notion that it is so difficult to grow that only skilled gardeners can produce it. Any one will be reasonably sure of success with this most desirable vegetable if the cultural directions given below are carefully followed.

For spring and early summer crop, sow in March or early in April in hotbed and transplant to cold-frame when sufficiently large to handle. As soon as danger of hard freezing is over set in the open ground in rows two and oue-half feet apart and eighteen inches apart in the row. The plants will endure a light frost. The soil for cauliflower should be like that for eabbage, but it is better if made richer than is ordinarily used for that crop. Plenty of good manure must be well incorporated with the soil and the latter be brought into the highest state of tilth. No application, however, can be more necessary or more useful than that of cultivator and hoc useful than that of cultivator and hoc.

For late crop, sow at same time as for late cabbage and treat in the same manner. It should be borne in mind that cauliflower will not head up well in hot, dry weather and hence the sowings need to be so timed as to bring the heads to maturity either before the hot summer weather sets in or not until the cooler weather of the fall. If it receive at this time a liberal supply of water, the size and quality of the heads will be greatly improved. After the head begins to form, draw the leaves over and tie them together to protect it from the sun and to keep it white. The heads should be cut for use while the "curd" is compact and hard, as they soon become much impaired in quality and appearance after they open and separate into branches.

Of the enemies of the erop, none is more formidable than the cabbage root magget. This seems to have a special liking for the earliflower. Probably the best and most surely effective protective measure is enveloping each plant with a tight fitting collar of tarred felt. Plant lice are also serious pests of this crop. Effective remedies are dusting with fine to-bacco dust, or spraying with strong tobacco tea or kerosene emulsion.

Our cauliflower trials for several years includ-ed samples of seeds from some of the most skillful American growers and while their stocks pro-duced hardy, vigorous plants the heads formed plants the heads formed were uniformly more open in the eurd and matured a little later than those grown from the best imported seed. All the cauliflower seed we offer is produced by the most experienced growers in Europe, in such localities as are best suited to its proper development and the greatest care is taken to save seed from perfectly developed plants feetly developed plants

Early Unquestionably the earliest Snowball maturing strain of the true short leaved Snowball strain of the true short leaved Snowball type of cauliflower. It is admirably adapted for forcing or wintering over for early crop and is the most popular sort for these purposes, also one of the best sorts for lato summer and fall crop. Early Snowball is, moreover, a most desirable sort for the home garden. The plants are compact. plants are compact, with few short, outside leaves and are well suited for close plant-ing. The heads are of

suited for close planting. The heads are of medium to large size, solid, compact, round, very white and curdlike and are developed earlier than those of any other sort. In our many comparative trials of samples from the best known growers and prominent seedsmen in Europe and America our stocks of Early Snowball have been unsurpassed by any in earliness. They also gave the highest percentage of well formed heads. After a careful inspection of the fields of the most expert Danish and other European growers we know we are in position to supply the most critical trade with seed which can be depended upon as the very best. Pkt, 25c; ¼ Oz. 75c; Oz. \$2.25; 2 Oz. \$4.25; ¼ Lb. \$8.00

Extra Early Dwarf Erfurt A remarkably sure flower. It is of dwarf habit with short outside leaves and is similar in all respects to Early Snowball, and nearly as early. The heads when ready for market are of medium to large size. The curd is white, exceptionally deep and of finest quality. It will give excellent results either in the home garden or for market use and is superior to most seed sold at higher prices. Where extreme earliness is not the greatest consideration we recommend this strain after having proven it far superior to most stocks offered as Snowball. Pkt. 25c; ¼ Oz. 65c; Oz. \$2.00; 2 Oz. \$3.75; ¼ Lb. \$7.00



EARLY SNOWBALL

Early Favorite This is a second early, exceedingly hardy, easily grown sort. It is perhaps the best sort for the inexperienced grower, as it will head under conditions in which many sorts would fail. The plants are large and form large heads which, although inclined to be open, are crisp, tender and of fine quality. It keeps in condition for use a long time. Many years' experience has convinced us that it is one of the hardiest sorts. Pkt. 5c; Oz. 85c; 20c. \$135. VI. \$2.25 2 Oz. \$1.35; 1/4 Lb. \$2.25

Large Algiers

A valuable late sort, sure to head, of excellent quality and popular with market gardeners. The plant is large but of upright growth, the leaves protecting the heads so that they will endure uninjured a frost that would ruin most other sorts. This is one of the very best of the late varieties. Pkt. 5c; Oz. 75c; 2 Oz. \$1.25; 1/4 Lb. \$2.00

Veitch's Autumn Giant A distinct and valuable stems and dark green leaves. The heads are very large, white, firm and compact and being well protected by foliage, remain a long time fit for use. The plants should be started and transplanted early in the scason to insure their full development. Pkt. 5c; Oz. 45c; 2 Oz. 80c; 1/4 Lb. \$1.25

## CELERY

Sow the seed (which is slow to germinate) from about February 20 to April 20 in shallow boxes indoors or sow iu a finely prepared seed bed out of doors in April in straight rows so that the small plants may be kept free from weeds. See to it that the seed is not covered too deep and that the bed is kept moist, almost wet, until the seeds germinate, as plenty of moisture is essential to get a satisfactory growth. The seed will not germinate well if planted in a hotbed or where subjected to a temperature above 60° F. When the plants are one to two inehes high, thin out and transplant so that they may stand two or three inches apart each way. When they are four inches high, cut off the tops, which will cause the plants to grow stocky. Plants are usually set out when about five inehes high. It is well to cut off the lower half of the roots before transplanting.

The crop is usually made to succeed some earlier one, but in order to grow good celery the soil must be made as rich as possible, the essentials to success being very rich soil and plenty of water. If good plants are used, they may be set out as late as the middle of August, but the best results are usually obtained from setting about the middle of June or first of July. The most desirable time will depend upon local climate and is that which will bring the plants to maturity during cool, moist weather. In setting, prepare broad trenelies about six inches deep and four to six feet apart, in which the plants should be set six inches apart, cutting off the outer leaves and pressing the soil truly about the roots. The compacting of the soil excludes from weeds by frequent cultivation.

When the plants are nearly full grown they should be "handled," which is done by gathering the leaves together while the earth is drawn about the plant to one-tbird its height, taking care that uone of it falls between the leaves, as it would be likely to cause them to rust or rot. After a few days draw more earth about them and repeat the process every few days mutil only stake

earth. Care should be taken that the plants are not disturbed while they are wet or the ground is damp; to do so increases the liability to injury from rust.

A part of the crop may be simply "handled" and then at the approach of severe freezing weather taken up and set out compactly in a dark cellar or an unused cold-frame, where the temperature can be kept just above the freezing point and it will then gradually blanch so that it may be used throughout the winter. Should the plants begin to wilt, water the roots without wetting the stalks or leaves and they will revive again.

Celery is sometimes grown by what is termed the new process which consists in making a spot as rich as possible and there setting the plants six to eight inches apart each way. If the soil is very rich and there is an abundance of water, the plants will blanch each other and the product will be very white and handsome, but we think it is inferior in quality to that grown by the old method. For further cultural information see list of books on inside of back cover.

Golden Yellow Self Blanching
stock of Golden Yellow Self Blanching. This is the standard celery for early use. It is in condition as early in the fall as any and we have yet to find a strain better in quality and appearance than our stock of Golden Yellow Self Blanching. Critical gardeners generally depend upon our stock to produce their finest early eelery. It is excellent for the home gardeu. The plants arc of medium size, compact and stocky, with yellowish green foliage. As they mature the inner stems and leaves turn beautiful golden yellow so that blanching is effected at a minimum expenditure of time and labor. Its haudsome color, crispuess, tenderness, freedom from stringiness, and fine nunty flavor have established it as a superior first early sort. Pkt. 5c; /4 Oz. 50c; /2 Oz. 90c; Oz. \$1.65; 2 Oz. \$2.85; /4 Lb. \$5.25; Lb. \$20.00

White Plume

A handsome, very early variety. The leaves are light, bright green at base, shading nearly white at tips. As the plants mature, the inner stens and leaves turn white and require to be earthed up but a short time before they are in condition for use. Although very attractive, we do not think that it compares favorably with the Golden Yellow Self Blanching either in flavor or solidity, or that it will remain in condition for use as long. White Plume has been much in demand as a market sort on account of its very attractive appearance and requiring a very short time for blauching. It is suitable also for the longe garden. Pkt. 5c; Oz. 35c; 2 Oz. 60c; /4 Lb. \$1.00; Lb. \$3.50

Columbia An early maturing sort of most excellent shape and quality for the home market and private garden. The plant is of medium height but very stocky and heavy. The stalks are thick, almost round, resembling in shape those of Giant Paseal. The eolor, however, has in it more of the rieh yellow tint of Golden Yellow Self Blanehing, which variety it resembles very much in appearance when trimmed and bunched for the market. The outer foliage of the plant when growing is rather light green with tinge of yellow, becoming when blanched yellow with tinge of green. The heart wheu properly blanehed changes from yellow with tinge of green to a light goldeu yellow. In seasou it follows in close succession Golden Yellow Self Blanching. Our strain of Columbia has no superior in beauty of golden shading, solidity and size of stalk. We consider it unsurpassed in its rich nutty flavor. Introduced by us in 1906. (See cut and further description in Supplement, page 10) Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; 1/4 Lb. \$2.25; Lb. \$8.00

Dwarf White Solid An erect, compact growing midsenson or fall variety. The stalks are moderately thick, solid and erisp, becoming when blanehed attractive light yellowlsh white. This variety is also sold as Large Ribbed Kalamazoo and Kalamazoo. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$250. Lb. \$2.50

Seymour's White Solid A large sized, vigor-stalks when blanched attractive light yellow or nearly white, nearly round, erisp, solid and of good flavor. Matures a little earlier than Giant Pascal. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

Giant Pascal This is a green leaved variety deself Blanching and we recommend it as being of the very best quality for fall and early winter use for the home garden and market. It blanches to a beautiful yellowish white color, is very solid and erisp, and of a fine nutty flavor. The stalks are of medium height, very thlek, the upper portion nearly round but broadening and flattening toward the base. With high eulture this variety will give splendid satisfactiou as a large growing sort for fall and winter use. In the south it is prized more than almost any other kind. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50



GOLDEN YELLOW SELF BLANCHING

## CELERY—Continued

Evans' Triumph The variety produces a very strong and vigorous plant with dark green foliage and large stalks which when blanched are attractive light yellow or nearly white, erisp, tender and of fine flavor. It is late maturing and requires the whole season to develop but will keep well for a long time. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Winter Reliance This is considered the most attractive in color and the best in quality of any of the late keeping sorts. The plants are moderately dwarf, compact, with solid heart and habit of growth very well adapted for late keeping. When ready for the late market the color is a very attractive light ereamy yellow. The quality is unsurpassed by any variety of its class and is decidedly superlor to most of the older, long keeping sorts. Pkt. 5c; Oz. 35c; 2 Oz. 60c; 1/4 Lb. \$1.00; Lb. \$3.50

French's Success A late maturing variety which introduced. The growth is compact and short in stem so that the plants may be well earthed up for blanching while growing close together. The foliage is dark green. The heart is large, solid and is formed early. The stalks become when blanched almost white or very light creamy yellow, thick, yet brittle, without stringiness and of good quality. It requires more time to mature than some sorts but remains firm, solid and in fine condition nutil late in the spring. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Soup or Cutting Celery This sort is not suitable for blauching but the seed is sown thick in rows for soup flavoring. The tops grow very rapidly and furnish a succession of cuttings throughout the senson. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

CELERY SEED FOR FLAVORING. Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 50c.



FRENCH'S SUCCESS



WINTER RELIANCE

CELERIAC OR TURNIP ROOTED CELERY
In this kind of celery, the roots have been developed by cultivation and not the leaf-stalks. The roots, which are the edible portion, keep well for winter use and are excellent for soups and stews. They are also cooked and sliced as a salad.

Sow seed at the same season and give the same treatment as common celery. Transplant to moist, rich soil, in rows two feet apart and six inches apart in row. Give thorough eulture. It is not necessary to earth np or "handle" the plauts. After the roots have attained a diameter of two inches, they are flt for use. To keep through winter pack in damp earth or sand and put in the cellar or leave out of doors, eovering with earth and straw like beets and carrots. with earth and straw like beets and carrots.

Large Smooth Prague This improved variety produces large roots of nearly globular shape and comparatively smooth surface. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

CHERVIL A hardy annual with aromatic leaves resembling parsley and by many considered superior to it in flavor. The young leaves are used in soups and salads and for flavoring and garnishing meats and vegetables.

Sow in early spring in rich, well prepared soil. The seed is slow to germinate, sometimes remaining in the earth four or five weeks before the plants appear. When the plants are about two inches high, transplant or thin to about one foot apart. They are ready for use in six to ten weeks from sowing.

Curled This sort is greatly superior to the old, plain variety, being earlier, haudsomer and having fully as fine fragrance and flavor. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

CHICORY—Large Rooted or Coffee The dried and prepared roots are much used as a substitute for coffee, and the young leaves may be used as a spring salad. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind.

Sow seed as early in spring as the ground can be prepared, in rather light, moderately rich soil, in drills two to two and one-half feet apart for either garden or field culture. When the plants are sufficiently large, thin to six inches apart in the row. Cultivate well and in the fall dig the roots, slice them and dry in an applie evaporator or kiln constructed for the purpose. When the roots are grown in quantity for the manufacturers of "prepared" chicory, they are usually brought to the factory in the "green" state and there dried in kilns constructed specially for the purpose. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

CHIVES—Allium Schoenoprasum An onion-like plant used as a salad and for flavoring soups. It also be cut, a new growth of leaves appearing soon after each cutting. The plants grow about ten inches high. One sowing will answer for about three years. Pkt. 10c; Oz. 50c.

COLLARDS This is a tall, loose leaved cabbage-like or kale-like plant grown throughout the south and known in different sections as "Cole," "Colewort," or simply "Greens." It is extensively used for the out the entire winter. Collards usually succeed in locations where eabbage cannot be grown to perfection.

Sow the seed thickly in drills, in rich ground, transplanting when about four inches high; or sow in drills where the plants are to remain and when well started thin to two or three feet apart in the row. In the south, seed may be sown from January to May and from August to October.

Georgia, Southern or Creole

This is the white or green stemmed variety, growing two to three feet high and forming a large, loose, open head or cluster of leaves with a rather long stem. A frost, if not too severe, will improve rather than injure the quality of the leaves. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 80c.

## CORN

#### SWEET OR TABLE VARIETIES

A rich, warm, alluvial soil is the best, but excellent sweet coru can be raised on any good, ordinary soil, if it is deeply and thoroughly worked before planting. In the north sweet corn should be planted as early as can be done without risking great loss from frosts or from rotting of the seed in the soil.

If planted in rows, make the rows three to four feet apart, according to the vigor of growth of the variety, and place the seed twelve to sixteen juches apart in the row, covering one inch deep with fine soil firmly pressed down.

If planted in hills, make the hills for the early varieties three feet apart each way and plant six kernels to the hill. For the later sorts the hills should be not less than four feet apart each way. Hoe frequently, and when six inches high thin so as to leave three or four plants in the hill. Give frequent and thorough but shallow eultivation until the tassels appear.

Mammoth White Cory We consider this the best extra early corn for the so early a variety. The stalks are about four feet high, each generally bearing two large, finely shaped ears which become fit for use as early as those of any variety. They are twelve rowed, six to seven inches long, very symmetrical and handsome, seldom with any opening between the rows at the base. The grain is large, broad, very white and of remarkably good quality for such an early sort. The size and beauty of this variety give it ready sale even when the market is overstoeked. (See eolored plate, page 5 and further description in Supplement, page 4) Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

White Malakhof A desirable, very early sweet eorn of excellent quality. The long, ten or twelve rowed, slender but with very small cob which is well filled with small, deep, sweet and tender grains. It follows closely Mammoth White Cory in time of maturing. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

White Mexican

The stalks of this early variety are about four and one-half feet high. The ears are about eight inches long, slender and are usually eight rowed. This sort matures nearly as early as Manimoth White Cory. The ears are exceptionally long for so early a variety of table eorn. Our stock is superior to much that has been sold under this name. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

Crosby's Early

A most excellent early variety of fine quality. The ears are five aud one-half to six and one-half inches long, fourteen rowed or more, with short nearly square grains which are very white, sweet and tender. The stalks are about four and one-half feet high. This variety is desirable for the home garden and market. It is a sort largely grown in Maine for eauning. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

Golden Bantam This is an early sweet coru with golden yellow grain, very tender and of excellent quality. The ears are eight rowed, six to seven inches long and of the medium size found most suitable for the table. The flavor is exceptionally rich and delicious. The stalks are four to five feet high. Our stock of this splendid home garden and market variety has been very carefully selected and is decidedly superior to much that is offered. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Early Minnesota

This deservedly popular variety is one of the best second early slx feet high bearing one or two ears well covered with husks. The ears are about eight inches long, eight rowed; kernels very broad, sweet and tender, not shrinking much in drying. By eareful selection we have developed a stock of this standard variety which is remarkably uniform and in which all the good qualities that have made this sort so desirable are intensified. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

Kendel's Early Giant Remarkably large in ear for a second early sort and extensively grown in some localities for the market. The stalks are about five and one-half feet high. The ears are about eight to nino inches long, twelve rowed. The grain is rather broad and shallow, and the quality very good. Pkt.10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

Early Sweet or Sugar about nine inches, slender, eight rowed, tender and sugary. The stalks are about six feet high, hardy and productive. Our stock is distinct and true and not such a mixture of all sorts of early sweet or sugar eorn as has been often offered under this name. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

If eorn is ordered by mail or express prepaid add 10 cents per pint, 15 eents per quart for transportation and packing.



GOLDEN BANTAM

## CORN SWEET OR TABLE VARIETIES—Continued

Perry's Hybrid

This second early variety has stalks about six feet high, bearing two ears about eight inches long, twelve or fourteen rowed, which often have a red or pink cob. The grain is medium sized and cooks very white and tender. The variety matures a little later than Early Minnesota. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

Black Mexican

This corn, when very young, cooks remarkably white, but the ripe grain is bluish black. For home use we consider it the best second early sort where tenderness and sweetness are the qualities most destricted by the series of the series are about six and one-half feet high. The cars are about eight inches long and are usually eight rowed. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.75

We have tested your stalks are about the red plant of the continued to be carding the

Ferry's Early Evergreen

We have tested many samples of Evergreen corn that were elaimed to be earlier than Stowell's Evergreen and to be just as good, but we have never found any of them so valuable as the stock of this variety we offer. It has been proven both on our trial grounds and in the field to come into fit condition for use much earlier than Stowell's Evergreen and to remain in condition quite as long. The ears are about seven to seven and one-half inches long, with fourteen to twenty more or less irregular rows with very deep grain of the very best quality. Stalks about six and one-half to seven feet high. A very desirable main crop variety for home garden and market, and well adapted for canning. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.75

Avon Evergreen

Those who like the old reliable Stowell's Evergreea will earlier, of superior quality, has a longer ear and thicker kernel. The ears are cylindrical, about nine inches long, well filled at the ends and are fourteen or sixteen rowed. The grain is very white, tender, delicions in sugary flavor, thick and of good depth. The stalks are vigorous, seven to eight feet high. This is a splendid main crop variety for the market, the home garden or the canaer. It renains long in condition for use. (See further description in Supplement, page h.) Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Stowell's Evergreen the home garden, market and canning. It is hardy and productive, very tender and sugary, remaining a long time in condition suitable for boiling. Our stock has been earcfully grown and selected to avoid the tendency to a shorter grain and deterioration in the evergreea character of this best known of all late sorts. The ears about seven to eight inches long, fourteen to twenty rowed. The stalks are about seven on and one-half feet high. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

long, fourteen to twenty rowed. The stalks are about seven and one-half feet high. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$4.50

Country Gentleman ered with irregular rows of very long slender, white grains of excellent quality. The ears are seven to nine inches long. The stalks are from six and one-half to seven feet high. It is well adapted for canning as well as the home garden and market, and many consider it as the best of the late varieties. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

Mammoth This variety, also called Late Mammoth, produces the largest ears, which are often twelve inches long, but are sweet, tender and delicions. They are sixteen or eighteen rowed. The stalks are very large, about eight feet high. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

#### FIELD VARIETIES

FIELD VARIETIES

Very early and used extensively for a first early table corn in the south. The stalks are about four feet high, with small tassel, very few leaves, and without suekers. The ears are short, very full, twelve or fourteen rowed, often nearly as thick as they are long and are well covered with coarse links. The kernels are white and smooth. This is am extremely hardy variety which can be grown closer together than most sorts. Pkt. 10c; Pt. 15c; Qt. 20c; 4 Qts. 60c; Bu. \$3.50

Early Adams or Burlington

The south. The ears are about eight inches long, twelve or fourteen rowed. The kernels are white, rounded, somewhat deeper than broad and indented at the onter end which is whiter and less transparent than the inner. The stalks are about six feet high. Pkt. 10c; Pt. 15c; Qt. 20c; 4 Qts. 60c; Bu. \$3.50

Early Red Blazed

An early flint sort about seven feet high, known also as Smut Nose. Ears ten to twelve inches long, eight rowed and are well filled. Grain flinty, of fine quality, bright yellow at base of ears, but red at the tips. Pkt. 10c; Pt. 15c; Qt. 20c; 4 Qts. 50c; Bu. \$2.50

Early Golden Dent or Pride of the North

dent variety. The stalks are about seven feet high, with broad leaves. Ears about seven inches long, twelve to sixteen rowed and are well filled. Grain is long, yellow and makes an extra quality of meal. Pkt. 10c; Pt. 15c; Qt. 20c; 4 Qts. 50c; Bu. \$2.50

#### POP CORN

We supply pop corn in lots of four quarts and less, shelled.

Black Beauty
Sort. It pops very large and exceptionally white. The kernels are black but this color is not noticeable after popping, when this sort is the largest and most tender of all. The ears are about six inches long, twelve rowed. The kernels are smooth, shallow and are nearly square. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. of ears \$5.00


White Rice A very handsome and prolific white variety. The cars are five to seven inches long. The kernels are long, pointed and somewhat resemble rice. This excellent rather late maturing variety yields heavily and is considered the best pop corn for parching. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. of ears \$3.00

If corn is ordered by mail or express prepaid add 10 cents per pint, 15 cents per quart for transportation and packing.

#### CORN SALAD—Fetticus or Lamb's Lettuce

This is a small, quick growing salad plant for late fall, winter and spring use. The leaves are nsed as a substitute for lettnee and spinach.

During August and September sow the seed in shallow drills about one foot apart, covering with about one-fourth inch of flue soil firmly pressed down. Oa the approach of severe cold weather, cover with straw or coarse litter. The plants will also do well if the seed is sown very early in spring and like most salad plants, are greatly improved if sowa on very rich soil. The seed we offer is extra cleaned. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



COUNTRY GENTLEMAN

## CUCUMBER


This is one of the vegetables that can be grown to perfection by any one who can control a few square yards of reasonably good soil that is fully exposed to the snn. Every family should be supplied from its own garden, since the fruit is so much better when gathered fresh from the vines as desired for use than it is in the more or less wilted condition in which it is found on the market.

gathered fresh from the vines as desired for u
In order to obtain the largest yield of
cueumbers, the soil should be well enriched
with well-rotted manure, but an abundance
of good fruit ean be raised on any rich garden soil. Plant the seed not over an inch
deep in hills four to six feet apart each
way, dropping fifteen to twenty seeds in a
hill. After the plants begin to crowd and
danger from the striped beetle is pretty
well over, thin to three plants to the hill.
Give frequent but shallow cultivation until
the plants make runners so long that this is the plants make runners so long that this is impracticable.

In field eulture, plow furrows four feet In field culture, plow furrows four feet apart and similar ones at right angles to the first. At each intersection drop a shovelful or more of well-rotted mannre which should be well mixed with the soil, forming a broad, flat hill four to six inches above the surface. Many growers omit every fourth row, thus forming paths for the distribution of mannre and gathering the fruit.

The plants are liable to attack from the striped cucumber beetles which are so numerous in some cases as to destroy them. These insects may be kept off by frequent dusting with air slaked lime, soot or sifted ashes diluted with fine road earth. Care should be taken not to use too much of any of the above materials, for if used too freely they will kill the vines. The best protection against injury is a vigorous and rapid growth of the young plants.

Pick the fruit as soon as it is large enough and before it begins to ripen, as the vines will cease setting fruit as soon as any seed begins to mature. In gathering for pickles, cut the stem instead of pulling the fruit off and be careful not to mar the fruit in any way, for if the skin be broken the pickles will not keep so well.



BOSTON PICKLING

We pay particular attention to growing and selecting the various strains so as to keep them pure and true to name.

Early Cluster
and very vigorous, bearing fruits in clusters of two or three. The fruits are short, thick, bright green, shading lighter at blossom end, crisp and tender. This sort is planted in many sections for the home garden. It is extensively used for a pickling encumber as well as for slicing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Early Short Green

It is an early, bright green cucumber of medium size, very extensively used for slicing and pickling. The vines are very vigorous and productive. The fruits are straight, a little smaller at the ends, bright green in color, shading lighter at the blossom end. The flesh is crisp and tender. The variety is extensively used for the home garden. Our stock is very superior. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Snow's Pickling An early maturing, very ber, eylindrical, square ended, and very popular with growers for small pickles. We have been growing this variety ourselves for several years, giving special attention to purity and uniformity of type and we believe the seed we offer meets in all respects the requirements of those who want an ideal bottle pickle. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 14 Lb. 30c; Lb. \$1.00

Muscatine Pickling This is a piekling origin, desirable where short, blunt ended, heavily spined piekles of deep green color are wanted. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c;

Chicago or Westerfield The fruits of this very desirable sort are of medium length, tapering at each end, with very large and prominent spines. The color is deep green. This is a very prolific variety and one of the best for those who want erisp, coarsely spined pickles. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 90c.

Boston Pickling This is a very productive variety that is extensively grown for pickles. The vines are vigorous. The fruits are bright green, of medium size, very smooth and symmetrical. The flesh is crisp and tender. Our seed is decidedly superior to much that is offered. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

## CUCUMBER - Continued

Jersey Pickling This variety is between the Long and the Short Green, forming a long, slender, cylindrical pickle which is very crisp and tender. The vines are very vigorous and productive. The mature fruits are about eight to nine luches in length and are sometimes longer. This sort is desirable for slicing as well as for pickling. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.

Early White Spine One of the best sorts for table use. The vines are vigorous, fruiting early and abundantly. The fruits are milformly straight, light bright green, fairly well covered with white spines and when mature are often about seven inches in length and are sometimes longer. The flesh is crisp, tender and of excellent quality. The variety is much used for the home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Arlington

A selection from the Early White Spine, being more pointed at each end. The young fruits are crisp and tender and are of dark green color. The mature fruits are bright deep green and about six and one-half to seven inches in length and are sometimes longer. This is extensively used for the home garden and is considered by many to be the best sort for small pickles. It is excellent also for slicing. Pkt, 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 90c.

A medium early, white spined encumber of handsome, very dark green color and of excellent quality for slicing. The vines are very hardy and productive. The fruits when uniture are often about eight inches in length, sometimes longer, and are uniform in size and shape. The color is dark green, slightly striped at the ends. The dark green color is retained much longer and is affected less by the hot sun than any other sort with which we are familiar. Its uniform size and shape and splendid color are making this variety very popular as a shipping sort. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ½ Lb. 30c; Lb. \$1.00

Extra Long or Evergreen White Spine table variety are long, cylindrical, dark green, with very white, crisp and tender flesh. The vines are vigorous and productive and come into full bearing somewhat later than Early White Spine. The mature frunts are about eight to nine inches in length and are sometimes longer. This variety is adapted also for forcing. Pkt, 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Improved The stock we offer under this name is in a class by itself. Long Green The vines are very vigorous and productive. The fruits are very long, often twelve to fifteen inches when mature, and are sometimes longer. They are uniformly slender and of beautiful dark green color. The large warts and spines are well distributed over the surface instead of being clustered at one end as in inferior stocks. The variety furnishes some fruits early but matures the bulk of its crop rather late. It is a standard sort for slicing and is very largely used for making sweet pickles. This is probably the most extensively used cucumber for the home garden and market. We have given this variety especial attention for many years and we believe the stock we offer has no equal. (See cotored plate opposite.) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Small Gherkin (For Pickles) This is a very small, oval, prickly fruited sort quite distinct from all

EARLY WHITE SPINE

others and grown exclusively for pickles. It is the smallest of all the varieties and should always be picked when young and tender. The seed is distinctly smaller than that of other enumbers and is slow to germinate, requiring usually from two to three weeks. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50

### CRESS

As early in spring as the ground can be worked sow the seed in rich, well prepared soil, in shallow drills about sixteen inches apart, covering with about one half inch of fine soil firmly pressed down. When the young plants are well started thin four to six inches apart in the row. For succession plant every two weeks, thinming out as required for use. Keep off insects by dusting with Pyrethrum powder.

Curled or Pepper Grass

The leaves of this small salad are much frilled or curled, and are used for garmshing. It is also desirable with lettuce, to the flavor of which its warm, pungent taste makes a most agreeable addition. The plant is of rapid growth, about one foot high. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb 50c.

True Water

This is a distinct variety of cress with small, oval leaves and thrives best when its roots and stems are submerged in water. A fair growth may be obtained in soil which is kept wet but does best when grown along moist banks or in tubs in water-covered soil. It is one of the most delicious of small salads and should be planted wherever a suitable place can be found. The seed is usually sown and lightly covered in gravelly, mucky lands along the borders of small, rapid streams. The plants will need no subsequent culture, as under favorable conditions they increase very rapidly by self-sown seed and extension of the roots. When gathered for the market the shoots should be cut, not broken off. In summer it is best to cut them closely, the oftener the better. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ 1.b. \$1.50: Lb. \$3.50 1/4 Lb. \$1.00; Lb. \$3.50





1PROVED LONG GREEN CUCUMBER
See opposite page

OSAGE OR MILLER'S CREAM MUSK MELON
See page 39

### DANDELION

Sow early in spring, in very warm, rich soil, ia drills eighteen inches apart; thin to five inches apart and enlitivate well; they will be fit for cutting the next spring. When grown for the roots, sow in September and enlitivate well during the fall and the following summer; the roots will be fit to dig in October.

Cultivated or French Common provement on

the wild dandellon. It is very early and vigorous. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Improved Thick Leaved Unsurpassed in thickness of leaf and deep green color. It is compact and forms an upright regular tuft at the center. This cabbaging sort is much superior to the common or mentilyated dandellon. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00 1/4 Lb. \$1.25; Lb. \$4.00

## EGG PLAI

Seed germinates slowly and should be started in hotbed, for Seed germinates slowly and should be started in hotbed, for in this, as in all semi-tropical plants, it is important to secure a rapid and continuous growth from the first, the plants acver recovering from a check received when young. When plants have two rough leaves transplant three or four iaches apart. When the ground is warm and all danger not only from frosts but from cold nights is past, harden off by gradual exposure to the sun and air and decreasing the supply of water, then to the sun and air and decreasing the supply of water, then carefully transplant to open ground, setting two and one-half feet apart. It is desirable to shade the young plants from very hot sun and to protect them from the potato bug which otherwise often destroys them. Some seasons egg plants will fail to set fruit or will not begin bearing until too late to mature, no matter how faithfully they may have been cared for. This is especially likely 10 happen if the summer is eool and rather moist. We know of no certain remedy for it, although it is a good practice to pinch off the ends of the branches after the plaats begin to bloom, so that only two or three fruits will set.

This is a very early maturing,

good practice to pinch off the cods of the branches after the plaats begin to bloom, so that only two or three fruits will set.

Early Long Purple and most productive variety. The fruits are long, rich purple and of fine quality. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Black Pekin as the later sorts. Fruit nearly as large skin smooth, black, glossy; tlesh white, tine grained and dell-cate. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Black Beauty lich dark purple, large and symmetrical, maturing a little earlier than our Improved Large Purple but usually act quite as large. Very desirable for the market as the fruit holds its color a long time. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.25

D. M. Ferry & Co's general favorite both for marImproved Large Purple ket and home garden, large and spreading with light green foliage. It usually produces four to six large, oval fruits of a splendid dark purple color. The vigor and productiveness of the plants and the large size, earliness and tine quality of its fruits unake it a most profitable variety for market gardeners. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$3.75



EGG PLANT, D. M. FERRY & CO'S IMPROVED LARGE PURPLE



BROAD LEAVED BATAVIAN ENDIVE

## ENDIVE

One of the best salads for fall and winter use. Endive is not only much used for salads and garnishing but is also desirable for greens and for the year on substant of the year but are more generally used late in the fall. For early use sow about April 15th; for later supply sow in June or July in drills fourteen to twenty inches apart and when well started thin the plants to one foot apart. When nearly full grown the the auter leaves together over the center in order to blanch the heart of the plant. By covering fresh plants every few days a succession may be kept up.

Large Green Curled
A hardy, vigorous growing enleaves. The midribs of the outer leaves are usually tinged with rose. The dense mass of deeply divided leaves formed in the center blanches very readily to rieh creamy white. This sort is highly esteemed for the market and home garden, and is much used for salads. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

Ever White Curled The plants are moderately dense, with divided leaves which are very light, ellowish green in color, even the outer ones being very light. This variety blanches readily to an attractive creamy white. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50

Moss Curled Plants, compact growing, forming large, dense elisters of finely divided, mediua green leaves which, when properly blanched, are rich creamy white, crisp and tender. Leaf stems sometimes tinged light purplish red. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$1.75

Broad Leaved Batavian having broad, more or less twisted and waved bright deep green leaves with thick, nearly white midribs. The inner leaves form a fairly solld, clustering head which bianches beautiful deep creamy white and is crisp, tender and of fine flavor. This sort is unsurpassed for salads and is much used for the home garden and market. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

FENNEL FLORENCE (Forniculum dulce, Finocchio) A bulb-like vegetable which is formed above the ground at the base of the leaf stalk if the plant is well grown. Blanelied and boiled it has a slightly aromatic odor and pleasant taste. Plaat very branching, upright with dense thread-like foliage.

Sow early in spring, in rich, well prepared soil, in drills two feet apart and cover one-fourth to one-half inch deep. When the plants are about two inches high thin to ten inches apart in the row. When half grown, if the plants are earthed up and treated as celery, the stems will be nearly as white, crisp and palatable. Hardy annual, two to four feet bigh. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 (For Sweet Fennel see page 51.)

GARLIC A bulbons rooted plant of the onlon family with a strong, penetrating odor but much esteemed by some for flavoring soups, stews, etc. We frequently receive orders for garlic seed but we can supply bulbs only. Prepare ground the same as for onlons, plant bulbs in drills eight inches apart and four inches apart in row, covering two inches deep. When the leaves turn yellow take up the bulbs, dry in shade and lay them up in a dry loft as you would onlons. BULBS, ½ Lb. 20c; Lb. 50c.

HORSE RADISH Horse Radish rarely produces seed but is grown from pieces of the roots. Mark off the rows two and one-half feet apart in rieh. moist, well prepared ground and set the pieces of roots eighteen inches apart in the rows vertically, the small end down and the top one to three inches below the surface. Cultivate thoroughly nutil the tops cover the ground, when their shade will keep down the weeds. SMALL ROOTS—3 for 10c; 25c. per dozen, postpaid. By freight or express at purchaser's expense, 75c. per 100.

## KALE OR BORECOLE

This is extensively grown, especially in the sonth during the fall, winter and spring. The leaves are used principally for greens. A favorite way is to cook them with bacon. The leaves are also used for garnishing.

Where climate permits seed may be sown any time from August to October, broadcast or preferably in drills eighteen inches apart so that the plants when small may be cultivated. The quality is improved rather than injured by frosts if not too heavy. Farther north sow in April or May in rich light soil in rows two to three feet apart and where plants of the largest size are desired thin to two feet apart in row, It is better not to cut or handle the plants while frozen, but if this is unavoidable, thaw them out in cold water. The young shoots which start up in the spring from the old stumps are very tender and make excellent greens. tender and make excellent greens.



German Dwarf Purple
Similar to Dwarf Curled Scotch but the leaves are deep green and purple. It is very attractive in its rich purplish coloring. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

KOHL RABI
The edible part is the turnip-shaped bulb formed above ground. It is tender and excellent when used before fully grown, combining somewhat the flavors of eabbage and turnip. In some sections of this country the Kohl Rabi is also called Turnip-rooted Cabbage. In Europe the name Turnip-rooted Cabbage has been applied to the Ruta Baga, Swedish-Turnip or Swede.

Seed should be sown in light, rich soil as early in spring as possible in rows one and one-half feet apart and when well established thin to six inches apart in the row. Plantings at intervals of ten days will give a succession until hot weather, when they fail to grow well. Plantings may be made the latter part of July for fall use.

(Extra for targing). This variety is extremely early

Early Purple Very early, with small top, the Vienna leaf stems being tinged with purple. Bulbs of medium size, purple; flesh white. Desirable for foreing and early outdoor planting. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Large Green called Large White. It is hardy, quite late and used for feeding stock. Bulbs large, weighing eight to ten pounds when fully grown, whitish green in eolor, leaves large and very numerous. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

EEK This belongs to the onion family. The leaves are flat, and

the stems are very large, cylindrical and bulbous.

Sow early in spring in drills twelve to fifteen inches apart, covering one-half inch deep. Thin plants to six inches apart in row and draw the earth about them when cultivating. If one desires very white and tender leeks transplant when about six inches high, setting four inches apart in trenches about two feet apart and gradually earth up like celery.

London Flag This well known broad leaved leek is hardy, productive, of good quality, and is extensively cultivated in this country. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Large American Flag
A desirable strong growing, broad leaved leek, hardy and productive. It is a favorite with many market gardeners and is also extensively used for the home garden. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Large Rouen Stems very thick but comparatively short. Leaves broad, covered with whitish bloom. This winter sort stands a long time in condition for use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75

Monstrous Carentan The largest variety, when well grown often three inches in diameter, white and tender. It is an exceptionally hardy garden sort Pkt. 5c; Oz. 20c; 2Oz. 35c; ¼ Lb. 60c; Lb. \$1.75



MONSTROUS CARENTAR



# LETTUCE

For early outdoor culture in the latitude of Cincinnati and southward the seed may be planted in the fall, proteeting the young plants from severe freezing either with frames or coarse litter which may be removed as soon as danger of severe freezing is over. Lettuce in ground ont of doors will stand some freezing but is killed by prolonged frost or frequent freezing and thawing. North of Cincinnati an early erop may be secured by starting under glass from January to March and hardening off well before setting in ground, which should be done as soon as weather will permit.

Lettuce to be at its best should be grown as rapidly as possible, hence the soil should be made as rich and friable as possible by liberal manuring and thorough preparation. For winter, sow under glass from November to February and thin out as necessary to prevent crowding. Keep a moderate heat and give all the light and air possible. For general crop, sow outdoors as early in the spring as the ground can be worked, in drills eighteen inches apart and thin the young plants to four inches apart in the row. As the plants begin to crowd thin them out and use as required. In this way a much longer succession of cuttings may be had from the same ground. For the cabbage or heading varieties where large heads are desired, the plants should be thinned ten to twelve inches apart in the row.

Varieties marked a are particularly adapted for culture under glass and for early spring use. Those marked a are sometimes grown under glass, but are especially desirable for outdoor, summer culture. Big Boston, Brown Dutch and California Cream Butter are very hardy and suited for winter outdoor culture in the south.

#### CABBAGE OR HEADING VARIETIES

May King

A. (Seed white) This is a handsome, extremely for the home garden and market, forming very firm heads of medium size and excellent quality. The color is light yellowish green, tinged with reddish brown when mature. The inner leaves blanch rich golden yellow, very tender and buttery. The plant is very compact for so large a head. The variety is exceptionally early outdoors, attaining a size suitable for use before other sorts and is also very satisfactory for forcing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Early Tennis Ball A. (Seed black) One of the best heading lettuces, especially desirable for early planting outdoors and also suitable for forcing. The plants are large, with thick, bright green leaves. They form very solid heads, the inner leaves blanching to a rich, creamy white, and are crisp, tender and buttery. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Salamander sort of excellent quality for the home garden and market. The variety withstands hot weather remarkably well. It forms a large compact, light green plant. The leaves are broad, thick, somewhat crumpled and closely overlapping so that the inner ones are very finely blanched. It is one of the most satisfactory heading lettuces for growing outdoors. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25



MAY KING

Hubbard's Market
leaved, bright green heading
variety, forming a large, very compact head similar in
type to Salamander, slightly larger, and a little later maturing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Mammoth Black

B. A smooth leaved lettuce forming very large, compact, cabbage-like heads of thick, yellowish green leaves, the inner ones beautifully blanched, very crisp, tender and buttery. It is one of the most largely grown sorts, suitable for the home garden as well as market. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼Lb, 40c; Lb. \$1.50

Deacon B. (Seed white) This is an excellent summer firm and remains in condition for use a long time. The plant is very compact, with few outer leaves which are usually very smooth, thick and of light green color. The inner leaves blanch to a bright, rich yellow and are crisp, buttery and very well flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25



MAMMOTH BLACK SEEDED BUTTER

Big Boston

A. (Seed white) This variety is popular for outdoor culture and is also much in demand as a compact, large heading, forcing sort for cold-frames. The plants are large, very hardy and vigorous. The leaves are broad, comparatively smooth but wavy at the edge, thin, very hard and crisp. In color they are bright light green, the head slightly tinged with reddish brown. The inner leaves blanch to an attractive greenish white, tinged with light yellow. It usually heads up under cold weather conditions better than any other variety, and is grown extensively in the sonth for shipment north in the winter. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75



BIG BOSTON

### LETTUCE—CABBAGE OR HEADING—Continued

California Cream Butter or Royal Summer Cabbage the outer ones slightly spotted or splashed with brown. The inner leaves form a large, very solid head, rich light yellow in eolor, very thick, tender and buttery. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Brown Dutch

B. (Seed black) Outer leaves large, thick, solid head which is beautifully blanched, sweet, tender and well flavored. The variety is desirable because of its hardiness and is well adapted for planting in the south as a winter lettuce. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Jersey Winter A. (Seed white) A light green, loose riety is very hardy and when wintered over it has proven to be one of the very earliest to mature its heads. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

B. (Seed white) One of the most desirable later summer lettuces. The plant is compact and forms a large, cabbage-like head which remains in condition longer than most heading sorts. The outer leaves are bright yellowish green, broad, somewhat crumpled and frilled at edge and with distinctive midrib. The inner leaves are white, very crisp and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

#### CURLED OR LOOSE LEAVED VARIETIES

edges of the leaves which are crisp and tender and it sometimes forms outdoors a fairly solid head.

Pkt. 5c; Oz. 20c; 2 Oz. 35c; ½ Lb. 60c; Lb. \$2.00

Simpson's Early Curled A very extensively used early loose leaved, or clustering variety. The leaves are light green in color, slightly frilled and much blistered, crisp, sweet and tender. The sort is especially adapted for sowing thickly and cutting when the plants are young. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Ferry's Early B (Seed white) A large, clustering the seellent for the home garden and undoubtedly the most easily grown variety in cultivation. It is too tender, however, to stand shipping or handling on the market. The leaves are finely curled and crumpled, bright green tinged with brownish red, and are very crisp, tender and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25 1/4 Lb. 40c; Lb. \$1.25



BLACK SEEDED SIMPSON

Cos Lettuce (Romaine) This kind of lettuce is distinguished by its long, narrow, spoon-shaped leaves, folding into loose, sugar-loaf shaped leads which blanch better by having the outer leaves drawn about them and tied. The quality is distinct from that of the Cabbage Lettness and by many is considered very superior.

Sow seed early in spring in right well

by many is considered very superior.

Sow seed early in spring in rieli, well prepared soil, in rows eighteen inches apart, covering one-hulf inch deep. When plants have two or three leaves thin to three or four inches apart. As the plants begin to crowd thin and use as required, If large heads are desired plants should be thinned ten to twelve inches apart.

(Seed

Early White Self-Folding white)
This excellent variety, also called Trianon, forms a large light green plant with a well folded liead of very good quality. The midribs are white and very prominent. The inner leaves are nearly white, slightly tinged with green, and are decidedly firm and sweet. This is considered the most reliable of the Cos or celery lettuces for the home garden or market. celery lettuces for the home garden or market gardeners' use in this country. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50



FERRY'S EARLY PRIZE HEAD

# IUSK MELO

After danger of frost is past, the ground be ng warm and in good condition, plant in rich soil, preferably sandy loam, in hills about four to six feet apart according to the vigor of the variety. Put ten or tweive seeds in a hill, covering with about an inch of fine soil firmly pressed down. When the plants begin to crowd and the striped beetles are pretty well gone thin to four of the most vigorous plants in a hill. Give frequent but shallow cultivation, until the plants make runners so long that this is impracticable. Rich earth for the young plants is far better than manure, but if the latter must be used, see that it is well rotted and thoroughly mixed with the soil.

The quality of melons of all varieties is largely dependent upon conditions of growth and ripening. Unhealthy vines or un favorable weather produces fruit of comparatively poor flavor.

The plants are liable to attack from the striped beetles which are so numerons in some cases as to destroy them. The beetles may be kept off by frequent dusting with air-slaked lime, soot or sifted ashes diluted with fine road earth. Care should be taken not to use too much of any of the above materials or the vines will be injured. Should even the diluted material prove injurious to the vine, use road earth only, as frequent dusting with this alone will often prove effective especially if a wind is blowing. is blowing.

After the plants have four to six leaves it is considered a safeguard against blight to spray with Bordeaux Mixture at intervals of about ten days, adding either Paris green or arsenate of lead for the eating insects.

#### GREEN FLESHED VARIETIES

Extra Early Citron

A small, round or slightly flattened melon, valuable as an early market sort on account of its extreme earliness, hardiness and great productiveness. The skin is green, becoming yellowish at maturity. The flesh is light green, sweet and of fair quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Jenny Lind The vigorous and productive. The fruits are small, somewhat flattened, moderately ribbed and netted. The flesh is green and very sweet. This well known flattened green fleshed sort ripens quite early and is suitable for the home garden as well as near-by markets. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb, \$1.00

Extra Early Hackensack green fleshed variety is popular in many sections as a market melon and is also extensively used as a home garden sort. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Netted Gem or Rocky Ford

one of the most popular of small or erate melons
and is shipped in large quantities from Colorado
and Arizona. It is also a desirable medium early and Arizona. It is also a desirable medium early sort for the home and market garden. The vines are vigorons and productive. The fruits are oval, slightly ribbed, densely covered with flue netting. The flesh is green, very sweet and highly flavored. We offer an exceptionally flue stock of this early sort, the fruit being very uniform in shape and quality and of the even size that is so desirable in a shipping melon. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00



Baltimore or Acme

The fruits of this midseason green fleshed sort are medium sized, oval or long oval, slightly pointed at stem end, slightly ribbed, and are covered when ripe with coarse netting. The flesh grown in some sections for the market, also as a home garden melon. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00



EXTRA EARLY HACKENSACK

Champion Market

slightly oval, slightly ribbed and covered
with dense netting. The flesh is green,
very thick and sweet. The variety is a
reliable, medium early market sort. It is
an improvement on Montreal in earliness
and productiveness and will suit those who
like a large, sweet, green fleshed sort.
Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c;
Lb. \$1.00

Hackensack or good quality. It is
Turk's Cap considered the best of the
melons. The vines are hardy, vigorous and
productive. The fruits are nearly round,
always somewhat flattened. The ribs are
large and of irregular width, and the fruits
are densely covered with coarse netting.
The flesh is green, thick, coarse but juicy
and sweet. Our stock is true to the "Turk's
Cap" type. This is still an extensively
grown main crop melou in some sections
for the market and home garden. Pkt. 5c;
Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Bay View An exceptionally hardy, variety producing fruits of largest size, frequently weighing ten to fifteen pounds, long, distinctly ribbed and covered with coarse netting. The skin is green, becoming slightly yellow as fruits ripen. The flesh is green, thick and of good flavor. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

# MUSK MELON-Continued ORANGE FLESHED VARIETIES

Emerald Gem The vines are vigorous an productive. The fruits are globular or slightly flattened, are somewhat irremaintered and very slightly netted. The skin is deep green while young, becoming slightly tinged with yellow as the fruit matures. The flesh is deep salmon-yellow, thick, ripening close to the rind, juicy, melting and very highly flavored. For home use and near-by markets the Emerald Gem leads all other kinds on account of its sweetness and convenient size. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.25

Tip Top some sections. The fruits are large, nearly round, slightly ribbed and fairly well covered with shallow netting. The skin is light yellow when the fruit is mature. The flesh is deep yellow, rich and highly flavored, Pkt. 5c; Oz. 15c; 2 Oz. 25c; 44 Lb. 40c; Lb. \$1.25

The vines are hardy and productive. The Surprise fruits are of medium to large size, oval, distinctly ribbed and covered with slight patches of netting. The skin is light yellow when the fruit is mature. The flesh is deep salmon in color and of gool quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Extra Early Osage
This excellent variety is fully
the fruits are a little smaller, more nearly round and the netting extends over more of the surface. These very desirable features, combined with the thick salmon flesh and
small seed cavity characteristic of the Osage, make this
melon deserving of a place in the home and market
garden. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Petoskey or able for the home and market. The Paul Rose vines are vigorous and productive. The netted. In general appearance they are much like Netted Gem but larger. The flesh is orange-yellow, very thick. flrm, sweet and highly flavored. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00


Admiral Togo a small oval musk melon with the or Orange Fleshed Rocky Ford very thick, orange quality of the Defender and possessing the characteristic netting, shape, size and shipping quality of Netted Gem or Rocky Ford. Combining all the good qualities of these two fine varieties we believe the Admiral Togo is an ideal table melon. This is a desirable medium early sort for the home and market garden. Our stock is earefully bred in size and shape. It is densely netted. The flesh is very thick, ripening clear to the skin. We believe the seed we offer will meet the demands of the most discriminating buyers. We consider it the best small shipping melon yet introduced. (See cut and further description in Supplement, page 6.) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Hoodoo orange fleshed variety of medium size, ideal as a shipping melon and a desirable mid-season sort for the home garden. The vines are vigorous, blight resisting and very productive. The fruits are uniformly of medium size. The netting is exceptionally fine and dense, extending over practically the entire surface. The rind is thin yet very firm, so that the melons arrive in perfect condition in distant markets. The flesh is very thick, flrin, highly colored, of fine texture and delicions flavor. Pkt, 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



EMERALD GEM

Defender one of the best yellow fleshed melons. It is excellent for shipping and is a desirable, intermediate sort for the home garden. The fruits are medium sized, oval, slightly ribbed, covered with gray netting. The flesh is tirm, fine grained and of highest flavor. The color is rich, deep orange-yellow. The flesh extends to the rind and retains its color and quality quite to the outer shell which, though thine is very hard and firm so that one can remove the edible portion with a spoon, leaving a rind no thicker than that of an orange. The vines are very vigorous and productive. The fruit because of the hard, firm rind, keeps and bears shipment remarkably well. This splendid variety was originated and introduced by us in 1901 and we have taken pride in maintaining our stocks in the highest state of purity and excellence. We believe it is identical with the melon introduced in 1907 and sold largely as Burrell's Gem. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25



Osage or Medium to Miller's Cream large, rather

late maturing, salmon fleshed melon. The vines are vigorous and productive. The fruits are oval, dark green, slightly ribbed and partly covered with shallow gray netting. The flesh is rich orange-salmon, very thick, fine grained and highly flavored. It is a favorite variety among growers for the later markets and is much used for the home garden. We have taken a great deal of mins with this variety to develop a strain with very thick, deep, rielly colored and finely flavored flesh and with an exceptionally small seed cavity. We believe our stock to be mequalled. (See colored plate on page 33. The very small seed cavity shown on the colored rolate is on an exact scale with the cavity of the melons from which the design was painted.) Pkt, 5c; Oz. 15c; 2 Oz. 25c; ½ 1b. 40c; 1b. \$1.25

DEFENDER

# WATER MELON

To make certain of raising good Watermelons, it is essential that the plants have a good start and to this end it is important to prepare hills about eight feet apart, by thoroughly working into the soil an abundance of well rotted mannire—ben mannire, guano, or other forms rich in nitrogen, being most desirable. Over this highly manured soil put an inch or more of fresh earth and plant the seeds on this, covering them about an inch deep.

It is important that the seed should not be planted before the ground becomes warm and dry, as the young plants are very sensitive to cold and wet. Put ten or twelve seeds in a hill. When the plants have formed the first pair of rough leaves, they should be thinned so as to leave two or three of the strongest and best to each hill.

Frequent watering of the plants with liquid manner will hasten the growth, thus diminishing the danger from insect pests. If the striped beetle appears use tobacco dust freely. The best protection against blight and insect pests is to maintain a vigorous and continuous growth. It is desirable to change the location as often as practicable.

2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Dark Icing
The fruits are medium sized, nearly round,
and the green, very indistinctly veined and
mottled with lighter shade. The flesh is very rich, bright
red, sweet and of excellent quality. Seed white, Pkt. 5c;
Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

This most

Monte Cristo or Kleckley's Sweets excellent variety is insurpassed for home use or near markets. The vines are vigorous and productive. The fruits are medium to large, oblong, tapering slightly towards the stem end, dark green, often showing fine russeting. The flesh is very bright, rich red and is exceedingly sweet. The variety is so crisp and tender that it will not stand shipping, the fruit bursting open if subjected to even a slight jar, or when the rind is penetrated with a knife. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c. 1/4 Lb. 25c; Lb. 90c.

Florida Favorite
A splendid melon of very large size and excellent quality. The fruits are long, dark green, mottled and striped with lighter shade. The rind is thin but firm. The flesh is very bright, deep red, very sweet and tender. The vines are vigorous and productive. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Alabama Sweet A very large; long melon of excellent it is grown extensively for shipping. The color is rather deep green, with dark, irregular striping. The rind is and sweet. The fruits average a little thicker than Florida Favorite. Seed white. Pkt, 5c; Oz. 10c; 2 Oz. 15c; ¼Lb. 25c; Lb. 75c.



Tom Watson

A large, long melon similar in shape, color and splendid quality to Monte Cristo but averaging larger in size and with a tougher rind, making it especially adapted for shipping to distant markets. The vines are vigorous and productive. The flesh is rich red, sweet and tender. Seed white, more or less marked with brown. Wherever grown in the sonth it has become very popular as a shipping sort. There has been an increasing demand of late for a better quality of shipping melon and this demand has been met in most exceptional degree by the Tom Watson. (See cut and further description in Supplement, page 6) Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Ferry's Iceberg Introduced by us in 1902. In general shape, size and appearance this is similar to Kolb's Gem, but is distinctly darker and the skin where the melon rests on the ground is rich yellow instead of white. It has a very firm, hard rind and is as good a shipper as Kolb's Gem but the flesh is deeper colored, extends nearer to the rind and is more tender and sweet. Sometimes sold as Blue Gem. Seed black. The best dark colored round shipping melon. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c. Lb. 75c.

Kolb's Gem often flattened on the ends, marked with irregularly mottled stripes of dark and light green. The rind is exceedingly hard and firm, making it one of the best round sorts for shipping. The flesh is bright red, solid, a little coarse, but sweet and tender. The vines are vigorous and productive. Seed black. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Chilian The quality of this melon is equalled by few varieties and surpassed by none for the home garden. It is desirable also for shipping. The fruits are medium sized, nearly round or slightly oblong. The skin is very deep green, indistinctly mottled and striped with a lighter shade. The flesh is decidedly bright vermilion-red, remarkably fine grained but firm and very sweet. Seed white. A melon of splendid quality, very popular on the Pacific coast and taking high rank elsewhere as it becomes more generally known. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 85c.



FLORIDA FAVORITE


### WATER MELON-Continued

This variety, introduced by us in 1894, is much used for shipping as well as for the home gardea. The vines are vigorous and very productive, ripening their fruit evenly. The fruits are of largest size, oval and very heavy. The riad is thin but firm. The color is very light green, very slightly veined with a little darker shade. The tlesh is bright red, firm but very tender and sweet. The fruit remains in good condition a long time after ripening. Seed black. Our stock will be found very uniform in shape, size and color. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Gypsy or Georgia largest
Rattlesnake and best known
shipping sorts, especially in the
south. The fruits are very long, of
light green eolor, distinctly striped
and blotched with a darker shade.
The desh is bright searlet, very sweet
and tender. The vines are large and
vigorous. Seed nearly white. Pkt.5c;
Oz.10c; 2 Oz.15c; ¼Lb.25c; Lb.75c.

Oz.10c; 2 Oz.15c; ¼ Lb.25c; Lb.75c.

Triumph strong vigorous growth, used largely for shipping. Fruits of largest size, nearly round, dark green, sometimes in listinctly striped with a lighter shade and has a thin and firm rind which makes it an excellent shipper. Flesh bright red and of good quality. Seel black. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



The fruits are medium sized uniformly round and are used only for preserves or pickles. The color is dark green, distinctly striped and marbled with light green. The flesh is white and solid but not at all suitable for earing raw. Seed red. The fruits mature late in the fall and in this condition can be kept a long time. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 85c.

MUSHROOM The Mushroom is an edible fungus of which there are numerons varieties. We handle the ordinary commercial variety of a creamy white color with loose gills which underneath are of pinkish-red, ehanging to liver color. The mushroom produces "seed" or spores and there is developed a white, fibrous substance in broken threads, called spawa, which is developed and preserved in horse manure, pressed in the form of bricks. Mushrooms can be grown in cellars, in sheds, in hotbeds or sometimes in the open air, the great-essential being a uniform degree of temperature and moisture. Our space is too limited here to give the necessary cultural directions, but these are published in book or pamphlet form. We can furnish, postpaid, for 35c., a book containing very complete directions for the culture of mushrooms. (See list inside of back cover)

PURE CULTURE MUSHROOM SPAWN. By a newly discovered process of selection and grafting, the spawn is scientifically propagated so that large, vigorous and finely flavored mushrooms are reproduced. The sort we offer is earlier, more productive and a marked improvement on wild spawn, either French or English. Brick (about 1½ lbs.), postpaid 35c; 5 bricks, not prepaid, \$1.00

MUSTARD Mustard is not only used as a condiment but the green leaves are used as the ground will permit, in drills about eighteen inches apart, covering one-half inch deep. For succession, sow every few weeks till autumm. Water freely. In the south the seed may be sown in autumn and the plants used early in the spring as a salad and for greens.

White English The leaves are comparatively small and smooth, deeply cut or divided and soon bolts to seed. The leaves, when young, are mild and tender. Seed light yellow and larger than that of other varieties. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 40c.

Southern Giant Curled The leaves are large, light green with tinge of yellow, much erimped and frilled at edges. The plant is upright or slightly spreading in growth. This variety is highly esteemed in the sonth for the market as well as the home garden on account of its vigorous growth, hardiness and good quality. Seed small, reddish brown to nearly black.

Large Smooth Leaved plant is of very quick growth, fairly upright when young becoming somewhat spreading at maturity. This sort is preferred by many as it is more easily prepared for the table than the rougher leaved varieties. Seed small, reddish brown to nearly black. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

NASTURTIUM TALL MIXED GARDEN. Sometimes called Indian Cress. Grown and the foliage are used for garnishing. The young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles. Early in spring sow, preferably in rather light soil, in rows three feet apart and two inches apart in the row, covering one inch deep. When the young plants are about four inches high thin to six inches apart in the row. The vines can be supported if so desired by stakes, strings or brush. Pkt. 5c; Oz. 10c; 2Oz. 15c; ¼ Lb. 25c; Lb. 75c. For other varieties of Nasturtium see page 79.

OKRA OR GUMBO The young seed pods are used in soups, stews, eatsups, etc. Highly esteemed in the south. After
two and one half feet apart, covering with about an inch of fine soil firmly pressed down.
When about three inches high, thin to about one foot apart in the row. Cultivate and keep
free from weeds. The pods are in best condition for use when from one to three inches long.

White Velvet The plants are about three and one-half feet high, early maturing and very productive. The pods are white, long, smooth and are tender until nearly full sized. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Perkins' Mammoth Long Pod This variety is about three feet high, very early and productive. The pods are deep green, very long, slender, slightly corrugated, very tender and of good quality. This is a desirable market us well as home garden sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Dwarf White The pods are of medium length, greenish white, quite thick, slightly corrugated, tender and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.



OKRA. WHITE VELVET

# ONION

The Onion is one of the most extensively used of all vegetables. It not only contains considerable nutriment and has valuable needicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

In onion culture, thorough preparation of the ground, careful sowing and the best of after culture, though essential for a full yield, will avail nothing unless seed of the best quality be used. Given the same care and conditions, the product from two lots of onion seed of the same variety but of different quality may be so unequal in the quantity of merchantable onions that it would be more prolitable to use the good seed though it cost twenty times as much as the other. Our equipment and experience enable us to produce onion seed that is unsurpassed. The seed we offer is the best obtainable.

Although onions are often raised from sets and from division, by far the best and cheapest mode of production is from seed. The facility with which seed is sown and the superior bulbs it produces, recommend it for general use.

As early in spring as groun I can be worked, sow ia rich soil, thoroughly pulverized and leveled, in rows fifteen inches apart covering one-half inch deep. When the plants are well np cultivate, thm out as desired and keep free from weeds. When grown for bunching the rows nead to be only about one foot apart and the plants thinned about one inch apart in the row. For very early crop in northern latitudes sow seed in cold-frame in February and transplant when large enough to handle readily. The same location rany be used for a succession of years if the ground is kept rich by applications of well rotted manure or other suitable fertilizer and is thoroughly worked at proper intervals. Where climate permits seed may be sown early in winter. It onlines are to be grown for the market the following suggestions should be given careful consideration.

#### HOW TO RAISE ONIONS FOR THE MARKET

THE SOIL. We prefer a soft, dark sandy loam, not too fine. THE SOIL. We prefer a soft, dark sandy loam, not too fine. This is much better if it has been cultivated with hoed erops, kept elean from weeds and well manured for two years previous, because if a sufficient quantity of manure to raise an ordinary soil to a proper degree of fertility is applied at once, it is likely to make the onions soft. The same result will follow if we sow on rank mucky ground or on that which is too wet and it is impossible to raise either a large or prolitable crop on stiff elay, very light sand or gravel.

PREPARATION. Onions respond well to very liberal manuring. As much as forty londs of stock manure well composted or one ton of high grade commercial fertilizer per acre may be applied to good advantage. The stock manure should be spread and worked into the top soil in the fall but if commercial fertilizer is used it should be distributed and thoroughly worked into the top soil after plowing in the spriag. A liberal use of potash is very beneficial to the crop especially when raw manure is used or if the soil is mak and mucky, as potash reduces the lendency to scallions or course necked bulbs. The top soil should be cleared of everything that will interfere with the best possible work with drill and wheel hoe. The whole ploughed soil should be well pulverized and worked with tools that heave the surface smooth and compact.

SOWING THE SEED. This should be done as soon as the ground can be made ready and can be done best by a hand seed drill. This should be carefully adjusted to sow the desired quantity of seed about one half inch deep. The quantity

needed will vary with the soil, the seed used and the kind of ontons desired. Thin seeding gives much larger ontons than thick seeding. Four or five pounds per acre is the usual quantity needed to grow large ontons. We prefer a drill that sows a very close row.

CULTIVATION. As soon as the young plaats can be seen in the rows give a shallow working either with rake or some other tool that pulverizes well the whole top soil. Work the crop again in a few days with a hoe or tool that cuts the ground over, this time as closely as is possible to the row without injury to the young plants; follow as quickly as possible with a thorough hand weeding keeping in mind that a very small weed today is a large one next week. The ground should be cultivated once a week if possible and any remaining weeds pulled out by hand every two weeks. For best results these operations should be continued until the crop occupies the ground. the ground.

GATHERING. As soon as the tops die and fall the bulbs may be pulled and raked iato small open windrows, turning every few days with a rake. At convenience cut off the tops half an inch to an inch from the bulbs and very soon afterward the bulbs may be picked up in crates and piled loose under cover. The large onion growers use a puller attachment to the wheel hoe that runs uader the row of onions and lifts the bulbs. Where help can be procurred readily we find it much cheaper to top the onions with a rough edged case knife and rake away the tops before pulling.

It will not do to store onions is large piles or masses, particularly in warm weather, or if they are the least moist, but if perfectly dry when guthered and stored in crates, they can be kept in fine condition till spring. The best way is to keep them dry, giving bottom ventilation if possible, and at a uniform temperature of about 32° to 31° Fr.

Extra Early Red

Sometimes called Extra Early Flat Red. Although the first of the red sorts to ripen, the bulbs are that yields well and is very uniform in shape and size. The skin is uniformly rich purplish red and moderately strong flavored, it comes into use about a week or ten days earlier than Large Red Wethersfield. The flesh is white with tinge of light purple. The variety succeeds in cool soils. It is very desirable for early market use. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



EXTRA EARLY RED

Large Red Wethersfield This is the standard red valiatine east, where immense crops are grown for shipment. It is very extensively grown for home gardea use as well as the market. The bulbs are large and are lattened yet quite thick. The skin is deep purplish red. The flesh is light purplish white, moderately fine grained, rather strong but of pleasant flavor. The variety is very productive, one of the best keepers and very popular for general cultivation. This medium early or main crop variety does best on rich, moderately dry soil, but on low muck land it is more apt to form large necks than the Danvers. There is no better sort for poor and dry soils. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50



LARGE RED WETHERSFIELD

## ONION-Continued

Southport Red Globe This most excellent medium early or main crop red variety produces bulbs of medium to large size, ideally globe shaped, with very smooth, glossy surface, very small neck and remarkably beautiful deep purplish red color. The flesh is white, tinged with light purple, mild, very fine grained and tender. The variety is extensively grown for home use as well as the market. It is one of the best keepers and is well adapted for shipping. Our splendid stock of this onion is the result of years of careful selection on our Oakview Stock Seed Farm and is misurpassed by any. Pkt. 5c; Oz. 20c; 2 Oz. 35c; W 1 b. 60c; Lb. \$1.75 1/4 Lb. 60c; Lb. \$1.75

Large Yellow Dutch The bnlbs are large and quite flat.

or Strasburg colored, and the flesh creamy white, mild and of excellent quality. This sort ripens down quickly and keeps well. It is extensively used for onion sets. Our stock of this early variety, compared with most on the market, is distinctly superior in size of bulb, uniformity of shape and evenness of color. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Yellow Danvers and productive and very extensively used The skin is light coppery yellow in color. The flesh is ereamy white, mild and of excellent flavor. The bulbs are flattened yet quite thick with small necks, ripen down quickly and very evenly and keep very well. This is still a standard, general crop, yellow onion for the home garden and market where a strictly globe shaped bulb is not demanded. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



YELLOW GLOBE DANVERS

Yellow Globe Danvers One of the most extensively used home garden and market. The bulbs are of medium to large size, uniformly globe shaped, with small neck, and ripen very evenly. The skin is rich coppery yellow. The flesh is creamy white, crisp and of mild and excellent flavor. The variety keeps very well and is excellent for shipping. We have by careful selection and breeding developed a strain which has the ripening habit and small neck of the original Danvers and yet is more globular, thus giving larger yields and handsomer bulbs without sacrificing any of the good qualities of the original Danvers. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Michigan Yellow Globe always obtained from rich, black lands. On such soils it is found that a globe shaped onion with a somewhat flattened base gives the largest returns and to meet the demands of the professional onion growers located on such lands, we have developed this variety. The bulbs are large, uniformly globe shaped, with small neek; shoulder usually slightly sloping, base often distinctly flattened, the largest diameter below the center of the bulb. The color is rich yellow with tinge of orange. The flesh is creamy white, mild and of very fine quality. This main crop sort ripens down evenly, keeps very well and is excellent for shipping. No onion grower can afford to plant inferior seed when such as this can be procured. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 4 Lb. 60c; Lb. \$1.75



SOUTHPORT RED GLOBE

Southport Yellow Globe
erop variety is of the same general character and quality as the Southport Red Globe, but the color is a rich yellow. The bulbs are large, globe-shaped with rather full shoulder, ripen down very evenly, keep well and are suitable for shipping. The flesh is creamy white, fine grained and of mild and excellent flavor. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75

Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75

Mammoth Yellow Spanish A very handsome late or or Prizetaker largest size and nearly globular in form, usually with shoulder and base slightly sloping. The skin is yellowish brown or light yellow with slight tinge of brown. The lesh is creamy white, very mild, tender and of excellent flavor. The variety keeps well if thoroughly ripened and is very desirable for shipping for fall and early winter use. It is one of the best of the large European sorts that has become thoroughly proper conditions. If started very early in hotbed it will produce a namumoth onion the first season. Pkt, 5c; Oz, 15c; 2 Oz, 25c; ¼ Lb. 40c; Lb. \$1.50 1/4 Lb. 40c; Lb. \$1.50



MICHIGAN YELLOW GLOBE

### ONION—Continued

White Portugal or This is a medium sized onlon of mild flavor and with beautiful, clear white skin. The variety is a American Silverskin that the same and the same are same and the same are same and the same are same are same and the same are same

The nitios are dearly today and the best dattened white onion for northern latitudes. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

White Globe around the control of the home garden. It is sometimes ealled Sonthport White Globe. The variety yields abundantly, producing medium to targe, handsome and tinely shaped, clear white bulbs. The flesh is firm, fine grained, quite mild in flavor and is more attractive than the colored sorts when cooked. The bulbs are globe-shaped, full at the shoulder, rounded at the base, keep well and are desirable for shipping. To produce the beautifully white onions so much sought in every market, one must first of all have good seed; second, grow them well on rich lands; third, exercise great care in harvesting and enring the crop. In Southport they "cord" up the onions in long rows, the bulbs on the inside and cover with boards, so that the bulbs in the open air are well protected from rain or dew which would be sure to discolor them. We have by years of careful selection and breeding developed a strain which is masurpassed in miformity and beauty of shape and color. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

#### IMPORTED ONIONS

These sorts are particularly adapted to southern latitudes where they are sown in the fall or early spring. The best results are obtained by sowing in beds or boxes and transplanting.



WHITE PORTUGAL

Extra Early Barleta

An extremely early maturing variety, very white with silvery tinge and particularly desirable for pickling. The bulbs are very small and quite similar to Queen. If seed is sown out of doors eter. If these bulbs are set out the following spring, or if plants are grown under glass in winter and set out in the spring, they will produce large onions. This variety and Queen are the ones most generally used in this country for producing the small pickling bulbs. For this purpose if the seed has been sown eight to ten seeds to the inch of drill, no thinning will be required. Growers usually plant the seed thickly in drills fifteen inches apart and use forty to fifty pounds to an acre. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Queen A very early, very white skinned variety of especial value for pickling. When allowed to reach full size the bulbs are quite flattened but as grown for pickles are nearly round. The large sized bulbs attain a size of about two inches in diameter. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75



QUEEN

Early Neapolitan Marzajola An early and productive flat, white-skinned variety, desirable for early use and used for pickling. If seed is sown as soon as the ground can be worked, it will mature a crop early in the season. In the south the seed can be sown in autumn and large onions produced in March. This variety is known also as Early May. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Giant White Italian Tripoli A large, pure white, flat onion of unild and excellent flavor. This medium early and protain full size the seed should be sown very early in a hotbed and the young plants set out in rich soil. When grown under proper conditions the bulbs are often three to four inches across, with pure white skin. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

Mammoth Silver King

This variety produces a very large onion, resembling Giant White Italian Tripoli, but of larger the fall market. It is a very productive that variety with bulbs often four to five inches across, the largest of the white onions. The skin is silvery white. The tesh is white, very tender and mild flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

#### ONION SETS

To raise onion sets from seed, use good ground prepared as for large onions and sow the seed very thick in broad drills, using forty to sixty pounds per acre. If the seed is sown thin, the bulbs will not only be too large for sets but will not be of the right shape and if sown thick on poor land they will be necky or bottle shaped. Onion seed sown for sets may be planted somewhat later than if a crop of large bulbs is desired.

RED BOTTOM SETS. Treated precisely as top onions are, setting them out in the spring instead of sowing seed. Per Lb. 25c, postpaid; 100 Lbs. \$10.00

YELLOW BOTTOM SETS. Like the preceding except in color and used in the same manner. Per Lb, 25c. postpaid; 100 Lbs. \$10,00

WHITE BOTTOM SETS. These do not keep as well as the red or yellow, but produce beautiful white ouions early in the season. Per Lb. 30c. postpaid; 100 Lbs. \$12.00

Prices by the 100 lbs. of all onion sets are subject to fluctuations of the market. The price per single pound will hold good throughout the season, or as long as our stock lasts.

The 100 pound prices of Onion Sets are by freight or express at purchaser's expense for transportation.

## **PARSLEY**

This well known vegetable is very useful for flavoring soups and stews and for garnishing. The green leaves are used for flavoring or they may be dried crisp, rubbed to powder and kept in bottles until needed.

Parsley succeeds the best on rich, mellow soil. The seed is even slower than parsnip in germinating and should be sown as early as possible in the spring, in drills one to two feet apart covering not more than one-half incb with fine soil firmly pressed down. When the plants are well up thin eight to twelve inches apart in the row. When the plants of the curled varieties are about three inches high cut off all the lenves; the plant will then start a new growth of leaves which will be brighter and better curled and later, if these turn dull or brown they can be cut in the same way; every cutting will result in improvement. Parsley succeeds the best on rich, mellow soil.

Plain cut but not curled. Very desirable for flavoring soups and stews and for drying. It is a fnvorite on account of its very dark green leaves ns well as its hardiness of plant. The curled sorts nre more extensively used for garnishing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 90c.

Champion Moss Curled

This is a vigorous, compact growing variety, excellent for garnishing and flavoring, and a handsome decorntive plnnt. The leaves nre very finely cut and so closely crisped or curled as to resemble bunches of moss. Owing to its uniformly fine deep green color and very attractive foliage, this is one of the most popular sorts for both the market and home garden. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 90c.





CHAMPION MOSS CURLED

Long White Dutch or Sugar

This variety of parsnip is very hardy and will keep well through the winter without protection. The roots are long, white, smooth, tender and of most excellent flavor. Much used for the table and suitable also for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Hamburg or Rooted

The root is the edible portion of this variety and resembles a sunll parsuip both in color and shape. The flesh is white, a little dry and in flavor is similar to celeriac. The foliage is practically the same as that of Plnin Parsley. The roots can be dug late in the fall and stored in sand for winter use. They are extensively used for flavoring soups and stews. This variety is sometimes called Turnip Rooted. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

## **PARSNIP**

The value of the Pnrsnip ns a culinary vegetable is well known but is not generally appreciated at its full value for stock feeding. On favorable soil it yields an immense crop of roots, more nutritious than turnips and very valuable for dairy stock.

Parsnips are usually grown on deep, rich, sandy soil, but will make good roots on any soil which is deep, mellow and moderately rich. Fresh manure is apt to make the roots coarse and ill shaped. As the seed is sometimes slow and uneven in growth, it should be sown as early as possible in drills two and one-half feet apart; cover one-half inch deep and press the soil firmly over the seed. Give frequent cultivation and thin the plants to six inches apart in the row.

Hollow Crown or Guernsey

An excellent variety for the table. The roots are long, with smooth white skin, uniform in shape, tender and of the best quality. The variety is easily distinguished by the leaves growing from the depression on top or erown of the root. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.



HOLLOW CROWN

# PEAS

For early peas the soil should be light and warm, but for general crop a moderately heasoil is better. Fresh manure and very rich or wet mucky soil should be avoided, as the cause a rank growth of vine at the cost of the quality of the peas, furthermore such s is often the cause of early sorts maturing unevenly.

Sow as early as possible a few of some early variety in warm, quick soil, preparting fall before, planting in double rows six to eight inches apart and two and one-half to four feet between the double row The general crop can be delayed until later, but we have met with better success from sowing all the varieties comparative early, depending for succession upon selecting sorts that follow each other in maturity.

The peas will give quicker returns if covered only one inch deep and where earliness is most important they may be treated in that way. Larger pods and more of them will be produced if the seed be planted in treated to six inchedep and covered with only one or two inches of soil. When the plants are five or six inches high fill the french level with a surface. This will secure deep rooting, prevent mildew and prolong the bearing season. If the peas be covered to the full depart first, or if water be allowed to stand in the trenches they will not germinate or grow well.

The wrinkled varieties are more sensitive to cold wet weather than the smooth seeded sorts but are of superior quality. A varieties growing more than one and one half feet do better if staked up or brushed when four to six inches high. This supert is usually given by sharpened b anches of trees set between the double rows. The crop should be gathered as fast as it if for use. If even a few pods begin to ripen, not only will new pods cease to form, but those partly advanced will stop growing

#### FIRST EARLY AND EARLY VARIETIES

Ferry's First and Best that sometimes a single picking will seeme the entire crop. The vines are vigorous and hard of medium height, about two and one-half to three feet, bearing three to seven straight pods of good size, about two and one-half to two and three-fourths inches long, each containing five to seven medium sized, smooth peas of fair quality. Seed small, smooth, yellowishwhite. The stock we offer is much superior to most on the market and more even than similar strains sold as Extra Early, Rural New Yorker and Improved Early Daniel O'Ronrke. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Earliest of All or Alaska
a stock of this smooth blue pea of unequaled evenness in growth
of vine and early maturity of pods which are filled with medium
sized, bright green peas of good flavor. The vines are of medium
height, about two and one-half to three feet and of distinctive
light color. The pods are of good size, about two and one-half to
two and three-fourths inches long. Seed small, smooth, and
bluish green in color. This sort matures all of its erop at once
and is an invaluable variety for market gardeners and canners.
Pkt. 10c. Pt. 20c. Ot. 30c. 4 Ok. \$1.00; Bn. \$6.00 Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Thomas Laxton A very early wrinkled variety of great merit. The vines are vigorous, of medium helplit, about three feet, similar to those of Gradus, but darker in color, hardier and more productive. The pods are large, often four inches long, with squire ends, similar to but larger, longer, and darker than those of Champion of England and as uniformly well filled. The green peas are very large, of fine deep color and misurpassed in quality. One of the very best sorts for the market and hume garden. Plat 10c. Pt. 25c. Ot. 40c. 40c. 45. 15. 60. Ru. 57. 50. and home garden. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$7.50

A very early, wrinkled pea. The vines are similar in appearance to Telephone but of medium height, only about three to three and one-lail feet. The pods are very large, about four and one-fourth inches long, very nearly as large as those of Telephone, uniformly well shaped, pointed, handsome and more attractive than those of the first earlies. The peas are very large, of splendid quality and beautiful light green color which they retain after cooking. Practically the same as Prosperity, Plet 10c. Pt. 25. Ot. 40c. 4 Oc. 4 Oc. 51.50. Pt. 28.00. perity. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1.50; Bu. \$8.00

American Wonder

The earliest of the dwarf, wrinkled varieties. The vines are about nine to twelve inches high and produce a good crop of well filled pods of medium size, about two and five-eighths to two and three-fourths inches long, containing five to eight large peas which are exceedingly sweet, tender and well flavored. Seed medium sized, generally flattened, wrinkled and pale green. Pkt. 10c; Pt. 25c; Ot. 35c; 4 Ots. \$1.25: Bu. \$6.50. Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Nott's Excelsior The best very early, dwarf pea. It combines the good qualities of American Wonder and Preminm Gem peas. The vines are larger and more productive than American Wonder and earlier than Premium Gem and average about twelve inches high. The pods are medium sized, about two and three-fourths inches long. The peas, in sweetness and quality, are unsurpassed. Seed medium sized, wrinkled, green and somewhat flattened. A most desirable early sort for the market gardener and unsurpassed for the home garden. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Sutton's Excelsion An early, wrinkled pea, one of the largest podded of the dwarf varieties. It is also one of the most vigorous in growth of vine and is misurpassed in quality. The pods mature very nearly as early as those of Nott's Excelsior but are broader and with the foliage distinctly lighter green. The pods are large for so early a variety, two and three-fourths to three inches long. The vines are about fourteen to sixteen inches high. Pkt. 10c; Pt. 25c; Qt. 40c; 4 Qts. \$1,50; Bu. \$8.00

Laxtonian largest podded of the dwarf varieties on our list. The beautiful dark green pods are similar to Gradus in shape and splendid quality, are very nearly as large in size and often mature a little earlier. The vines are vigorous and productive, averaging fifteen to eighteen inches high; foliage dark green; pods about four inches in length. Seed light green, large, wrinkled, flattened, irregular in shape. Pkt. 10c; Pt. 35c; Qt. 60c.



Premium Gem (Improved Little Gem) A desirable early green wrinkled dwarf variety similar to but the than McLean's Little Gem. The vines are very productive, fifteen to eighteen inches high. The pods are of medium size, about two and three-fourths inches long, crowder with six to eight large peas of fine quality. Seed green, large wrinkled, often flattened. Pkt. 10c; Pt. 20c; Qt. 30c 4 Qts. \$1.00; Bu. \$6.00

Little Marvel An excellent dwarf sort for the market and home garden. The pods average a little longer than those of Premium Gem, are more attractive in shape and color and the peas are of superior quality. The vines are sturdy, nearly eighteen inches high, heavily sewith straight, deep green pods, square ended at the bottom an nearly three inches in length. Its season is about the same and Premium Gem. Seed large, green, wrinkled. (See furthed description in Supplement, page 8) Pkt. 10c; Pt. 25c; Qt. 40c. 4 Ots. \$1.50: Bu. \$8.00 4 Qts. \$1.50; Bu. \$8.00

If peas are ordered by mail or express, prepaid add to cents per pint, 15 cents per quart for transportation and packing.



PEAS, ALDERMAN

### PEAS—SECOND EARLY VARIETIES

McLean's Advancer

A green, wrinkled variety of medium height, about two and one-half to three feet, with long, broad pods, about two and three-fourths to three inches long, which are abundantly produced and well filled to the ends. This pea is used very extensively by market gardeners because of its productiveness and fine appearance of its pods, and is popular with consumers on account of its quality. It is also largely used by canners. By careful selection we have developed a strain showing marked improvements in vigor of plant, size of pod and productiveness. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Yorkshire Hero The vines are stout, of medium height, about two or two and one-half feet, bearing near the top a number of rather broad pods of medium sixe, about three inches long, filled with large peas that remain a long time in condition for use and which never become as hard as most sorts. The peas are of fine quality and will be preferred to any other by thoso who like a rich, naarrow-like pea. Seed large, wrinkled and flatteaed. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Bliss' Everbearing The vines are stout, of medium height, about two and one-half to three feet, bearing at the top six to ten good sized pods, about two and one-half to three inches long. If these are pieked as they mature and the season and soil are favorable, the plant will throw out branches bearing pods which will mature in succession, thus prolonging the season. The peas are large and wrinkled, cook very quickly, are tender, of superior flavor and preferred by many to any other sort. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

The Admiral The vines of this exceptionally hardy, second early variety are tall and vigorous, about four feet high. The pods are usually boine in pairs, are enrived, bright green, about two and three-quarters inches long, and are crowded with six to nine peas of good quality and deep green color. Seed wrinkled, of saudl-medium size, cream colored. Owing to its great vigor, heat resistance and productiveness, and the fine color and suitable size of the green peas, this variety is very well adapted for eanners' use. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Duke of Albany

A very large, wrinkled pea similar to Telephone in growth and season but four and one-half to five feet high, vigorous aud strong growing. The pods are of largest size, often four and one-half to five inches long, straight and thick, borne in great profusion and when in condition for picking, of a deep green color Inmany localities this variety is sold as an improved strain of Telephone. Its productiveness and fine color make it a very profitable sort for market gardeners while its splendid quality should give it a place in the home garden. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Telephone

This has beeome the leading pea with market gardeners whose trade appreciates fine appearance and high quality. The vines are tall and vigorous feaves and producing as abundance of pointed pods of largest size, often four and one-half to five inches long, attractive bright green, filled with very large peas which are tender, sweet and of excellent flavor. It comes into use soon after the Premium Gem and is one of the best sorts for either home or market. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Telegraph or Long
Island Mammoth

Poly Fig. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Stronger growing and hardier foliage and is vine with darker foliage and poly than the Telephone. The peas are very large and of dark green eolor. Vines tall, about four to four and one-half feet. Pods very large, about four and one half inches long. Seed almost smooth. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Alderman
This is in many respects the very best early main erop variety of the valuable Telephone type. The vines are tall growing, about four and one-half to five feet high, dark green, vigorons and exceedingly productive. The pods are of largest size, often five to five and one-half inches long, dark green, similar to but a little larger and a shade darker in color than those of Duke of Albany and about the same in season. The peas are of largest size and unsurpassed in quality. Market gardeners are demanding the large podded, dark colored sorts which retain their fine appearance even after shipping a long distance. The Alderman answers these requirements and we recommend it unreservedly. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

#### LATER VARIETIES

Daisy Sometimes sold as Dwarf Telephone. A semi-dwarf, large podded main crop pea similar to Improved Stratagem but a little earlier maturing and lighter in color of vine and pod. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$7.00

Improved Stratagem One of the best of the large podded, semi-dwarf main erop varieties. The vines are about two to two and oae-half feet high, with medium dark green foliage. The pods are very large, often four and one-quarter to four and one-half inches long, pointed, dark green, and uniformly filled with very large, dark green peas of the finest quality. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$7.00

Dwarf Champion A desirable main erop sort for the market or home garden. The vines are of medium height, only about three feet high, vigorous, hardy, and unusually productive. The pods are large, fully four inches long, broad, quite straight, deep green in color, handsome and very well filled with large peas which are tender and unsurpassed in quality. The stock we offer of this variety is very superior and we believe it will meet the requirements of the most critical trade. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Pride of the Market and bearing at the top, generally in pairs, a good crop of large, political, dark green pols well filled with large peas of good flavor. Pkt. 10c; Pt. 25c; Qt. 35c; 4 Qts. \$1.25; Bu. \$6.50

Horsford's Market Garden

The vines of this variety are of medium height, about three feet, hardy and very productive, glving the greatest number of pods of any on our list. The foliage is dark green and the leaves are small. The pods are of medium size, about two and three-fourths inches long, each containing five to seven medium sized, sweet, dark green peas which retain well their color and sweetness after canning. Seed wriakled and of medium size. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Melting Sugar (Edible pods) We consider this the best of the edible-podded sorts, in which the pods are used when half grown and are cooked in the same way as snap beans. The pods of Melting Sugar are very large, four to four and one half inches long, broad, often curved or twisted, and when young, stringless, very tender and finely flavored. The variety we offer, sometimes called Mammoth Melting Sugar, is rather late maturing, very prolific, strong growing, about four to five feet high, with large light colored foliage. Seed medium to large, smooth, round, light yellowish white in color. Pkt. 10c; Pt. 30c; Qt. 45c; 4 Qts. \$1.50; Bu. \$9.00

Champion of England A standard, very productive, main crop variety, universally admitted to be one of the richest and best flavored of the late peas. The vines are tall, about four to five feet high. The pods are large, about three inches loag. The seed is light green and wrinkled. We consider this variety one of the best of its season, either for the home garden or for market gardening use. Pkt. 10c; Pt. 20c; Qt. 30c; 4 Qts. \$1.00; Bu. \$6.00

Large White Marrowfat

feet high and of strong growth. The pods are large, about five inches long, cylindrical, surface somewhat roughened, light colored and well filled. Seed large, smooth, round and light creamy yellow. It is desirable for summer use but is not as sweet and tender as most sorts, although undoubtedly one of the most productive of the garden varieties. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

Large Blackeye Marrowfat A well known tall, riety, about five feet high. It is a very prolific bearer of large pods, about three inches long. Seed large, smooth, round, light creamy yellow with black eye. One of the best of the Marrowfat sorts. Pkt. 10c; Pt. 15c; Qt. 25c; 4 Qts. 75c; Bu. \$5.00

#### FIELD PEAS

Field Peas deserve more attention for greea-manuring and for fodder than they now receive. Where planted for green-manuring to add nitrogen to the soil, field peas should be plowed under when in blossom. They will grow on land that will not produce clover. In the north for dairy cows and for logs, they are fully equal to corn, and about six weeks earlier. For cows, the crop should be cut and fed green. If inteaded for logs alone, they may be turned into the field as soon as the pods begin to ripen.

The seed of field peas can be sown either alone or with oats as early as the condition of the soil will permit. If the stubble from green winter rye or other crops ent in June be turned under and sown to mixed peas and oats, it will furnish a large amount of forage in August when grass pasture is usually short.

No. 1 White and Common White, write for quotations.

If peas are ordered by mail or express prepaid 10 add cents per pint, 15 cents per quart for transportation and packing.

# PEPPER

Peppers are most largely used for seasoning meat and vegetable dishes as well as for salads and mangoes. They are used also for making chow chow and chili sauce

The culture is the same as for egg plant and the plants need quite as much heat to perfect them. Sow seed early in hotbed, or about middle of spring in open seed bed, the soil being light and warm. When three inches high transplant in rows about two and one-half feet apart and two feet apart in the row. Cultivate and keep free from weeds. Guano, hen dung, or any other bird manure hoed into the surface soil when the plants are about six inches high, will undoubtedly increase the product

Red Cherry

A second early sort. The plants are tall, bearing a profusion of round, bright red fruits, about two-thirds of an inch in diameter, which are very pungent when ripe. A very ornamental plant, when in fruit.

Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Red Chili

A late variety. The pods are bright, rich red, about two inches long, one-third to one-half inch in diameter at the base, tapering to a sharp point and exceedingly pungent when ripe. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

Long Red Cayenne

A well known medium carly variety having four inches loug. The color is deep green when fruit is young, bright red when ripe. The flesh is extremely strong and pungent. Pkt. 5c;

Large Bell or Bull Nose
feet high, compact and very productive, ripening their crop unifornity and early. The fruits are large, with thick, mild tlesh of excellent quality for use in salads and mangoes or stuffed peppers. The color is deep green when fruit is young, bright crimson when ripe.

Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

Ruby King the plants are about two and one-half feet high, vigorous, compact and productive. The fruits are often four to four and one-half inches long and of deep green color when young, bright red when ripe. The flesh is thick and mild flavored. One of the best varieties for mangoes or stuffed peppers. Pkt. 5c; Oz. 35c; 2 Oz. 60c; 1/4 Lb. \$1.00; Lb. \$3.50

Pimiento

The fruits of this very productive sort are exceptionally smooth and glossy, of good size, medium length and attractive color. The flesh is very thick and solid, mild and of very fine flavor. Desirable not only for salads and stuffed peppers but it is also the sort used largely by canners. The plants are vigorous and upright, about two to two and one-half feet high, with short, broad, dark green leaves. The fruits are deep green when young becoming deep red as they mature. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ½ Lb. \$1.40; Lb. \$5.00

Giant Crimson

The fruits of this very desirable sort are of the largest size, ripen earlier than any of the other very large sorts and average heavier, as the flesh is exceptionally thick. The plants are vigorous and upright, about two and one-half to three feet high, larger than those of Chinese Giant and more productive. The color is deep green when fruit is young, deep crimson when matured. The flavor is mild. One of the very best sorts for salads and large mangoes. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00



Large Sweet Spanish

A late maturing and attractive, red, sweet pepper. The plants are about two and one-half feet high, upright, very compact, vigorous and productive. The fruits are very large and color is deep green when fruit is young, rich red when ripe. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

# PUMPKIN

Pumpkins are less sensitive than melons or cucumbers to unfavorable conditions of soil and climate but are cultivated the same, though on a larger scale. They are raised between hills of corn or in fields by themselves, but more properly belong to the farm than the garden as they readily mix with and injure the quality of the finer squash. After danger of frost is over plant the seed in hills eight to ten feet apart each way, dropping about a dozen seed in a hill. The soil should be made as rich as possible. If planted with corn two or three seeds a rod apart each way will be sufficient. When danger from bugs is past, thin to three plants to a hill.

Pie The fruits are of medium size and nearly round. The skin is light yellow, smooth and is eovered with a fine gray netting The flesh is light yellow, very thick, sweet and finely flavored. This variety makes very delleious pies. Pkt. 5c; Oz. 10c; 2 Oz. 15c; L. L. 25c; L. 75c. 1/4 Lb. 25c; Lb. 75c.

Sugar or New England Pie This variety is small, but for pies. The fruits are deep orange, eight to ten inches in diameter, round or somewhat flattened and slightly ribbed. The deshi srich deep yellow, fine grained and very sweet. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 4 Lb. 25c; Lb. 75c 1/4 Lb. 25c; Lb. 75c.

Large Yellow to a large size and flattened to quite and highly flavored. This variety is often planted with corn. It is known also as Field Pumpkin. (Sold out.)

Green Striped Cushaw

Fruits very large, with crooked neek. Color creamy white, irregularly striped or traced with green. Flesh light yellow, very thick, rather coarse but sweet. This sort is very productive and popular in some sections. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.

Sweet Cheese or Very popular in the south, but not as well adapted to northern latitudes. The fruits are tlatt-ned, with the diameter using mottled light green and yellow, changing to creamy yellow when mature. The flesh is yellow, tender and of excellent quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 50c. By freight or express at purchaser's expense, \$30.00 per 100 lbs.



PUMPKIN, SUGAR OR NEW ENGLAND PIE

# RADISH

For forcing sow in hotbed or under glass in rich, sandy soil made perfectly level. Scatter evenly over the surface from fifty to one hundred seeds to the square foot and cover with one-half inch of soil sifted on. Careful watering to keep soil moist even, moderate temperature and good ventilation are required for rapid and best root development. If the bed is a good one the whole erop can be marketed in twenty-one to forty days after planting.

For open ground culture sow in rich, sandy soil as soon in the spring as it is fit to work, in drills twelve to eighteen inche apart and thin out the plants to prevent crowding. A good dressing of nitrate of soda will greatly stimulate growth and insure tender, brittle roots, Successional sowings from one week to ten days apart will keep up a supply. After the hot weather of summer begins, it is better to sow the summer and winter varieties, we then the part to the summer and winter varieties. as they do not become tough and stringy nor pithy so quickly as the early sorts.

Radishes are subject to root maggets which make them useless for culinary purposes. We know of no certain remedy for this pest. We have found that the best preventive measures are to avoid the use of rank manure and not to sow on ground where radishes, turnips or cabbages were grown the year previous.

We have been very careful to seeme the very best seed possible and there is none sold under other names which is better than that of the varieties we offer. What is often called "searlet" in radishes is more or less of a rosy carmine color. Our "deep scarlet" is of a much deeper red.

Non Plus Ultra or Early Deep This is an excellent extra early forcing radish. The roots are small, Scarlet Turnip, Forcing The tops are very small. The flesh is white, crisp and well flavored. One of the handsomest of the forcing varieties. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Prussian Globe The smallest reliable forcing radish. The tops are distinctly small. The roots are round or slightly flattened, very deep red in color and of the best quality. It remains in condition for use the longest of any of the first early forcing sorts and is a favorite where a very small, deep red radish is desired. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 4 Lb. 20c; Lb. 70c.

Early Scarlet
The roots of this variety are slightly olive shaped and are a rich, bright scarlet in color. The flesh is white and tender.

The roots are fit to pull as early as Non Plus Ultra but are larger when matured. We specially recommend this to gardeners as a large, first early forcing radish. It is also desirable for first early planting outdoors for the home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

Early Scarlet Turnip,
White Tipped, Forcing
fail to give satisfaction as a forcing radish. This is very popular as a nurket sort. It is sold sometimes as Rosy Gem and Rapid Forcing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Early Deep Scarlet, Olive Shaped, Short Leaf lent deep carmine-red dive shaped forcing sort, typical in its very small tops and early maturing roots, which should be pulled just as soon as in condition. The roots when fully grown are about one and one-half inches long by about one inch in diameter. The variety is suitable also for early outdoor planting. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 4 Lb. 20c; Lb. 70c.

Early White Tipses

Early White an early white radish, a little more flattened than Early Scarlet Turnip little earlier maturing. While used mostly for early ontdoor planting, its very small tops and quick growth make it suitable for forcing. The roots are about one inch in diameter when mature. The flesh is pure white, crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Early Scarlet Turnip A round, red, turnip shaped radish growth, deserving general cultivation on account of its rich, searlet-recolor, almost crimson and its white, crisp and tender llesh. The roots are often grow one inch long by one and one-eighth inches in diameter before becoming pithy. This is a standard variety for early outdoor planting for the home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Early Scarlet Turnip, One of the best early radishes for the home garden and a great favorite in White Tipped large markets for early planting outdoors. It is but little later than Early Scarlet Turnip, White Tipped, Forcing and will give entire satisfaction where extreme earliness and small tops are not the chief considerations. The roots are nearly round, slightly flattened on the underside. The color is very bright, deep rose-carmine scarlet with a distinctly white tip. The flesh is white and of the best quality. The stock we offer is exceptionally attractive in its splendid coloring. The scarlet is unusually deep and affords a distinct contrast with the large, clear white tip. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c. One of the best early radishes for the

French Breakfast A quiek growing, small, olive shaped radish about one and one-half inches long by live eighths to three-fourths of an inch in diameter when fully grown. The color is beautiful deep rose-scarlet except a little clear white about the tip. This is an excellent variety for planting outdoors for the home garden. Its small tops and earliness make it also desirable for growing under glass. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

Crimson Giant Turnip Size for so early a variety. The roots are nearly globe-shaped, of beautiful erimson-carmine color and most excellent quality, often growing one and three-fourths inches in diameter before becoming pithy. It is a desirable variety for general outdoor planting, and also suitable for forcing where a very large, round radish is wanted. It remains in condition a remarkably long time for so early a radish. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.



FRENCH BREAKFAST



## RADISH--Continued

Half Long Deep Scarlet of a deep, rich red color and are olive shaped or half long with a somewhat tapering point. The tops are comparatively small. The flesh is very white, crisp and tender, and does not become pithy as soon as most other early sorts. The roots when mature are about two and one-half to three inches long. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Long Brightest Scarlet, One of the brightest and handsomest searlet radishes. It is an improvement in earliness White Tipped and color over other varieties of this class. The roots are fit for use in about twenty-five days and contime in good condition until fully grown when they are as large in diameter but a little shorter than Early Long Scarlet. The variety has small tops and can be used for foreing as well Early Long Scarlet. The variety has small tops and can be used for forci as for the open ground. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Early Long Scarlet, This is a standard, most excellent sort either for the home garden or the market. The tops are short Short Top, Improved bright carmine-red in color. They grow about one-third out of the ground and continue crisp and tender until fully matured, when they are about six juches long. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 60c.

Wood's Early Frame

This is not only a very good variety for forcing, being shorter and thicker than the old Lorg Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c.

Cincinnati Market A desirable market variety with roots similar to Early Long Scarlet, Short Top, Improved, but averaging longer, deeper red in color and remaining a little longer in condition for use. The roots are slender and before becoming pithy are often six to seven inches long by about five-eighths of an inch in diameter at the shoulder. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Improved Chartier or Shepherd

nse in the home garden, and used also for the narket. The tops are of medium size. The roots are in good condition for the table when half an inch thick and continue hard and erisp until they reach a diameter of about one aud one-fourth inches, thus affording good roots for a long time. The roots are rather long, averaging seven to eight inches when mature, bright scarlet-rose in color, shading into white at the tip. Pkt, 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Early Golden This sort matures quickly, Yellow Oval has small tops and resists the summer heat better than the carly scarlet or white kinds. The roots are oval, tapering at the base, and are about one and one half inches long by about one inch in diameter when mature. The color is bright light yellow, often russeted. The flesh is white, slightly pungent, crisp and tender. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.





EARLY LONG SCARLET SHORT TOP, IMPROVED

ICICLE

A very attractive, pure white radish, the earliest of the long, white summer sorts and of most excellent quality. The roots are somewhat shorter, with smaller tops than Long White Vienna and mature a little earlier. The roots when mature are five to six inches long by about one-half to five-eighths of an inch in diameter. One of the most desirable varieties for outdoor summer planting for the home garden and market. It is also adapted for forcing. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

An early maturing and attractive, long, white, summer radish of most excellent quality. The or Lady Finger tops are of medium size. The roots are clear white, sinches long by about five-eighths to seven-eighths of an inch in diameter at thickest part. The flesh is very crisp and tender. The variety is desirable for market and home garden use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Golden Globe This variety is of quick growth, affording erisp and tender radishes even in a very hot climate and is extensively grown in the south. The roots are uniformly globe-shaped, with skin of golden yellow color. They are about two inches long by two and one-fourth inches in diameter when mature. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Large White Summer Turnip A desirable large turnip shaped round, smooth, white and attractive and are two to three luches in diameter when mature. The test is crisp, firm and rather pungent. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

White Strasburg Even when comparatively small this variety is in good condition for use and continues erisp until matured when the roots are four to six inches long by one and one-half to two inches in diameter. The roots are rather thick at the shoulder and are usually somewhat tapering. They remain in condition for use much longer than the early varieties. This is one of the best large, white later summer sorts for home garden and market. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Early White Giant Stuttgart The roots are large, often four inches in diameter, white and are usually top shaped. The tesh is white and erisp, and keeps remarkably well, so that those not used in the summer or fall can be stored for early winter use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.



WHITE STRASBURG

RADISH, SCARLET CHINA

## RADISH—Continued WINTER VARIETIES

Seed for winter radishes should be sown about the first of August in rich, warm, sandy loam, in rows about twenty inches apart, covering half an inch deep. When well up thin to three inches apart in the row and give frequent cultivation. For winter use, the roots should be pulled and packed in damp sand and stored in a cool cellar.

Scarlet China
This is an extensively grown variety for fall and winter use. It is known a.so as Chinese Rose. Ther ots are cylindrical, or largest near the bottom, stump rooted or thint at both ends. The skin is smooth and of a bright deep rose color. The flesh is white, firm, crisp and pungent. The tops are moderately large with leaves dist notly cut and divided; leaf-stems ting d with rose. The roots are usually four to five inches long by about one and one half to two inches in diameter when fully mature, sometimes growing considerably thicker. It is a desirable late maturing garden sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Celestial This excellent variety is sold also as Chinese White Winter. The roots are the least pungent of the winter varieties. When fully mature the roots are six to uine inches long by about two and one-half to three and one-half inch s in diameter. The flesh is compact and erisp. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

California Mammoth la ge white winter sort White China grow nine to twelve inches long, by three to four inche sor more in diameter just below the shoulder, tapering regularly to the tip. The flesh is firm, crisp, decidedly pungent but well flavored, keeping well through the winter. The variety matures later than Celestial and the roots are not as mild but they attain a larger size under favorable conditions. For table use they are pulled before fully grown. (Sold out) (Sold out.)

Round Black Spanish The roots are round, shaped, three or four inches in diameter. The skin is almost black. The flesh is white, very compact, decidedly pungent, but well flavored. The valety keeps well through the winter. Pkt, 5c; Oz. 10c; 2 Oz. 15c; M. Lh. 20c. Lh. 70c. 1/4 Lb. 20c; Lb. 70c.

Half Long Black Winter
between the Round and the Long Black Spanish, and seems to combice the good qualities of both. The roots have grayish black skin and erisp, pungent but well flavored white flesh. They are four to five inches long and one and one-half to two inches in diameter, sometimes approaching strmp-rooted form at maturity. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.

Long Black Spanish One of the latest and hard-especially adapted for winter use. The roots are long, thick, almost black, somewhat wrinkled. The flesh is white, of firm texture, decidedly pungent but well fla-vored. The roots when mature are usually seven to nine inches long by two to three inches is disunctor at thick-extreme. Black Spanish. est part. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.



RADISH, LONG BLACK SPANISH

### RHUBARB or Pie Plant

Rhubarb, also known as Pie Plaut, or Wine Plant, is the earliest spring vegetable and is grown for its leaf stalks which are extensively used for pies and sauce.

Rhubarb succeeds best in deep, somewhat retentive soil and the richer this is and the deeper it is stirred, the better. Sow in drills an inch deep and thin out the plants to six inches apart. In the fall transplant into very highly manured and deeply stirred soil, setting them four to six feet apart each way and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year. When a blosson stalk appears, it should be ent back well into the ground and the plant never allowed to exhaust it left by running to seed. Our seed is saved from selected plants of the Linneus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

SEED-Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25 ROOTS-by mail, prepaid, 15c each; by express, not prepaid, \$1.25 per dozen.

ROQUETTE A hardy annual, the leaves of which are long, smooth and glossy and when young are used like mustard for salads. When in condition for use the plants are from eight to ten inches high. Sow the seed in shallow drills about sixteen inches apart, in early spring and for succession every few weeks thereafter. Water freely. The young leaves will be ready for eutting in about six weeks from time of planting. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

### SALSIFY or Vegetable Oyster

One of the most desirable winter vegetables. The roots when cooked are very palatable and nutritious and are served in a variety of ways. The flavor is similar to oysters. Salsify succeeds best in a light, well enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow uneven and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy and may remain out all winter, but should be dug early in spring, as they deteriorate rapidly after growth commences. Frost does not injure the roots, but before the ground freezes a quantity for winter use may be stored in a pit or in a very cool cellar.

Mammoth Sandwich Island This variety is large and strong growing with long, smooth, white, tapering roots, and is less liable to branch than the other sorts. The tops are grassy. It is invaluable for market gardeners' use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$1.75

SORREL The improved varieties of Sorrel when well grown and eooked like spinach make a palatable dish. Sow in drills early in spring and thin the seedlings to six or eight inches apart in the row. One may commence entting in about two months and the plants will continue in full bearing from three to four years.

Large Leaved French

The best garden variety, having large, pale green leaves of fine quality. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50

# SPINACH

No plant makes more palatable and nutritious greens than spinach when properly prepared. Seed should be planted in very rich ground, the richer the better. Sow in drills sixteen to twenty inches apart and thin to about six inches apart when the leaves are an inch wide. All should be cut before hot weather, while young and tender. For early spring use sow early in autumn and protect the plants with a light covering of leaves or straw, or plant as soon as the land can be worked in the spring. Under favorable conditions the leaves may be large enough for eating in eight weeks. South of Cincinnati spinach can be grown through the winter with very little or no covering.

Savoy Leaved Norfolk Savoy Leaved. It is a very early variety and one of the best to plant in antumn for early spring use. The plant is of upright growth, with thick, glossy, dark green leaves of medium size, pointed but quite broad, and erumpled or blistered like those of Savoy cabbage. It is hardy and grows rapidly to a suitable size for use, but runs to seed quickly in warm weather. Seed round. This spinach is suitable for the home garden and is much used by southern truckers. Pkt. 5c; Oz. 10c; 14.1b. 15c; 1b. 40c. 1/4 Lb. 15c; Lb. 40c.

Broad Flanders variety. The leaves are bright green, broad and thick, with long petiole, usually broad arrow-shaped but sometimes rounded. The surface is fairly smooth or sometimes slightly erumpled. It is a most desirable bunching sort for market gardeners. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 35c.

Thick Leaved, Round Seeded A desirable spinaeh for popular with market gardeners. The plant is large and vigorous, The leaves are large, thick, fleshy and bright green in color. Seed round. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 35c.



BROAD FLANDERS

Improved Thick Leaved


A variety which grows rapidly, forming a cluster of very large, slightly erumpled leaves of deep green color and good quality. The leaves are usually broad arrow-shaped but sometimes rounded. This is an extensively used medium early sort for the market and home garden. Seed round. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 35c.

Early Giant Thick Leaved

A strong growing early market variety with very large, thick leaves of fine, deep green color. The leaves are usually rounded or brond arrow-shaped and the surface is fairly smooth or slightly erumpled. Seed round. It is one of the most desirable medium early varieties, and is suitable for the home garden as well as market. Pkt.5c; Oz.10c; 1/4 Lb.15c; Lb.40c.

Victoria large, exceedingly thick, very dark green leaves slightly crumpled in the center. The plant is large, compact and procumbent. The season is intermediate. The leaves are usually blunt or rounded at end but sometimes broad arrow-shaped. Seed round. The variety becomes fit for use nearly as early as any, remaining so much longer than most kinds. It is desirable for the market or home garden. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 40c. 1/4 Lb. 15c; Lb. 40c.

Long Season variety, in general appearance similar to Savoy Leaved but considerably larger and broader in leaf, less crumpled and very much longer standing. Seed round. One of the very best for early spring and successional planting. Pkt. 5c; Oz. 10c; ¼ Lb. 15c; Lb. 45c.



SAVOY LEAVED

improved round seeded Long Standing An improved round seeded strain of excellent quality, eomparatively late in season but after reaching maturity it remains in condition for use much longer than most sorts. The plant is very large, becoming rather procumbent when mature. The leaves are insually very broad arrow-shaped or rounded, comparatively smooth and dark, rich green. This sort is extensively used by market gardeners. Pkt. 5c; Oz. 10c; V. Ib. 15c; U. 3.5c. An Oz. 10c; 1/4 Lb. 15c; Lb. 35c.

Long Standing Prickly

This variety is an improved strain of the long standing type of spinach that matures a little later than the round seeded sorts. The plant is very large at maturity, very vigorous and hardy, and yields a large quantity of medium sized leaves, which are usually rounded at the end, quite thick and uniformly dark green. Seed prickly. It is usually planted in the fall, but is also well adapted for spring use. Sometimes called Prickly Winter. Pt. 5c. Oz. 10c. W. Lb. 15c. Lb. 45c. Pkt. 5c; Oz. 10c; 1/4 Lb. 15c; Lb. 45c.

New Zealand true spinach in type and in that it thrives during hot weather and in any soil rich or poor. The tender shoots are of good quality and may be eutthroughout the summer. The plant becomes very large and spreading. The leaves are comparatively small, broad and pointed. Plant three or four seeds in hills two feet apart each way. Germination of the seed ean be hastened by soaking in warm water twenty-four hours. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 80c.



LONG STANDING

# SQUASH

One of the most nutritions and valuable of garden vegetables. The summer varieties come to the table early in the season while the fall and winter sorts can be had from Angust until the following spring. The winter varieties are very well adapted for stock feeding and we heartily recommend them for that purpose,

Squash plants are very tender and sensitive to cold and so planting must be delayed until settled warm weather. General methods of culture are the same as for cucumbers and melons, but the squash is less sensitive to unfavorable conditions of soil. Summer varieties should be planted four to six feet apart each way and winter sorts eight to ten. Three plants are sufficient for a bill. In gathering the winter sorts care should be taken not to bruise or break the stem from the squash, as the slightest injury will increase the liability to decay. Winter squashes should be stored in a moderately warm, dry place and the temperature kept as even as possible. For those who desire very early squashes, seed can be planted in boxes, and transplanted.

Insect pests that attack the vines when small, such as the striped beetle, may be kept off by frequent dustings with air slaked lime, tobacco dust, soot or sifted askes diluted with line road earth. For the large squash bug, a good remedy is a kerosene emulsion. Probably the most effective way is to place a small piece of board, about 4x12 inches, on the ground near the plant. Towards evening or early in the morning the bugs may be gathered from under the boards and destroyed.

#### SUMMER VARIETIES

Long Island White Bush This is the earliest of the summer squashes. The vines are vigorous and very productive, of a scallop. The skin is white, flesh tender and of good quality. Our stock of this variety is very uniform. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 85c.

Mammoth White Bush Scallop An early maturing, somewhat flattened, scalloped and the handsomest of the summer varieties for home garden and market. The fruits are uniformly warted and a beautiful, clear waxy white, instead of the yellowish white so often seen in the old Early White Bush Scallop. The stock we offer of this variety is exceptionally true to type. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 14 Lb. 25c; Lb. 90c.

Early White Bush Scallop

This is the well known, very early, somewhat flattened, scalloped bush squash of medium size. The color is ductive. This variety is also known as Patty Pan or Cymling. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 85c.

Early Yellow Bush Scallop


A flattened, seafloped bush squash of largest size. The skin is deep orange. The flesh is pale yellow and of very good flavor. We have developed a strain of the old Yellow Bush Scallop which is fully as productive but miformly larger and flatter than the old stock and has a very small seed cavity. This sort is extensively used for the home garden and market where a very large yellow scalloped squash is wanted. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 85c.

Mammoth Summer Crookneck

The largest and one of the earliest of the crookneck summer squashes. The vines are of bush habit, large and more vigorous than summer Crookneck. The frints when mature are very large, often one and one-half to two feet long, with exceedingly warted surface. The color is deep yellow. Its large size and attractive color make this variety a favorite with market gardeners as well as for home garden use.

Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 90c.

Summer Crookneck
Summer Crookneck
Summer Crookneck. The fruits when fully grown are about one foot long, with uniformly crooked neck and surface densely warted. The color is bright yellow. The shell is very hard when fruit is ripe. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 85c.



MAMMOTH WHITE BUSH SCALLOP AND MAMMOTH SUMMER CROOKNECK



ITALIAN VEGETABLE MARROW

Italian (Cocozella di Napoli)
Vegetable ducelarge, much
Marrow dark green at first
but as they mature becoming
marbled with yellow and
lighter green in stripes. The
fruits are in best condition for
the table when six to eight
inches long, but ean be used
when much larger. The young
fruits when sliced and fried
in oil constitute a vegetable
delieacy that is very tender
and marrowy. Pkt, 5c;
Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c;
Lb. 90c.

## SQUASH—AUTUMN AND WINTER



DELICIOUS

Hubbard One of the best of the winter squashes. The vines are vigorons and very productive. In the fruits are large, heavy and moderately warted, with a very hard shell. The skin is uniformly dark bronze green. The flesh is bright orange-yellow, fine grained, thick, dry and richly flavored. This squash can be kept in good condition richly flavored. This until spring It is es-

richly flavored. This smith spring. It is ex-teemed by many to be as good baked as the sweet potato. Our stock of this standard home garden and market variety is care-fully selected in regard to quality of the flesh and color of the shell and is much superior to that sold as Chicago Warted or Warty Hub-bard. Pkt. 5c; Oz. 15c; bard. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

### **TOBACCO**

The seed should be sown as early as possible after danger of frost is over. It is enstomary to burn a quantity of brush and rubbish in the spring and rubbish in the spring on the ground intended for the seed bed; then dig and pulverize the earth and mix with the ashes, after which the seed may be sown and covered very lightly. When the plants are about six inches high, transplant into rows feur or five feet apart each way. Cultivate thoroughly with plow and lioe.

STERLING. This well known sort is fine for wrappers, cutters and fillers. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

WEET ORONOCO. This variety makes first class plug fillers and when sun cured is considered to be the best natural chewing leaf. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

WHITE BURLEY. A favorite for plug fillers and wrappers. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. \$1.00; Lb. \$3.00

BRADLEY BROAD LEAF. A popular variety for exports, manufacturing and cigars. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

PERSIAN ROSE. A high grade manufacturing variety. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. \$1.00; Lb. \$3.00

The increasing demand for this squash shows conclusively that its high quality is more generally known and appreciated. Many prefer it to Hubbard, so long regarded as the s andard of excellence, Dehicious is a fall and winter variety of medium size. The fruits are moderately hard, usually dark green but sometimes lighter in color and mottled, and are without any hard shell. The flesh is thick, very fine grained and bright yellow in color. It is considered by many to be the best for markets where quality is appreciated as well as very desirable for the home garden. We have by continued and careful selection made a marked improvement in unformity of type and we believe the seed we offer is equal to the best obtainable. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50 The increasing demand for this

Boston Marrow ive fall and winter variety of medium to large size, oval shape, and thin skin. It is much used for canning and making pies. The fruits when ripe are bright orange with a shading of light cream color. The fiesh is of rich salmon-yellow color, fine grained and of excellent flavor, but not as dry as the Hubbard. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 85c.

Golden Hubbard

The vines of this variety are vigorons and very productive. The frints are of medium size, weighing from six to eight pounds and in shape are like the Hubbard, although in condit.on for use decidedly earlier. They are wonderfully long keepers and can be held over in good condition for spring use. The shell is moderately warted, hard, strong and of a beautiful orangered color, except for a bit of olive-green on the blossom end. The flesh is dep-orange, dry, fine grained and richly flavored. A very superior table variety. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 14 Lb. 40c; Lb. \$1.25 1/4 Lb. 40c; Lb. \$1.25



BIG HAVANA. A hybrid Havana or Cubau seed leaf. It is a leavy cropper and a very early eighr variety. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

SUMATRA. This produces eigar wrappers of the highest quality and has become popular with Florida growers. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4 Lb. \$1.50; Lb. \$5.00

CONNECTICUT SEED LEAF. A hardy cigar variety, well adapted to growing in the middle and northern states. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

HAVANA. The leaf is very thin and is of fine texture. The variety is much used for eigar wrappers. Pkt. 5c; Oz. 40c;
2 Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00

# TOMATO

Tomatoes do best on light, warm, not over-rich soil and success depends largely upon securing a rapid, vigorous and unclecked growth during the early part of the scason. Sow in hotbed or in shallow boxes in the house from six to eight weeks before they can be set out of doors, which is when danger from frost is past; when the plants have four leaves transplant into shallow boxes or cold-frames, setting them four or five inches apart; give plenty of air and endeavor to secure a vigorous but steady and healthy growth, so that at the time of setting in the open ground they will be strong and stocky. Even a slight check while the plants are small will materially diminish their productiveness.

Set out of doors as soon as danger from frost is over, but before doing so harden off the plants by gradually exposing them to the night air and by the withdrawal of water until the wood becomes hard and the leaves thick and of a dark green color. Transplant carefully and cultivate well as long as the vines will permit. If to be grown without training, the plants are usually set about three to four feet apart each way according to the vigor of growth of the variety.

To insure best results in respect to early ripening as well as the amount and perfection of fruit, it is advisable to train up and trim the vines, especially if the patch is rather small. When the plants have been properly started and are six to ten inches high they will begin to throw out branches. Select the largest and most vigorous of these and pinch off all others except this one and the main stem. Care must be exercised not to pinch off the fruiting branches which, as they appear, can be distinguished by the buds that are formed very early. In a short time these two remaining branches will become equally vigorous and as ordinary varieties will grow four to six feet high during the season, they should be securely tied at intervals of about ten inches to a long stake, preferably two inches square, which has been securely set in near the root of the vine.

Fruit will set to almost any height desired if all side branches are kept trimmed off at intervals of a week. By such a method of training and trimming the fruits are kept clear from the ground and with free access of sunlight they ripen much earlier; the vitality, otherwise exhausted in superfluous branches and leaves, is utilized in forming fruits of largest size, greatest perfection of shape and best quality. For further cultural directions see books listed on inside of back cover.


All our Tomato seeds are from seed stocks carefully selected and saved by ourselves. We challenge comparison of our stocks with any offered.

Earliana decidedly superior to much that is sold as Sparks' Earliana, and the extreme carliness of its large, smooth fruits makes it a very profitable tomato for market gardeners, as well as desirable for the home garden. The vines are small but vigorous and productive. The fruits are bright deep scarlet, medium to large, nearly round and exceptionally smooth for so early a variety. The fruits are borne in clusters near the base of the plant and the bulk of the crop ripens very early. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

June Pink An extra early, purplish pink tomato similar to the popular scarlet fruited Earliana in growth of vine, shape and size of fruits and time of maturing. A valuable variety for market gardeners who want a very early, purplish pink tomato. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Chalk's Early Jewel One of the very best early The vines are vigorous and very productive. The fruits are bright deep scarlet-red, nearly round or somewhat flattened, smooth, of large size and most excellent quality. They ripen very early and the pickings continue through a long season. It is a most desirable sort for the home garden. Phys. 5c. or 30c. 30c. 30c. 5c. W. La. 90c. Lb. \$3.25 den. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.25

Early Detroit in 1909, is the largest and best of the early purplish pink tomatoes. The vines are vigorous and very productive. The fruits are very smooth, uniform in size, nearly pletroit is one of the most valuable shipping tomatoes yet produced. It is also desirable for the home garden and near markets. (See further description in Supplement, page 10) Pkt, 5c; Oz. 35c; 2 Oz. 60c; ½ Lb. \$1.00; Lb. \$3.50



CHALK'S EARLY JEWEL



EARLIANA

This well known sort is sold also as Essex cme Early Hybrid. The vines are large, hardy and productive, ripening their first fruits very early, although not an extra early variety. The fruits are purplish pink, invariably round, smooth and of good size, free from eracks and stand shipment very well. Acme is also used extensively for the home garden. The flesh is solid and of excellent flavor. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50 Acme

Early Michigan A second early, bright red variety of the best quality. The vines are vigorous and productive. The fruits are of medium size, very smooth and of very attractive erimson-searlet color. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 14 Lb. 75c; 1b. \$2.50 1/4 Lb. 75c; Lb. \$2.50

Livingston's Globe A large, purplish pink, nearly round tomato of excellent quality. It is extensively used for shipping. The vines are very vigorous and productive. The fruits are rather uneven in size but are very smooth and mature a little earlier than most main crop varieties. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

The vines are large, vigorous and very pro-Beauty ductive The fruits are large, purplish pink, exceptionally smooth and uniform in size, very solid and of excellent quality. This is one of the best second early or midseason purplish pink sorts for table use. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Perfection

A medium to large tomato of deep erimson-scarlet color and of good quality. It is much used for the home garden. The vines are large, vigorons and productive. The fruits are nearly round, uniformly smooth and even in size. They ripen about midseason. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

### TOMATO—Continued

Improved Trophy

A large, main erop or late tomato, unsurpassed in rich, deep crimson-scarlet color and of exception and of uniform size. The vines are large, vigorous and exception dly productive. The fruits are very solid, smooth and of uniform size. The variety is desirable for canning and is also good for slicing. Our strain compares favorably with any in smoothness and regularity of the fruit, and is exceptionally good in interior color. Pkt. 5c; Oz. 30c; 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75

Matchles5 A main erop variety, very popular in the east. The fruits are large, very smooth and symmetrical, ripening well to stem. The flesh is rich, bright red in color and of fine quality, although possibly not quite as firm as Improved Trophy or Stone. Pkt. 5c; Oz. 30c; 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75

One of the largest and most solid, main crop or late, bright red varieties. It is unsurpassed for slicing and eanning. The vines are large, vigorous and very productive. The fruits are bright deep scarlet, nearly round or slightly flattened, exceptionally smooth and uniform in size. Our stock is distinctly superior to most of that offered under this name, being larger, smoother, more uniform and better colored. Pkt. 5c; Oz. 30c; 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75

Pondero5a size. The vines are vigorous and very productive. The fruits are very solid, with exceptionally few seeds, fairly smooth and considered of very good quality, especially by those who prefer a tomato quite free from acid. The variety ripens about midseason. It is very desirable for slicing. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4 Lb. \$1.40; Lb. \$5.00

Coreless scarlet, main crop or late tomato. The fruits are very solid almost entirely free from green core and with little or no depression at stem end, making the variety desirable for slieing, canning and shipping. The vines are very vigorous, blight resistant and production. Phys. 5c. 02, 30c. 20, 255. W. D. 90c. Lb. 320. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

Buckeye State A late maturing purplish pink va-growing and vigorous. This variety should be given more space than most sorts require. The fruits are very growing and vigorous. This variety should be given more space than most son's require. The fruits are very large, round, smooth and firm. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

Dwarf Stone

The vines are dwarf but vigorous and productive. Although maturing with the later sorts the fruits are of good color, being an attractive bright red, exceedingly smooth and very solid. It is a desirable sort for the home garden. We consider this the best of the large fruited dwarf tomatoes. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.25

This is sometimes sold as the "Tree Dwarf Champion This is sometimes sold as the "Tree Tomato." It is a second early, space is limited. The vines are about two feet high, vigorous, upright and compact growing. The fruits are medium sized, exceptionally smooth and of very good quality. Our stock is a very superior strain with more even, smoother fruit than the original. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00



DWARF CHAMPION

The fruits are large and smooth, Golden Queen

with a slight blush of red. They are as smooth and well shaped as the hest of the red varieties and are of superior Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

Peach A desirable sort for preserving, eating from the peach in shape and size and the color a light terra cotta red with a delicate bloom. The flesh is tender and of good flavor. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

WHITE APPLE. The fruits are about one and one-half inches in diameter, round, perfectly smooth and of yellowish white color. Flesh very mildly flavored and delicate. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

RED PEAR. Used for preserves and to make 'tomato figs," Fruits bright red, distinctly pear shaped and of excellent flavor. Our stock is the true pear shaped and not the larger red plum tomato often sold under this name. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Pkt. 5c; Lb. \$3.00

YELLOW PEAR. Frnits similar to the Red Pear, but of rich, clear, yellow color and quite distinct from the variety sometimes sold under this name. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

YELLOW PLUM. Fruits plum shaped, of clear, deep yellow color; llesh yellow and finely flavored. Much esteemed for preserves. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

RED CHERRY. Fruits small, about five-eighths of an inch in diameter, perfectly round and smooth. Fine for pickles and preserves. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

YELLOW CHERRY. This variety differs from Red Cherry in color only. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

YELLOW HUSK OR GROUND CHERRY. Very sweet, mild flavor; used for preserves. Vines low and spreading. Fruits small, abont one-half inch in diameter, enclosed in a loose husk. The seed we offer is that of the true Yellow Ground Cherry, not the purple fruited sort which is searcely edible. Pkt. 5c; Oz. 30c; 20c. 55.8.14.14.100s.14.83.00. 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00



STONE

# TURNIP

The value of Turnips and Ruta Bagas for feeding stock in fall and winter is not fully appreciated, as they are much liked by all kinds of stock and serve to keep them in good condition. They should not be fed, however, in large quantities to milch cows, or the flavor of the milk will be disagreeably affected. We carnestly recommend that farmers increase their sowings largely, for we are sure the crop will prove remunerative for stock feeding as well as for table use when the roots are comparatively small.

Both of these wholesome vegetables are very easily affected in their form and flavor by soil, climate, and mode of culture. The Turnip plant is distinguished from the Ruta Baga by its rougher leaves; the root usually matures earlier and is smoother and more symmetrical. There are a great many varieties, but our list comprises the best for the garden and farm.

For summer use sow early in spring in light, rieli or new soil, in drills one and one-half to two feet apart according to the size of the variety and cover one-half inch deep, or sow broadcast, but in either case be sure to have the ground rich and freshly stirred. Thin early and keep free from weeds so that the young plants will not be checked in growth. Any overcrowding will result in rough and poorly flavored roots. It is important to get the spring and summer crop started very early so that the turnips may have time to grow to sufficient size before hot weather causes them to become tough and bitter.

In the middle and western states sow for fall and main crop from the middle of June to the first of August and in the manner given for spring sowing. In the field, turnips are often sown broadcast, though in most cases better results are obtained by drill criture; good results from broadcast sowing are often obtained on new and burned over land where the weeds are not likely to be troublesome.

For winter keeping, store the turnips in a cool cellar and cover with sand or turf to keep them fresh. Another method is to put them in a pit dug in dry soil where there will be no danger of water standing and to cover with straw overlaid with earth sufficiently deep to keep out frost. When they are thus protected, turnips will the will the cover will the cover of the cover with straw overlaid with the cover will the cover of the keep well till spring.

Extra Early White Milan

This variety is remarkably early. The tops are very small, strap leaved, npright and compact, so that rows can be planted close together. The roots are clear white, very smooth, flat and are of best quality when only about two inches in diameter. The flesh is clear white, mild, sweet and tender. Very desirable for early use, especially for forcing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

Extra Early Purple Top Milan
Similar to Extra Early White Milan.
Sample of the upper portion. Well adapted for forcing. All in all, the Milan turnips leave nothing more to be desired in the way of an extra early garden turnip. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.25

White Egg An early, oval or egg-shaped variety with smooth, clear white roots small with leaves distinctly cut. The ficsh is clear white, firm, fine grained and sweet. The roots of this quick growing garden sort when in best condition for use are usually about two inches in diameter and about three and one-half inches long. Pkt, 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.



EXTRA EARLY WHITE MILAN

Early White Flat Dutch, Strap Leaved A very early, white turnip, extensively used for the table, especially but not divided or lobed, and are upright in growth. The roots are of medium size, flat, very white fleshed, fine grained and sweet. The roots when in best condition for table use are about two and one-half inches in diameter. This variety is also grown as a field crop. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½Lb. 25c; Lb. 75c.

Early Purple Top, Strap Leaved A very early strap leaved used for the table. The leaves are few, entire, upright in growth. The roots are flat of medium size, purple or dark red above ground, white white the roots is

below. The flesh is white, line grained and tender. Roots when in best condiwhen in best condi-tion for table use are about two and one-half inches in diam-eter, but can be grown nuch larger for stock feeding. This sort is also known as Early Red Top, Strap Leuved. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.



EARLY WHITE FLAT DUTCH, STRAP LEAVED

This excellent table variety is globular in shape, of good size and very attractive below. The flesh is white, fine grained and tender. The roots when in best condition for the table are about three inches in diameter, but can be grown much larger for stock feeding. This sort keeps well for so early a variety and is one of the best for market use. It is also known as Red Top White Globe. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Cow Horn or Long White

The root, which is long and carrot-like in form, cylindrical but usually ending in a point, and slightly crooked. The roots are often twelve to fifteen inches long by about two and one-half linehes in diameter and grow about three inches out of the ground. The flesh is tine grained and well flavored, and for table use is in best condition when the roots are about two inches in diameter. Desirable for stock feeding and has obtained considerable favor as a market sort. The variety is of very rapid growth and well adapted for fall and early winter use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c. 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.



EARLY PURPLE TOP, STRAP LEAVED

## TURNIP-Continued



PURPLE TOP WHITE GLOBE

Large White Norfolk Stock, and although a little coarse in texture it is of good quanty for the table, but for the latter purpose is in best condition when the roots are about four inches in diameter. The roots are white and smooth, grown to the largest size, and are globe-shaped or slightly flattened. The variety is allowed to stand out during the winter in the south where the tops are used for greens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Pomeranean White Globe kinds and in good, rich soil the roots will frequently grow to twelve pounds in weight. The roots are globe-shaped or slightly flattened; skin very white and smooth. This sort is used for stock feeding and is also good for table use if pulled when the roots are not more than four to five inches in diameter. Where the winters are mild the tops are used for greens. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c.

Seven Top

This sort is cultivated extensively in the south for the tops which are used forgreens. In mmny sectionsitisafnfeed for stock and its use like Rape for a pasture erop is quite general. This sort is very hardy and the growth usually con-tinues thru-

out the winder. The variety is not generally depended on for the root since the tops are produced so abundantly. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c. Superior to Seven Top as usually sold and ex-Southern Prize

Superior to Seven Top as usually sold and extensively grown in the south where the tops furnish an abundance of cuttings. These are valued highly for salad or greens. The roots of Southern Prize are valued highly for salad or greens, the roots of Southern Prize are valued as well as the tops, being remarkably large, symmetrical and excellent for feeding stock. A favorite for forage in the Virginias and Carolinas where it usually thrives throughout the winter without protection. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.



LARGE AMBER GLOBE

Sweet German

An excellent medium-large smooth-leaved, white fleshed Swedish Turnip sort that requires a long condition well into the winter. The roots are somewhat globular in shape, bronze-green above ground, white below, remarkably solid in texture, sweet and of very good quality. The leaves are entire and rather small for size of root. The roots are in best condition for table use when four to live inches in diameter, but can be grown much larger for stock feeding. A strap leaved sort also sold as Sweet German Ruta Baga. Pkt, 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

#### YELLOW FLESHED VARIETIES



WHITE GLOBE

Large Amber Globe ricties, grown insually for stock feeding. The roots are of large size and of globular shape. The skin is elem yellow except the top which is tinged with green. The ltesh is light yellow, fine grained and sweet. The viriety keeps well and is a good eropper. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 70c.

Yellow Stone globular and perfect in shape. The skin is smooth and of attractive pale yellow color. The flesh is pnle yellow, crisp, tender and of very good quality. The roots are more generally used for stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Vellow Cl. 1. A round, smooth, light yellow turnin of we

Yellow Globe A round, smooth, light yellow turnip of medium size. The flesh is crisp, firm and of very good quality for the table or for stock feeding. The roots are in best condition for table use when three to four factes in diameter. This sort keeps well and is a good cropper. Pkt, 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c.

Orange Jelly or Golden Ball of the most delicately llavored of the yellow fleshed turnlps. The tops are small. The roots are medium sized, round, very smooth and with deeper yellow skin than most of this class. The flesh is firm, crisp and of most excellent quality. The roots are in best condition for table use when about three inches in diameter. This variety is of quick growth, adapted to spring as well as fall planting, and keeps exceptionally well. Known also as Robertson's Golden Ball. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 70c. Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 70c.

Purple Top Yellow ing. long keeping, yellow fleshed turhip. Roots yellow with purple top. Flesh pule
hip. Roots yellow with purple top. Flesh pule
Ruta Baga in this regard, but tender and sweet. Since it requires a
longer time to mature, the seed should be sown about two weeks
earlier than most sorts. It is hardy, productive and valuable for
stock feeding. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

## RUTA BAGA OR SWEDE

The uses and value of the Ruta Baga are much the same as those of the Turnip. The Ruta Bagas as a class have firmer flesh than Turnips but require a longer season for maturing and usually are more esteemed for winter use, while Turnips are better adapted for the early market. Under most conditions of growth Ruta Baga roots are not so smooth on the surface nor as symmetrical in shape as Turnips but yield heavily, are superior keepers and are the more prized for stock feeding. Sow the seed from the middle of June to the middle of Juny, in ground previously enriched with well-rotted manure, in drills about two and one-half feet apart, covering about one-half inch deep. Thin the young plants eight to twelve inches apart in the row. When the roots are full grown and before hard freezing weather, pull them, cut off the tops and store in a root cellar or pit. Ruta Bagas are sometimes sown broadcast and left to take chances with the weeds but the crop is seldom a success, though occasionally on new clearings free from weed seed, fair results are obtained.

free from weed seed, fair results are obtained.

sorts. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 65c.

Bangholm This purple top sort is excellent both in shape and quality. The roots are of large size, slightly tankard shaped, with small neck, few or no side roots and yields well. The skin is yellow with purple top. The flesh is yellow, sweet and solid. Pkt. 5c; Oz.10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

Carter's Imperial Purple Top table use or feeding stock Roots nearly round; skin yellow with purple top: tesh yellow, solid and sweet. Hardy and yields heavily. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

D. M. Ferry & Co's Improved

A hardy and productive variety having but little neck. The roots are large, slightly oblong or nearly globe shaped, fairly smooth, with comparatively small tap root. Color purplishered above ground and bright yellow beneath. Flesh yellow, of solid texture, crisp and of very good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c. 2 Oz. 15c; 1/4 Lb. 20c; Lb. 65c.

Drummond's An improved strain of Purple Top Swede, excellent in uniformity of shape, color and quality. This yellow fleshed variety is considered by many an excellent table sort. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.



MONARCH OR TANKARD



PURPLE TOP YELLOW

Hall's Westbury

A large, round purple top variety, a good keeper and very heavy yielder, which it is elaimed will endure dry weather better than most sorts. Skin yellow with purple top. Flesh yellow, firm and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

Hartley's Bronze Top short neck. The color of the root is yellow, with bronze green top. This is a favorite sort in Canada and can be depended upon to give good satisfaction. Similar to Kangaroo. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

Laing's Purple Top Large, early and of excellent quality. Roots globe shaped; skin purplish red above ground, yellow beneath; flesh yellow; necks small; tops distinctly strap leaved or entire. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

Monarch or Tankard A yellow teshed sort, having very large, tankard shaped roots with relatively small neek and tops. The color is purplish-red above ground, yellow beneath. The flesh is very solid, fine grained and sweet. Sometimes solid as Elephant or Jumbo. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c. 1/4 Lb. 20c; Lb. 65c.

Perfection White leaved; flesh white and unusually fine grained. Vigorous in growth and usually yields better than the yellow fleshed sorts. While valuable for stock feeding, the white flesh is so excellent in quality that it is particularly desirable for table use. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 25c; Lb. 75c.

Skirving's King of Swedes slightly oval sort reaches a large size the yellow flesh is of most excellent quality. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c.

Sutton's Champion yellow, tender and sweet. An excellent keeper and yields heavily. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 60c.

Livivorsal or Canadian Com. Roots nearly round, purple

keeper and yields heavily. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c. Universal or Canadian Gem above ground, yellow beneath; very small in top and neck; flesh yellow and of excellent quality. Exceptionally hardy and vigorons. Sometimes sold as Century. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 65c.

White or Sweet Russian strable either for the table or for stock. The tops are small, with leaves cut at the edges. The roots are very large, nearly globe shaped or somewhat top shaped, with small neck; color white with a shade of green or bronze at the top. The flesh is white, very firm and sweet. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb 20c; Lb. 65c. Lb. 65c.

Yellow Swede Roots oblong, dull reddish color above ground but eommon turnip and will keep solid until spring. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 20c; Lb. 60c.

# AROMATIC, MEDICINAL AND POT HERBS Most of the varieties of herbs thrive best on sandy soil and some are stronger and better flavored when grown on that which ather poor. In all cases the soil should be carefully prepared and well enlitivated, as the young plants are for the most part

is rather poor. In all cases the soil shou delicate and easily choked out by weeds,

Sow as early as the ground can be made ready, in drills sixteeu to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed, or they may be planted as a second crop—the seeds sown in beds in April and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

ANISE (Pimpinella anisum) An annual herb cultivated principally for its seeds which have a fragrant, agreeable smell and a pleasant taste; used medicinally for aromatic cordials, colic and nausea. The leaves are sometimes used for garnishing and flavoring. Plant of stender upright growth with deeply cut foliage; flowers small, yellowish white, borne in large loose numbels. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 4 Lb. 30c; Lb. \$1.00

Pkt. 5c; Uz. 10c; Z Uz. 20c; Y Lb. 31.00

BALM (Melissa oflicinalis) A perennial herb, easily propagated by division of the root or from seed. The leaves have a fragrant odor similar to lemons and are used for making balm tea for use in fevers and a pleasant beverage called balm wine. Plant one to two feet high, bairy, loosely branched with ovate leaves; flowers white or pale yellow in loose axillary clusters. Pkt. 5c; Oz. 30c; 2 Oz. 55c; Y Lb. 90c; Lb. \$3.00

BASIL, SWEET (Ocimum basilieum) A hardy, aromatic annual. The seeds and stems have a strong flavor and are used in somps and sauces. Plant about eighteen inches high, branching, with ovate toothed leaves; flowers white or bluish white in leafy terminal racemes or spikes. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Paceines of spikes, Fki. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00 ORAGE (Borago officinalis) A hardy annual used as a pot herband for bee pasturage. The bruised leaves immersed in water give it an agreeable flavor and are sometimes used in salads to give a cucumber-like taste. Plant of coarse growth, hairy, with large oval leaves; flowers blue or purplish in raceines. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

Oz. 10c; Z Oz. 20c; Y Lb. 30c; Lb. \$1.00 CARAWAY (Carum carui) A well known herb, cultivated for its seeds, which are used in confectionery, cakes, etc. The leaves are sometimes used in soups, for flavoring liquors and for colle in children. Plant one and one-half to two feet high, with finely cut foliage and elusters of small, white flowers. Plants never seed till the second year. Pkt. 5c; Oz. 10c; 2 Oz. 15c; Y Lb. 20c; Lb. 65c.

CARAWAY, for Flavoring. Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 50c. CARAWAY, for Flavoring. Uz. 10c; 2 Uz. 15c; 4 Lb. 20c; Lb. 30c. CORIANDER (Coriandrum satirum) A hardy annual cultivated for its seed which has an agreeable taste and is used in confectionery and to disgnise the taste of medicine. Gather on a dry day, bruising the stems and leaves as little as possible, for when impired they have a disagreeable odor which they impart to the seed. Plant stender, two to two and one-half feet high, strong smelling, with smooth, finely cut foliage and small white flowers. Pkt. 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 65c.

CORIANDER, for Flavoring. Oz. 10c; 2 Oz. 15c; ½ Lb. 20c; Lb. 50c. DILL (Anethnin graveolens) An annual of aromatic odor and warm

DILL (Anethum graveoleus) An annual of aromatic odor and warm pungent taste. Its seeds are used for sensoning. It possesses medicinal properties but its largest use is for making Dill pickles. Plant branching, two to three feet high; leaves very much cunt into thread-like segments; flowers small, yellowish borne in umbels. Seed flat. Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c. ENNEL, SWEET (Faniculum oflicinale) A hardy perennial. The seeds of this aromatic herb have a pleasant taste, and are sometimes used in confectionery, also in various medicinal preparations. The young shoots are sometimes eaten raw and are used in salads, soups and fish sauces. Plant very branching, two to four feet high, with dense thread-like foliage; flowers light yellow in large loose umbels. Seed oval. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00 Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00

Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

HOREHOUND (Marrubium unigare) A perennial herb with an aromatic odor and a bitter, pungent taste. It is a tonic and enters largely into the composition of eongh syrups and loxenges. Laxative in large doses. Will thrive in any soil but is stronger if grown on light, poor land. Plant sprending, one to two feet high; leaves ovate, roughened, covered with whitish down; flowers small, white, borne at axis of leaves. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

HYSSOP (Hyssopus officinalis) A hardy perennial with an aromatic odor and a warm, pungent taste. It is a stimulant, expectorant and mild tonic. The flowering summits and leaves are the parts used. It does best on dry, sandy soil. Plant upright with narrow glossy dark green leaves; flowers small, borne in whorled spikes, blue, sometimes white or piuk. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

AVENDER (Lavendula spica) A hardy perennial, growing about two feet high. It is used for the distillation of lavender water or dried and used to perfume linen. It should be picked hefore it becomes dry and hard, and dried quickly. The seed is of rather slow and uncertain germination. Plant erect, with slender grayish green leaves and small violet-blue flowers. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼Lb. 60c; Lb. \$2.00 LAVENDER

MARJORAM, SWEET (Origanum marjorana) An aromatic herb for seasoning. The young tender tops and leaves are used green in summer to flavor broths, dressings, etc., and are also dried for winter use. Usually grown as an annual as it is not hardy enough to endure the whiter of the northern states. Plant erret but branching with small oval grayish green leaves and small purplish or whitish flowers. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

ROSEMARY (Rosmarinus officinalis). A hardy perennial, with

ROSEMARY (Rosmarinus officinalis) A hardy perennial, with fragrant odor and a warm bitter taste. The leaves are used for flavoring meats and soups, and for medicinal drinks. Plant erect, branching with small slender leaves and small light blue flowers. The blossoms form the principal ingredient in the distillation of toilet waters. Plants do not reach a size suitable for use until the second season. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00



SAVORY, SUMMER

UE (Ruta graveolens) A hardy perennial with a peculiar, impleasant smell. The leaves are bifter and so acrid as to blister the skin. It is a sthinilant and antispasmodic but must be used with great caution, as its use sometimes results in serious injury. It must not be suffered to run to seed and does best on poor soil. Plant one and one-half to two feet high, becoming woody at the base; leaves much divided; flowers yellow. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ½ Lb. 90c; Lb. \$3.00

yellow. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00 SAFFRON (Carthamus tinctorius) A hardy annual. Cultivated for its flowers which are used principally for coloring, sometimes for flavoring and to make the cosmetic powder called rouge. The flowers should be picked white in full bloom. Plant upright in growth, one to three feet high; leaves ovate, prickly; flower-heads yellow, thistle like. Fkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

SAGE (Salvia officinalis) One of the most extensively used herbs for seasoning. It is also believed to possess medicinal properties. Hardy perennial about fifteen to eighteen inches high. Plant very branching; flowers usually hlne, sometimes pink or white; leaves grayish green, oval, wrinkled. C'nt the leaves and tender shoots just as the plant is coming into flower and dry quickly in the shade. The plants will survive the winter and may be divided. If this is done they will give a seeond crop superior in quality. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

SAVORY, SUMMER (Satureia hortensis) A hardy aromatle annual twelve to fifteen inches high, the dried stems, leaves and flowers of which are extensively used for seasoning, especially in dressings and sonps. Plant erect, branching; leaves small, narrow; flowers small, purple, pink or white, borne in short spikes. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb.60c; Lb. \$2.00 THYME (Thymus vulgaris) An aromatic perennial herb. elght

THYME (Thymns vulgaris) An aromatic perennial herb, eight to ten inches high, used principally for seasoning. Plant very branching with wiry foliage and small like flowers. Sometimes the leaves are used to make a tea for the purpose of relieving nervous headache. Sow as early as the ground will permit. Pkt. 5c; Oz. 40c; 2 Oz. 75c; 1/4 Lb. \$1.25; Lb. \$4.00

Pkt. 5c; Oz. 40c; Z Oz. 75c; ¼ Lb. \$1.25; Lb. \$4.00 WORMWOOD (Artemisia absinthium) A perennial plant of fragrant and spicy odor, but with intensely bitter taste. The leaves are used as a tonie, vermifuge and as a dressing for fresh braises. Plant erect, two to three feet high, with much divided leaves and loose clusters of small light yellow flowers. It may be raised from seed, propagating by cuttings or dividing the roots. A dry, poor soil is best adapted to bring out the peculiar virtues of this plant. Pkt. 5c; Oz. 25c; Z Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

# CLOVER SEEDS

Prices of Clover subject to change,

Alfalfa or Lucerne
Sow on rich, moist loam or sandy soil having a deep, porous subsoil. Prepare the land thoroughly and sow seed at the rate of fifteen to twenty-five pounds per acre with a broadcaster or grass seeder. Cover with a brush or light harrow. The young plants are quite tender and the land must be free of weeds until they become established. 4Lb. 15c; Lb. 40c, post

paid; for larger lots inquire for prices.

Alsike or Swedish (Trifolium hybridum) This perennial is the most hardy quantity of lay or pasturage, but its greatest value is for sowing with other clovers and grasses, as it forms a thick bottom and greatly increases the yield of lay; cattle prefer it to any other forage. The heads are globular, fragrant and much liked by bees which obtain a large amount of honey from them. Sow the seed in spring or fall, at the rate of six pounds per acre, when used alone 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.

Crimson Trefoil or Scarlet Italian the southeast for feeding green and for hay, and also found profitable on the sandy soils of New Jersey. The yield in fodder is immense and after cutting, it at once commences growing again, continuing until severe, cold, freezing weather. It grows about one foot high: the roots are nearly black; leaves long; blossons long, pointed and of very deep red or carmine color. Makes good hay. It is sown in August or September in the south, but should not be planted in the north until spring. Sow ten to fifteen pounds per acre. 4 Lb. 15c; Lb. 35c. postpaid; for larger lots inquire for prices.

Mammoth or Large Red (Trifolium pratense) This sort grows nearly twice the size of the Common Red Clover often making a stand when the other clovers fail. Sow about eight to twelve pounds per acre. 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices

Medium Red or June

(Trifolium pratense) This is by far the most important of all the varieties for practical purposes. Sow in spring or fall and if no other grasses are used, at the rate of eight to twelve pounds per acre; more is required on old, stiff soils than on new and lighter ones. 1/4 Lb. 15c; Lb. 40c. postpaid; for larger lots inquire for prices.

White Dutch (Trifolium repens) A small, ereeping perennial variety valuates a variety of soils, but prefers moist ground. Sow in spring at the rate of six pounds per aere, or when used with other grasses, half that amount. 4 Lb. 20c, Lb. 60c. postpaid; for larger lots inquire for prices.



ALFALFA

### RASS SEEDS Prices on Grass Seeds subject to change. GRASS

(Bromus inermis) Awnless Brome Grass (Bromus inermis) A perennial soil of embankments and for resisting both drought and cold. On light, dry soils it is used for hay and pasturage, but is not recommended where better grasses will succeed. Sow forty pounds per acre. Lb. 35c. postpaid; for larger lots inquire for priors

Canadian Blue Grass (Poa compressa) A hardy perennial with creeping rootstalks which form a strong turf. It withstands drought better than most cultivated grasses and is especially valuable in Lawn Grass mixtures. It succeeds best on clay soils but does well on sandy soils, being better adapted for use on sterile knolls and barren fields than probably any other cultivated grass. For hay or pasturage it is best sown in mixture with other grasses. It is distinguished from the Kentucky Blue Grass by its flattened, shorter stems and bluer color of leaf. Height six to twenty inches. Lb. 30c. postpaid; for larger lots inquire for prices.

Creeping Bent Grass particularly valuable for lawns that are to be used as croquet and tennis grounds, because it is benefited more than hurt by tramping and by its bright color adds to the beauty of the lawn. Lb. 60c. post. paid; for larger lots inquire for prices.

Hard Fescue (Festura duriuscula) Similar to Sheep's Fescue, but not so dense and taller. It will often eover sandy soil under the shade of large trees where no other grass will grow. It is a desirable addition to lawn grass. Sow thirty pounds per acre. Lb. 40c. postpaid; for larger lots inquire for prices.

Kentucky Blue Grass (Poa pratensis) Fancy Clean, Sometimes called June Grass, but the true June or Wire Grass is much inferior. Kentucky Blue Grass is the most mutritious, hardy and valuable of all northern grasses, Sown with White Clover it forms a splendid lawn; for this purpose use not less than fifty-four pounds of Blue Grass and six pounds of White Clover per acre. If sown by itself for meadow or pasturage use about twenty-eight pounds per acre. Lb. 35c. postpaid; for larger lots inquire for prices.

Meadow Fescue or English Blue Grass (Festuca pratensis) A perennial, from two to four feet high, with flat, broad leaves. One of the standard European grasses. It needs rich ground and succeeds well on prairie soil. An excellent pasture grass to take the place of the wild grasses, as it yields a large amount of early and late feed. Sow about twenty-the pounds per acre. Lb. 35c postpaid; for larger lots inquire for prices Orchard Grass (Dactylis glomerata) Desirable on account of its quick growth and valuable aftermath. It is ready for grazing in spring two weeks sooner than most grasses and when fed off is again ready for grazing in a week and will continue green when other grasses are withered by dry weather. It is palatable and nutritious and stock eat it greedily when green. A tendency to grow in tufts nufits it for lawns. It does better if sown with clover and as it ripens at the same time, the mixed hay is of the best quality. If sown alone, about twenty-eight pounds are required per acre; if sown with clover, half that quantity. Perennial, Lb. 40c, postpaid; for larger lots inquire for prices.

Perennial Rye Grass (Lolium perenne) A very value pasture. Succeeds well on almost any soil, but is particularly adapted to moderately moist or irrigated lands. Sow thirty to forty pounds per acre in spring. Lb. 30c. postpaid; for larger lots inquire for prices.

Westerwold Italian Rye Grass (Lolium Italicum Westerwoldicum) An extremely rapid growing annual for spring and summer sowing. As a forage and pusture grass it thrives on almost any soil but does best on heavy loam, elay or land of a somewhat damp character. It is lighter in color and coarser in leaf than Perennial Rye but is very much stronger growing. After cutting it is the quickest grass to start again, making a new growth more rapidly than any other sort with which we are acquainted. From our repeated comparative trials we believe this is a most valuable addition to the list of grasses grown in this country. Lb. 40c. postpaid; for larger lots inquire for prices.

Red or Creeping Fescue (Festuca rubra) A creeping rotted grass, resisting extreme drought, and especially adapted for forming a close and lasting turf in shady places. Valuable also for exposed hillsides, and golf courses. Sow thirty pounds per acre. Lb. 45c. postpaid; for larger lots inquire for prices.

Red Top (Agrostis vulgaris) In Pennsylvania and states farther south this is known as Herd's Grass, a name applied in New England and New York to Timothy. It is a good, permanent grass, standing our elinate well, and makes good pasture when fed close. It is also valuable for low, wet meadows, producing a large return in good hay. Sow in spring or fall.

Red Top Fancy Sow eight to ten pounds per acre. Lb. 50c. postpaid; for larger lots inquire for prices.

Red Top Unhulled When sown alone, use about twenty-eight pounds of the chaff seed per acre
Lb. 30c. postpaid; for larger lots inquire for prices

## GRASS SEEDS—Continued

Rhode Island Bent Grass (Agrostis canina) A valuable perennial for lawns and pasturage. Much like Red Top, though smaller. Thrives on light, dry soils as well as on rich, unoist ones. For lawn purposes, if used alone, it should be sown at the rate of about forty pounds per acre; for pasture, if used alone, twenty-four pounds per acre. Lb. 60c. postpaid; for larger lots inquire for prices.

Sheep's Fescue grass forming a cluster of narrow, eylindrical lenves. Valuable in mixture for lawns ou dry soils and in shady locations. Sow about thirty-five pounds per acre. Lb. 40c. postpaid; for larger lots inquire for prices.

Tall Meadow Oat Grass per lots inquire for prices.

(Avena elatior) A hardy the sonth and west. Roots penetrate deep. It yields a heavy erop ou any good soil, and is valuable both for mendow and pasture. Sow thirty to forty pounds per nere. Lb. 50c. postpaid; for larger lots inquire for prices.

Tall Fescue (Festuca clatior) A valuable perennial grass, very productive and nutritions. Succeeds best on moist, heavy soil, but, will do well on any good soil, wet or dry. If used alone sow forty pounds per acre. Lb. 45c. postpaid; for larger lots inquire for prices.

Timothy (Phleum pratense) The most valuable of all the grasses for hay, especially in the north. Thrives best on unoist, loamy soils of medium tenaetty. It should be cut just when the blossom falls. Sow early in the spring or fall, at the rate of twelve pounds per aere, if alone, but less if mixed with other grasses. Lb. 25c. postpaid; for larger lots inquire for prices.

Wood Meadow Grass (Poa nemoralis) Grows from one and one-half to two feethigh; has a perennial creeping root and an erect, slender, smooth stem. Well adapted to shaded situations, such as orchards and parks, for either hay or pasturage. Sow about thirty pounds per acre. Lb. 60c. postpaid; for larger lots inquire for prices.

LAWN GRASS SEEDS

Prices on Grass Seeds subject to change. The pound prices include postage; 100 pound prices are by freight or express, at purchaser's expense.

at purchaser's expense.

The essentials for a fine lawn are: First, a rich, well drained soil; second, eareful preparation of the ground, making it as fine and smooth and mellow as possible; third, a wise selection of seeds; fourth, sowing at such a time as to give the young plants a chance to become well established before being subjected to very dry or cold weather or to the direct rays of the hot summer sun. However much care is bestowed on the soil and seed, no lawn will be beautiful without frequent mowing and rolling. Too much care cannot be bestowed upon the selection of grasses, as some varieties are the most havriant in spring, others in summer, others again in antumn and a combination of the proper sorts is required for a perfect, carpet-like lawn. It may be planted early in spring or fall and should be sown at the rate of sixty to one hundred pounds per acre; much more is required that for hay or pusturage. If sown in the spring, sow as early as possible, making the surface very fine and smooth, then raking it over and sowing the seed just before a rain which, if the surface has just been raked, will cover the seed sufficiently. If the expected rain does not come, cover by rolling with a light roller. For fall seeding sow before the autumn rains and early enough to enable the young grass to become well established before very cold weather, when a light dressing of manner should be given.

While, there are on the

Extra Fine Mixed (Central Park Mixture) We have many experiments to secure the best selection and think our Central Park Mixture is the best possible for permanent lawns. One pound is the minimum quantity sufficient to sow 600 square feet. Lb. 45c; 100 Lbs. \$30.00

A thoroughly first-class Fine Mixed Lawn Grass

best and cleanest grades of those varieties used and best adapted to general lawu purposes.

A thoroughly first-class mixture made of the varieties used and best the 35c; 100 Lbs. \$20.00

Shady Lawn Mixture This is a selection of the shade of trees or buildings where there is little sun, Lb. 60c.

Mixtures for Golf Links While there are on the prepared golf mixtures of more or less value, we linve found that the best results are obtained by giving individual attention to each customer and making a special mixture to suit his needs. We have thus overcome the difficulties presented by the great dissimilarity of local conditions of various links and are willing to give you the henefit not only of our experience on some of the best greens in this country but of expert knowledge of grass seeds as well. Write us a description of your links, telling what the nature of the soil is, how drained, how much it has the sun, whether the winters are long or open and whether the sunmers are wet or dry and we will offer you two or more mixtures especially adapted to the various parts of your grounds,

## MISCELLANEOUS FARM SEEDS

Barley succeeds best on rich lands more sandy and lighter than those north than any other grain. Unless intended for seed it should be ent before fully ripe as it is then heavier, of better quality and less liable to shell. Use about two and one-half bushels per acre. 3 Lbs. postpaid 50c; for larger lots inquire for prices.

Buckwheat, Common of about one-half bushel per acre; the average yield being from twenty-five to thirty bushels. It should be threshed as soon as dry, for if allowed to stand in mass it is apt to spoil. 3 Lbs. postpaid 50c; for larger lots inquire for prices.

Buckwheat, Japanese drought and blight remarkably well; the grain is much larger and has a thinner hull than Common or Silver Hull. Recommended especially for well drained or sandy land and the dry climate of the western plains. 3 Lbs. postpaid 50c; for larger lots inquire for prices.

inquire for prices.

Buckwheat, Silver Hull bloom longer, matures sooner, and yields double the quantity per acre; husk thinner, corners less prominent; grain a beautiful light gray. The flour is said to be better and more nutritious.

3 Lbs. postpaid 50c; for larger lots inquire for prices.

Cowpea, Blackeye a soil renovator and enricher. It is used not only for green manuring but also for forage. Cowpeas are very rich in nitrogen and when plowed under they leave the land in splendid condition for the future crop. Sow June 1 to July 1, one bushel per acre, in drills; two to two and one-half bushels per acre if sown broadcast. Qt. 15c; ¼ Bu. \$1.00; Bu. \$3.50

(Linum usitatissimum) Sow late enough in the spring to avoid frost and early enough quantity of seed to be sown on an acre is one-half bushel, when cultivated for seed; if for the fibre a larger quantity should be sown. Cut hefore quite ripe and if the weather be dry let it lie in the swath a few hours, when it should be raked and secured from the weather; thresh early in the fall and in dry weather. 3 Lbs. postpaid 60c; for larger lots inquire for prices.

(Panicum germanicum) This is a gracies of annual millet growing less replacements.

Hungarian

(Panicum germanicum) This is a species of annual millet growing less rank, with smaller stalk, and darker heard, and often yielding two or three tons of and eultivate like millet.

3 Lbs. postpaid ove; for fannual millet growing less rank, with smaller stalk, and darker heard, and often yielding two or three tons of and eultivate like millet.

3 Lbs. postpaid ove; for fannual millet growing less rank, with smaller stalk, and darker heard, and often yielding two or three tons of an electric process.

Millet, Common

(Panicum miliaceum) Requires a dry, light, rich soil, and grows two and one-half to four feet high with a fine bulk of stalks and leaves. It is early maturing and is excellent for forage. For hay, sow broadcast, about twenty-five pounds per aere, from May 1st to August 1st. For grain, sow in drills, about twelve pounds per acre and not later than June 20th, 3 Lbs. postpaid 50c; for larger lots inquire for prices.

Millet, German or Golden

An improved large leaved variety, growing three to five feet high; later maturing than Common Millet, and a heavy yielder. The heads, though numerous, are very large and compact. The seeds are contained in rough, bristly sheaths and are round, golden yellow in color and very attractive in appearance.

3 Lbs. postpaid 55c; for larger lots inquire for prices



MILIET. COMMIN

## MISCELLANEOUS FARM SEEDS—Continued

Prices of all articles quoted on this page subject to change.

Rape
and that is the Dwarf Essex. No other plant will give as heavy a yield of forage at such a small cost as this and its general cultivation would add largely to the profits of American farms. Especially valuable for green than any other plant. Biennial.

Ground should be prepared same as for turnips. Sow in June or July, with a turnip drill, in rows two and one-half feet apart, at the rate of two and one-half points of seed per acre. It may be sown broadcast, either with other fall forage crops or by itself, using from one to five pounds of seed per acre. Lb. 25c. postpaid. By freight or express at purchaser's expense, 10 Lbs. \$1.25; 100 Lbs. \$9.00

Rye, Fall or Winter A hardy, strong growing annual forage crops of the containing less clay than some which are adapted to wheat. Good drainage is very important. Theteme for sowing is from the middle of Anguist to the last of September. Prepare the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground as for wheat and sow broadcast or with a drill at the ground at the

Rye, Spring Although this grain is often planted especially for paper makers, who prefer it to any other, its principal value is as a "catch" crop to sow where winter grain has failed. Straw shorter and stiffer than the winter variety and always easily secured. The grain, although smaller, is of equal value. 3 Lbs. 50c. postpaid. For larger quantities inquire for prices.

Imperial This variety is particularly valuable for feeding stock, as well as for sugar making. The plants do not grow as tall as the Farly Orange or the Albaugh Early but show a decided tendency to stool, or send up shoots. The cane is very leafy and comparatively slender and practically the entire plant is suitable for feed. Our seed is northern grown and should not be confused with the inferior western and southwestern grown cane. Lb. 20c. postpaid. By freight or express at purchaser's expense, 100 Lbs. \$6.00


Sunflower LARGE RUSSIAN. This has very large single heads borne at the top of a single unbranched stalk usually, and with much more and larger seed than the common sorts. It is used extensively for feeding poultry. The plant often grows ten feet high. Sow seed as soon as ground is fit for planting corn, in rows three to four feet apart and ten inches apart in row. Cultivate same as corn. When the seed is ripe and hard, cut off the heads and pile loosely in a rail pen having a solid floor or in a corn crib. After curing so that they will thresh easily, flail out or run through a threshing machine and clean with a fanning mill. This variety will yield 1,000 pounds or more of seed per acre. Some species are planted largely in the flower garden for ornament. (See Sunflower, page 86.) Pkt. 5c; ¼ Lb. 10c; Lb. 25c. postpaid; for larger quantities inquire for prices.

Vetches or Tares SPRING (Vicia sativa) A perennial the north. Desirable as a forage plant and valuable as a cover-crop for orchards. Culture same as for field peas. Sow minety to one lundred twenty pounds per acre. Lb. 25c. postpaid; for larger lots inquire for prices.

Vetches SAND, WINTER OR HAIRY (Vicia villosa) A very hardy forage plant growing well on soils so poor and sandy that they will produce but little clover. Its nitrogen gathering properties make it particularly valuable as a soil renewer and enricher but it is not recommended for land which is to be cultivated for grain crops on account of its tendency to volunteer and persist. The plants, when mature, are about forty inches high and if cut for forage as soon as full grown and before setting seed, they will start up again and furnish even a larger crop than the first. Seed round, black and should be sown thirty to sixty pounds per acre. Lb. 30c. postpaid; for larger lots inquire for prices.



SUGAR CANE, ALBAUGH EARLY



Prices by mail or express, prepaid.

Canary. Lb. 25c; 3 Lbs. 60c. Maw....Lb. 25c; 3 Lbs. 60c.

Hemp. "25c; 3" 60c. Millet......" 20c; 3" 50c.

Rape. "25c; 3" 60c. Lettuce...." 40c.

Mixed Bird Seeds. Lb. 25c; 3 Lbs. 60c.

### A DESCRIPTIVE LIST

## CHOICE FLOWER SEEDS

WITH GENERAL DIRECTIONS FOR CULTIVATION

OST flowering plants will live in almost any soil, but to give them a fair chance to develop, some care should be taken to make the ground suited to their needs. The soil best adapted for flowering plants generally is a light, friable loam, containing a sufficient amount of sand to render it porous." flowers are better if produced on plants of vigorous growth, hence a portion of the garden should be prepared by deep digging, thorough pulverization and liberal enriching with large quantities of well-rotted manner. Since some other varieties produce the largest and finest colored flowers when grown ou rather light, poor soil, a portiou of the garden should not be enriched.

Cultural directious are given on the packets, and we urge purchasers to study them carefully. While some seeds need special treatment, the following general rules will apply to all. Make the surface of the soil as fine, smooth and level as possible; do not plant when the ground is wet; cover each lot of seeds to a uniform depth, which should not be more than four to six times the diameter of the seed; press the soil firmly over the seed; plant in rows so that the starting plants can be seen easily; thin out the young plants to prevent.

crowding and keep entirely free from weeds.

Very small seeds, such as Portulaca, Canterbury Bell, Foxglove, Petunia, ctc., should be merely sprinkled on the surface of the ground, after making it quite smooth with the back of the spade, and barely covered with of the sifted, light, mellow soil and afterwards protected from the scorching sun and heavy rains by a cloth, mat or some green branches stuck around them. If the weather, after sowing, should be dry, it will be necessary to water the places, where the seeds are sown, with a fine spray, regularly, but slightly, every evening, as it is essential that the seeds, during the process of germination, should be kept constantly moist. From a neglect or oversight of this arise most of the failures. As the process of germination is shorter or longer in the different kinds of seeds, the patience of the cultivator is often sorely tried with the seeds of a slowly germinating character.

Plants are usually divided into three classes, Annuals, Biennials and Percnnials. Annuals are plants which normally live but a single season. Biennials are plants living two years; particularly those which do not bear flowers and fruit until the second season. Perennials tend to live from year to year.

ALL FLOWER SEEDS SENT POSTPAID ON RECEIPT OF PRICE

Send us \$1.00 and select PACKETS to the value of .....\$1.15 | Send us \$4.00 and select PACKETS to the value of .....\$4.85 | .....\$6.15 | .....\$6.15 | .....\$1.250

These Rates apply only to Seeds in Packets, but not to Seeds by Weight.

No discount can be allowed on Flower Seeds by Weight.

Half ounces will not be supplied of kinds which sell for less than 30 cents per ounce.

Acroclinium (Everlasting) A very pretty, half hardy annual producing white and rose colored, double daisy-like flowers, about one and one-half inches in diameter. Each flower-head is borne singly on a very long stem; leaves small, narrow, alternate. These are "Immortelles" so desirable for wreaths and winter bouquets.

Sow the seed in open ground early in spring, preferably in light, well prepared soil, and cover with one-fourth inch of fine soil firmly pressed down. Thin the young plants to four inches apart. Height fifteen inches.

soil firmly pressed down. This apart. Height fifteen inches.

Album. Pure white. Oz. 20c. Pkt. 5c.

Roseum. Light rose. Oz. 20c. "5c.

Mixed. Oz. 20c. "5c.

The annual varieties can be grown

Alyssum

The annual varieties can be grown very readily either outdoors or in the house and by cutting back the plants properly an almost constant ground very early inspring on may also be sown outdoors in fall.

Sweet (Maritimum)

AQUILEGIA-(See Columbine)

Amaranthus These plants afford brilliant contrasts of color, being useful for tall borders, groups and foliage effects. The leaves and stems are of different shades of red, blended usually with green; two to three feet high.

Seed may be sown in open ground early in spring, covering one-fourth inch deep; thin two to three feet apart.

Melancholicus ruber. Deep eoppery red foliage; very hardy an-Pkt. 5c.

Anemone Coronaria (Wind Flower) Among the earliest of spring flowers. They are about two inches across, with blue stamens, resemble the single poppy in shape and come in several shades of color. The foliage is

Arabis Among the earliest blooming plants. Very useful for rock work, edgings, etc. Sow early in spring. Some winter protection is advisable. Hardy procumbent

The ornamental varieties of Asparagus
The ornamental varieties of asparagus are highly valued for their finely cut foliage. Both the climb-ing and trailing sorts are exceptionally attractive.

Soak seed in warm water before planting. When the plants are large enough to handle, transplant into rich, but open and frightle soil.

Verticillatus. A beautiful climber with feathery foliage and scarlet berries which are quite ornamental. Sow early in spring. Hardy perennial; ten to fifteen feet bigh....Pkt. 10c.

## ASTER

The Aster, in its many double varieties, is unsurpassed for bedding and eutting, and is not only one of the most profitable annuals for the professional florist but also one of the most satisfactory for the home garden. The great diversity of size, color, form and season of blooming makes it one of the most suitable plants for supplying cut flowers. The plants are usually of vigorous growth and so hardy that they endure a slight frost without serious injury. By planting the different strains and at different three, one may have in the latitude of Detroit a coustant succession of bloom from the last of July till the middle of October without the aid of a greenhouse or even a hotbed.

Seed may be sown outdoors as early in spring as the ground is warm and dry, or for earlier blooming may be started indoors or in a cold-frame and transplanted in the open ground after danger of killing frost is over. If conditions are favorable they will usually do well in any well prepared garden soil but a strong loam that has been well fertilized the previous year is preferable. In planting cover the seed with about one-fourth inch of fine soil firmly pressed down. The rows for most of the varieties should be about one and one-half feet apart. When about one to two inches high, thin to sixteen inches apart in the row. It is desirable during warm and dry weather to water thoroughly the plants two or three times a week, preferably early in the morning or evening. It is desirable to change the location as often as practicable.

Insects, such as the red spider, may be kept at bay by frequently spraying with clear water, or for insects that eat the foliage add one-fourth teaspoonful of Paris Green to ten gallons of water. Sprinkle with tobacco water or dust to keep off the plant louse. We offer choice seed that has been grown for us from the best types by the most skilful cultivators in America and Europe and which is more certain to give good results than most of that on the market.

Queen of the Market Very desirable on account of extreme carliness as well as profuse blooming and wide to eighteen inches high, bearing on long stems from ten to fifteen finely formed double flowers of medium size. Fine for cutting and used extensively for growing under glass. This class is known also as Queen of the Earlies.

Victoria An early strain superior to the old type of Vletoria. The flowers are large when grown under favorable conditions, sometimes three inches across and are very full in the center. The petals are broad and thick and curve outward overthick and curve outward, over-lapping so regularly as to resemble those of the double dahlla. The plants are about fifteen to eighteen inches high.

Daybreak A very desirable, pink medium early variety. The plant is branching but upright and compact in lubit of growth. The flowers are borne on long stems, almost round, exceptionally well formed and very double with regularly incurved petals. The color is a delicate light pink, Height of plant fifteen to tweuty juches. Oz. \$1.50...Pkt. 10c.

#### Comet, Semi - Dwarf

This mid-season class of semi-dwarf Comet Asters is fully two weeks earlier in blooming than the older Comet strains and though more compact in growth of plant is very floriferous. Flowers often three inches or more in diameter with centers well covered and petals broad and recurved; very satisfactory for cutting. Plant branching but rather upright in habit, about eighteen inches high. eighteen inches high.

AA III C	***	I Oc.
Light Rose	44	10c.
Light Blue	**	10c.
Lilac	**	10c.
Mixed. Includes the four above varieties mixed	66	10c.

VAZILIA ...



ASTER, CREGO GIANT PINK

## ASTER-Continued

Crimson King The flowers are a most attractive rich crimson, are very double in form and they last an exceptionally from color, to Violet King.

Truffaut's Perfection Peony Flowered flowers, with the petals curving upward and inward.

Pkt. 10c.

Truffaut's Perfection Peony Flowered flowers, with the petals curving upward and inward.

Crego Giant White
One of the best for cutting.

Similar to Crego Giant Pink, but the flowers are glistening pure white. The petals grow so thickly that the flowers show nothing of the ragged appearance seen in some of this class of asters.

Pkt. 15c.

Pkt. 15c.

Giant Comet In this class of asters the petals are very long and recurved and twisted near the center. Plants branching about two feet high, more vigorous and taller growing than the ordinary Comet; flowers larger and equal in form. A desirable class coming into bloom rather late. Known also as Ostrich Plume. 

ASTER, SEMPLE'S WHITE

Peerless Pink Flowers a very pleasing shade of rich shell pink. They are of very large size, exceptionally attractive form and are borne on very long stems. Plants branching, two to two and one-half feet high. One of the most desirable late asters for cutting. Oz. \$1.50..Pkt. 20c.

Semple's A class of very strong growing Branching asters usually not coming into bloom until the latter part of August, but producing on very long stems full petalled, exceptionally large, double blossoms of fine form. The plants are distinctly branching in labit of growth and are about two feet high. For many years this class with us has been almost entirely free from the aster blight.

White. Pure white, very attractive. Oz. \$1.00... Pkt. 10c.

Lavender, Bright lavender; very large flowers of fine form. Oz. \$1.00.....Pkt. 10c.

Light Blue. Flowers light bright blue; very large and attractive. Oz.\$1.00......Pkt. 10c. Crimson. Flowers bright deep

Purple. Flowers are very deep purplish blue; rich and pleas-ing shades. Oz. \$1.00.Pkt. 10c.

Aster, Finest of very fine Mixed strains and colors. The bed can be made more attractive by pulling up the early plants as soon as they are ont of bloom. Oz. 90c...Pkt. 5c.

BABY'S BREATH (See Gypsophila)

BACHELOR'S BUTTON—
(Nee Centaurea)

Balloon Vine (Cardiospermum halicacabum) A favorite with children, being remarkable for its inflated membranous capsules containing the seed. It is sometimes called "Love-ina-Puff." A rapid and graceful climber. Flowers small, white. The round black seed is marked with a white heart-shaped spot. Sow seed outdoors in open ground early in spring and give the plant some support to run upon. Tender annual; six feet high. Oz. 20c.......Pkt. 5c.

Balsam

(Impatiens Balsamina) Known also as Lady Slipper. The brilliantly colored, double rose-like flowers of this well-known border and bedding annual are thickly set along the branches of the erect bushy plants. The dainty individual flowers, often two inches across, are borne on very short stems and when cut they show to best advantage floating in a dish of water. The colors range from white to dark purple, and are either self-colored or spotted and striped. Balsams are tender and should be started in boxes indoors or in the open ground when danger of frost is past. The plants prefer a rich, moist or even wet sandy loam, and must not suffer for moisture. They do best if allowed eighteen inches apart each way in a sumny situation. Larger and more double flowers will be obtained if some of the young shoots are cut out when quite small, or by transplanting two or three times. Hardy annual; one to two feet high.

Double Solferino. Flowers satiny white, streaked and spotted with

tunes. Hardy annual; one to two feet high.

Double Solferino. Flowers satiny white, streaked and spotted with crimson and lilae. Oz. 60c. Pkt, 5c.

Double Camellia, extra fine mixed. As double as a Camellia, which this variety resembles; white blotched with various colors. Oz. 60c. Pkt, 5c.

Double Pure White. Well adapted for florists' use and for bouquets, very double. Oz. 60c. Pkt, 10c.

Double Dark Red. (Alrosanguinea plenissima) Very double, dark Pkt. 10c. ble, dark red plossoms. Pkt. 10c.
Tall Double Mixed. About two feet high. Oz. 40e. " 5c.
Dwarf Double Mixed. About one foot high. Oz. 50c. " 5c.

Tuberous Rooted Begonias

The tuberous rooted varieties, if planted early in a temperature of sixty to seventy degrees, will with proper care give an abundance of bloom the first year. At the end of the season they may be dried off by withholding water, the tubers kept in a dry place free from frost and planted the following spring, when they will bloom more freely than before.

Robusta Perfecta. Plants are of robust, compact habit; dark green foliage 



Fibrous Rooted Begonias

For Begonia Bulbs, see Bulbs and Roots, page 93.

BELLIS—(See Daisy)

BUTTERFLY FLOWER—(See Schizanthus)

Calceolaria

A much admired genus distinguished by its abundance of large showy sae-shaped or slipper-like flowers which are creamy white and various shades of yellow, often splashed, spotted or blotcled felty, close growing. Under proper conditions can be grown indoors to perfection, making an exceedingly decorative plant. Start the seed at any time, except during hot weather, in a temperature of about 60° F. Herbaecons annuals or shrubby avergroup personnish.

evergreen perennials.

Hybrida grandiflora. Large self colored flowers.

Hybrida tigrina. Flowers beautifully spotted.

Finest Hybrids Mixed. Seeds saved only from the most perfect flowers; all desirable,

"25c.

CALENDULA—(See Marigold)
CALIFORNIA POPPY—(See Eschscholtzia)

Calliopsis or Coreopsis Very showy plants for bedding or borders, producing in great profusion for a long time flowers which are bright yellow and rich brown, self colored or with these colors and red contrasted.

Sow outdoors early in spring where plants are wanted to bloom, covering seed one half inch deep; thin to two feet apart. For earlier bloom sow indoors and transplant.

Coreopsis tinctoria. A very hardy and easily grown annual, producing an abundance of brilliantly colored single ray flowers with dark center. The flowers, which are about one and one-half inches across, vary from clear yellow to deep rich brown, the two colors often being beautifully contrasted in the same blossom. Long, graceful stems and very desirable for decorative purposes. The tall, slender habit of growth makes neat staking desirable for best results. Height of plants, two to three feet. Fixe Mixed. Oz. 20c. Pkt. 5c.

Golden Ray. This dwarf variety forms compact plants covered with singularly attractive flowers of rich marcon edged with golden yellow. The petals are rather narrow and are often twisted, giving the flowers a star-like appearance. Hardy annual, six to eight inches high, well adapted for edgings. Pkt. 10c.

Lanceolata grandiflora. A very hardy perennial, blooming the first year and producing on long stems a succession of rich bright yellow flowers two to three inches across. Very valuable for cutting. Seed may also be sown in fall outdoors. About two feet high. Pkt. 10c.

CAMPANULA—(See Canterbury Bell)

Canary Bird Flower (Tropæolum canariense) small, enriously shaped, canary colored blossoms and attractive palmate leaves.

Sow outdoors early in spring, preferably in light, moderately rich soil by the side of an arbor or trellis. Will bloom freely from July until killed by frost. Tender annual; height, ten to twenty feet. Oz. 35c........Pkt. 5c.

Candytuft

(Iberis) Showy, branching plants twelve to fifteen inches high and bearing in profusion terminal clusters of beautiful single cruciform flowers in a wide range of colors. Considered indispensable for cutting and very effective in beds, masses or rockeries.

CALLIOPSIS (COREOPSIS TINCTORIA)

Canterbury Bell (Campanula medium) Handsome, easily grown herbaceous plants of stately branching growth and profuse bloom for beds and backgrounds. They produce long racemes of strikingly effective bell-shaped or saucer-shaped flowers of rich color. Leaves sessile, lanceolate. Usually grown as a hardy biennial, but if seed is sown very early indoors it may be treated as a tender annual. Sow seed outdoors early in spring in rows about two feet apart covering with about one-fourth inch of fine soil firmly pressed down. The plants succeed best in light, rich soil with good drainage and in the fall should be transplanted or thinned to eighteen inches or two feet apart and given some protection in severe winter weather. Height of plants, from two to four feet. Double White Pkt. 10c. Calycanthema Mixed. Large single flowers, white, lilac, rose, "Blue. Shades of blue and purple. "10c. and purple. Known as "Cup and Saucer" plant, the calyx forming a eup round the base of the bell. Pkt. 10c. Single Mixed. Colors white, and various shades of violet, rose, lilac and blue. Oz. 30c. Pkt. 5c. CARPET OF SNOW—(See Alyssum)





Carnation

(Dianthus Caryophyllus) "Carnation," "Piuk," "Clove Pink," "Florists' Pink," are names applied by different people to the same or to different plants of several species as well as to hybrids between them. They are all easily grown from seed and very free blooming, the flowers being bright colored and with a most delicious clove-like fragrance.

Some varieties are best adapted for pot culture and make fine house plants; others do best in beds in the open ground. The lmproved varieties we offer are suitable also for cutting. They produce very double, semi-circular blooms with thick wax-like petals and long pod-like ealyx. The plants are branching but compact and creet, with slender, bluish green foliage. The bursting of the calyx may be prevented by using ashes or some form of potash. Where size and quality of flowers are desired rather than profusion of bloom, all except the terminal buds should be removed. This is the method employed by florists to obtain the larger longer-stemmed beauties. Half hardy perennial, usually treated as a biennial.

#### Large Flowering Carnations Best Suited for Pot Culture

Choice Double Mixed. A mixture containing many of the very choicest colors and types. 

#### Varieties Adapted to both Pot and Outdoor Culture

Castor Bean

(Ricinus) Tall majestic plants for lawns or driveways; with broad, beantifully lobed, palmand long spikes of searlet, or of green, priekly seed pods.

Makes a rapid, vlgorous growth in rich soil. Sow seed outdoors after danger from frost is over, preferably in light rich soil, or for earlier blooms start indoors and transplunt. For best development oach plant should have at least four feet each way. Its rich, uxuriant growth makes it very attractive for a long distance either grown singly or in groups, or as center plants with Cannas, Dahlias, etc., giving a semi-tropical effect. Seed beautifully striped or mottled. Tender annual; six to fifteen feet high.

Zanzibariensis. Wonderfully vigorous, from ten to fifteen feet high. Leaves have a brilliant luster, measuring about thirty inches across, ranging in color from bright green to deep bronze. Seed very large, oval. Mixen Varieties. Oz. 20c. Pkt. 5c.

Sanguineus. (Tricolor) Blood red stalks with red venation in leaves; height about six feet. Oz. 20c. "5c.

Castor Bean, Mixed. A desirable mixture of all the named varieties. Oz. 20c. "5c.

An odd and picturesque elass of plants having colored foliage and in which the immunerable small

Celosia
An odd and pieturesque elass of plants having colored foliage and in which the immunerable small flowers and seed vessels together with their supports form a very brilliantly colored mass, sometimes gracefully arranged like plannes and sometimes more dense, being corrugated and frilled at the edge like a cock's comb. They form the gayest possible decoration in beds and borders, retaining their brilliance for winter bounders.

The red Cristata sorts are sometimes cut before fully ripe and dried in the

liant coloring often from midsummer until frost. The red Cristata sorts are sometimes cut before fully ripe and dried in the house for winter bouquets.

Seed may be sown outdoors as early in spring as ground is warm and dry, using if possible light, rich, well pulverized soil, and giving plenty of moisture. For larger and more beautiful plumes start the seed very early indoors and transplant to place when weather is settled. Also adapted for growing in pots in greenhouse and conservatory. Half hardy annuals.

Pyramidalis plumosa mixed. Plants pyramidal, branching, two or more feet high, covered with long, brilliantly colored and gracefully formed plumes in red, yellow or violet. An excellent mixture of plumosa or feathered celosias. Pkt. 5c.

Triumph of the Exposition. A splendid plumosa variety. Plant of pyramidal form, bearing many exceedingly graceful, feather-like spikes of intensely brilliant crimson color. Height two to three feet. Pkt. 10c.

Variegated. A cristata strain between the plumosa and the dwarf cockseomb types. The plumes are broadened at the top, variegated and striped in red and yellow. Height one and one-half to two feet. Pkt. 10c.

Japan. Plant grows two to two and one-half feet high and is covered with spikes which are finely crested and of brilliant colors usually variegated erimson and deep yellow. One of the best of the tall cristata types. Pkt. 10c.

Dwarf Cockseomb Varieties (Celosia Cristata)



Centaureas embrace some foliage plants but are more generally known for their hardy flowering annuals which include some of our most graceful and showy garden flowers that have
long been favorites for cutting. The tall slender straight or slightly branching plants with
narrow leaves thrive well in common garden soil. They produce bright colored single and

### Annual Varieties Cultivated for Their Flowers

Sow seed in early spring in hotbed and transplant to open ground or sow in open ground as soon as the weather is warm and settled. Cover seed about one-fourth inch deep; thin three or four inches apart. Fine for bedding or borders. The young plants are very sensitive to wet, and eare should be taken to prevent water standing on the leaves.

Cyanus (Bachelor's Button, Corn Flower) A well known, hardy border plant, also called "blue bottle" and "ragged sailor," which does best in carefully prepared gravelly soil. If seed is sown as soon as the ground is fit in the spring and the tlowers picked so as to prevent the plant exhausting itself by seeding, it will furnish a profusion of bright blue, purple, white or pink single flowers from July until late in the autumn. Hardy annual; plant one to two feet high. Mixen. Oz. 25c...Pkt. 5c. Double Mixed (Bachelor's Button) Produces larger, more globular flower-heads than the common variety. Oz. 25c..... " 5c.

Marguerite. A most desirable, swect seented Centaurea, producing on long stems finely laciniated, white flowers, about as large as a earnation, and which remain fresh and beautiful for a long time after cutting. Hardy annual; about eighteen inches high.

Oz. \$1.00 Pkt. 5c.

Imperialis Mixed. An excellent sweet scented variety, also called Sweet Sultan. The flowers are finely lacininted and are about the size of a caruation. They have long stems and keep well after cutting. Colors range through white, rose, like, purple and yellow, Hardy annual; about elghteen inches high. Oz. 75c....Pkt. 10c.

### Perennial Variety Cultivated for Foliage

Seed should be sown under glass and the young plants grown in pots or boxes until settled warm weather, when they may be set about one foot apart where wanted for borders or bedding. In southern latitudes seed may also be sown outdoors in fall.

This is also ealied Dusty Miller. Valuable because of its finely cut silvery gray foliage and graceful drooping habit of growth. Half hardy perennial; one and one-half to two feet 

Chrysanthemum

These outdoor "summer Chrysanthemiums" are showy and effective for ent flowers. Plants become more bushy and shapely if pinehed back in early growth and the practice of disbudding will result in much larger flowers. These annuals are not the winter flowering sorts sold by florists and which are propagated only by division of roots.

### Early Blooming Garden Sorts

Seed may be sown in the open ground after danger of frost is over and the seedlings thinned eight or ten inches apart, but the best results come from sowing under cover early in May, and transplant-ing the young plants to open border. Height one and one-half to two feet.

Carinatum Eclipse Mixed (Tricolor) Large single flowers in very striking color combinations. The ray florets range from pure golden yellow to nearly white, are often ringed or centered purplish scarlet and always have a dark brown disc......Pkt. 5c.

Coronarium, double white. Very double white flowers, with petals retlexed and imbricated. Pkt. 5c.

Coronarium, double yellow. Very attractive, rich golden yellow double flowers, about one inch across; abundantly produced. Pkt. 5c.

Mixed. The choicest Carinatum and Coronarium varieties, both single and double......Pkt. 5c.

CHEIRANTHUS CHEIRI—(See Wallflower) CHEIRANTHUS MARITIMUS - (See Virginian Stock)

Cinerarias are easily grown from

Cinerarias are easily grown from seed in the greenhouse. The large heads of brilliant daisy-like flowers of many colors, usually pots. The plants are often as broad as high and the velvety leaves are shaded on the under side.

Sow preferably early in fall. They thrive best in a mixture of loam and peat. Perennial, usually one to two feet high.

Hybrida, choicest mixed. Large flowering ..... " 

Clarkia Beantiful, hardy annuals with rose colored, white and purple flowers, in delicate but very brilliant shades. The plants are about one and out-half to two feet high and are profuse bloomers.



CENTAUREA CYANUS (BACHELOR'S BUTTON)

Clemat's Well known beautiful climbers, much admired for their gracefulness and attractive flowers. They are splendid for covering arbors, verandas, etc., as they cling readily.

The seed germinates slowly. For best results sow indoors in fall or very early in spring. Press the soil firmly over the seed and keep moist and warm. When suitable transplant to place one foot apart, or seed may be sown outdoors early in spring. Perennial but some protection in northern latitudes through winter is advised. Water the roots freely during dry weather to insure profuse blooming.

Flammula. A slender but vigorous climber, from ten to fifteen feet high, with clusters of small, white, fragrant flowers in Au-gust and September. Known as Sweet Virgin's Bower. Pkt. 5c. 

Cobaea Scandens Afine rapid growing elimber foliage and bearing on graceful stems large, bell-shuped flowers, green at first but rapidly changing to a beautiful deep violet-bine. A wire-netting trellis or support for the green profusion of tendrils to fasten upon is preferable to eords or smooth wire. A well established plant will run about thirty feet in a season, covering a large veranda.

COCKSCOMB-(See Celosia)

COIX LACHRYMA-(See Job's Tears)

Magnificent ornamental foliage plants for house or garden culture. The leaves are of many shapes, and the shades and colors are of

Sow in shallow pots in rich light soil. ('over the seed lightly with earth and keep the plants in an even moist temperature. Transplant to the open ground in bed or border as soon as danger of frost is over, and in a sheltered situation where they will not be too much exposed to the sun. For house plants seed may be sown indoors in fall. Tender perennial; plants about one to two feet high.

Columbine

(Aquilegia) Very desirable, easily grown, old fashioned perennials for borders, forming large, permanent clumps. Blooms profusely early in the season and remains in bloom for a considerable period. The peculiar pendant flowers are exquisitely formed, in various colors, often with long spirs. The leaves are usually smooth, termately eompound, with roundish, obtusely lobed leaflets.

Sow the seed which is of rather slow germination, in open ground early in spring in any rich, well drained garden soil. In permanent bed plants should have at least one foot each way. Keep clear of weeds and give each year a dressing of well rotted manure. Seed may also be sown outdoors in fall. Hardy herbaceons perennials; two to three feet high.

Cœrulea hybrida. Vigorous growing, very handsome, with delicate blue and white flowers; spurs very long .Pkt. 10c.

Californica hybrida. Hardy, free blooming, with single orange, red and yellow flowers. Oz. \$2.50.....Pkt. 10c.



EARLY FLOWERING COSMOS

CONVOLVULUS MAJOR-(See Morning Glory)

Convolvulus Minor (Dwarf Morning Glory) Dwarf plants of trailing, branching habit, each covering a space about two feet in diameter. At midday they are completely covered with a mass of pure white and variously colored funnel-shaped blossoms which remain open in clear weather until evening.

CYCLAMEN

Very effective for autmin flowering in broad masses or backgrounds. A landy and rapid growing annual, forming bish-like plants with feathery green foliage, four to six feet high, covered with large flowers somewhat resembling the single dahlia. They are gracefully poised on long stems and very useful for decorative purposes.

Sow outdoors early in spring in rather light soil, not too rich, and preferably in a sunny situation. Cover the seed with one-fourth to one-half inch of fine soil firmly pressed down. If planted in rows, make the rows about two feet npart and when the young plants are well up thin from four to six inches apart in the row.

Early Flowering Cosmos

These early flowering strains are about four feet high and bloom profusely four to six weeks earlier than the giant sorts. The flowers are of good size; well adapted to northern latitudes,

Early Flowering Dawn. Flowers white. Oz. 40e....Pkt. 5c. Early Flowering Mixed. Includes white, bright red and rose colored flowers. Oz. 30c............Pkt. 5c.

Giant Flowering Sorts

CUCURBITA—(See Gourd)

Cyclamen

Well known and universally admired tuberous rooted pot plants producing exceedingly handsome red and white flowers for indoor winter or spring blooming in greenhouse or window garden. The graceful richly colored single flowers are of distinctive shape and are borne on stems of good length for a long blooming season well above the beautiful foliage. The glossy ovate or nearly round leaves are usually marbled or variegated with white.

Sow the seed, which is of rather slow germination, in shallow boxes or pans, using light rich soil and covering the seed slightly. Keep at a temperature of 50° to 60° F, and water freely until well started. Seed sown in spring, by autumn will produce a little bulb. If this is placed first in a three inch pot and later repotted as required in a five or six inch pot it will produce blooms the following spring. Seed may also be sown in fall. Tender perennial; one foot high.

Persicum, mixed. Of great beauty; many colors...Pkt. 15c.

Persicum, mixed. Of great beauty; many colors...Pkt. 15c.
Persicum giganteum, mixed. Beautiful foliage and profuse
bloom; each flower is two to two and one-half inches
long. Very choice......Pkt. 20c.

Cypress Vine (Ipomora quamoclit) A most beautiful rapid growing dimber with delicate dark green, feathery foliage and many bright, star-shaped, scarlet or white blossoms which contrast most effectively with the graceful foliage. Planted by the side of veranda, tree or stakes, and trained properly, there is no handsomer climber.

Seed is usually sown outdoors early in spring in the row where the plants are to remain. Cover seed one-half inch deep. Germination will be hastened if the soil is warm and kept in moist condition. Thin the young plants four to six inches apart. If very early blooming is desired, seed should be started Indoors. Seed rather small, black, wedge-shaped. Tender annual; about fifteen seet high. feet high.

Scarlet. A very deep, rich shade. Oz. 25c ...... Pkt. 5c. White. Clear paper white. Oz. 25e..... " 5c. Mixed. The two colors above. Oz. 25c..... " 5c.

Dahlia

A favorite for autumn flowering, blooming the first senson from seed if started early. The flowers are so symmetrical that they will always be popular where display is wanted.

Seed may be sown in spring in open ground after danger of frost is over, but for best results sow in shallow pans at any time from March to June, and transplant the seedlings to small pots. When strong enough and danger from frost is over plant out one foot apart. These plants will produce tubers which should be taken up in the fall and replanted the following spring; these roots will flower freely the following autnim. Tender herbaceous perennial, three to four feet high.

Finest Single Mixed. Will produce brilliant flowers running through a wide range of striking colors.

Oz. 50c. Pkt. 10c. For Dahlia Roots see Bulbs and Roots, Page 93,

Daisy (Bellis perennis) Charming little plants for edgings and borders, also used for low beds and rock work. The flowers of the cluster of leaves on stiff flower stalks, making them suitable for bouquets. With eareful cultivation nearly seventy-five percent are double. Leaves spatulate or

For best results sow seed early in hotbed and when plants For best results sow seed early in hotbed and when plants are large enough transplant to a rich soil in a cool and partially shaded situation, settlag the plants six inches apart. If plants are started early indoors they will flower the same season, but bloom more abundaatly in the spring if sown hautumn and the plants wintered over in cold frames; or can be set out in the open border and protected with mulching, llaif hardy percanial; about six inches high.

Double Rose. (Longfellow) Finest strain. Oz. \$2.50. Pkt. 10c. Double White. Very double, clear white. Oz. \$2.50.. " 10c.
Double Mixed. Shades of rose and white. Oz. \$2.50.. " 5c.

Datura Large braaching plaats producing very large, handsoare, double or siagle, trumpet-shaped blossoms of exquisite fragrance. Excellent for late summer and autumn flowering.

Seed may be sown outdoors after danger of frest is over, but for early blooming sow in hotbed and transplant about three feet apart each way. Roots can be kept all winter in cellars. Teader annual; three feet high.

Mixed. The above varieties..... " 5c.

DELPHINIUM—(See Larkspur)
DIANTHUS—(See Pinks)
DIANTHUS BARBATUS—(See Sweet William)
DIANTHUS CARYOPHYLLUS—(See Carnation)
DIGITALIS—(See Foxglove)

Dimorphoteca Aurantiaca
This showy annual with bright orange-yellow flowers, is sometimes called Africaa "Golden-Orange" Daisy. Plants somewhat spreading, with finely cut foliage, producing abundantly on stems of good length glossy, single daisy-like blossoms about two and one-half inches across. The brilliant orange coloring of the petals contrasts strikingly with the black center which is surrounded by a dark colored disc. Well adapted for summer flowering in beds or borders. beds or borders.



Eschscholtzia, Bush (Hunnemannia)

DOLICHOS—(See Hyacinth Bean) EMERALD FEATHER—(See Asparagus Sprengeri)

Eschscholtzia (California Poppy) The state flower of California. It is fully as valuable as the through a much longer season. A bed in full bloom of these large sancer-shaped flowers in various shades of yellow with orange center gives a brilliant color effect. The foliage is fluely cut and has a bluish tinge or bloom, delicate and very attractive.

Sow send early in coving the state of the season of the

Sow seed early in spriag or late in autumn where plants are waated to bloom as they do not bear transplanting well. Use well pulverized soil, make the rows one foot apart and cover the seed one-fourth inch deep. Thin six to eight inches apart. Effective results are also obtained by thialy sowing broadcast and lightly ruking in the seed. Hardy annual, low spreading; about one to one nud one-half feet high.

Mixed. An excellent mixture producing deep yellow, creamy white, scarlet and orange flowers. Oz. 85c.........Pkt. 5c.

Bush (Hunnemannia) Flowers beautifully cup shaped, about three inches across; petals broad, bright yellow with wavy edges; leaves coarser and larger than common kinds. Stems ten inches long and desirable for enting. In the northern states for early blooming and largest flowers start in pots and transplant outdoors. Height about two feet. Hardy annual, becoming in warm latitudes a tender perennial, Oz. 50c. Pkt. 5c.

EVENING GLORY-(See Ipoma Bona Nox)

Ferns Perennial flowerless plants, too well known to need description. The seed spores are very small and of slow germination but the exceeding grace and beauty of the plants will usually well repay all the care accessary to start them properly in the greenhouse or some place indoors where they will keep moist. The young feras may be placed in a window-box without much sun, or can be set outdoors in summer in some moist and shady place.

Fine Mixed.... .....Pkt. 20c. Finest Species, Mixed.....

FEVERFEW—(See Matricaria and Pyrethrum)

Forget-Me-Not (Myosotis) This is a favorite old fashioned flower, bearing in profusion, especially in fall and sprlug, clusters of dainty blue five-petalled blossoms. It thrives well in the shade or open border but flourishes best in a moist, shady situation.

situation

For bloom the first year sow indoors in February or March, and transplant as soon as the ground is warm enough, or sow outdoors as early us possible, covering seed one-half inch deep; thin to six inches apart. Seed may also be sown in fall. Hardy perennial but usually does better if given some protection during winter.

Alpestris. Plants of compact, bushy habit with finely cut foliage, growing six to eight inches high. Flowers blue with a very small yellowish eye. Oz. 50e. Pkt. 5c.

Dissitifora. Flowers deep blue, a little larger than Alpestris. Compact, early blooming; a good border plant. Pkt. 15c.

Four O'Clock (Marvel of Peru, Mirabilis Jalapa)
plants of erect bushy habit which produce in profusion a succession
of brilliantly colored tube-shaped flowers, that open about four
o'clock in the afternoon, remaining open all night and usually are
closed before noon the next day. The flowers are red, white, yellow,
or are striped and blotched in shades of these colors. Very desirable
for borders, along a wire fence, or as the background of a flower
garden, blooming thring the late summer and autumm.
Sow seed in spring in open ground after danger of frost is over,
covering one-half luch deep. For best development allow two to
three feet apart each way. Hardy annual, about two feet high

Red, (	Oz. 15c					Pl	ct. 5c.
White,	Red Striped	l. Oz. 15e.				•	5c.
	Pure gliste						
Mixed.	An excepti	onally attr	active r	nixture.	Oz. 20c.		5c.



# Foxglove

(Digitalis) Stately, old fashioned border plants, affording dense spikes of large brilliantly colored flowers which are terminal and half as long as the height of the plant. The flowers are very distinct and showy, being thimble-like or long bell-shaped, and the colors include white, lavender and rose, many being spotted or blotched. It is often used as a background, and does especially well in cool, shady locations in front of shrubbery. The leaves are wrinkled and somewhat downy. downy.



GAILLARDIA, PICTA LORENZIANA

Seed may be sown outdoors after danger from frost is over, but for best results start in boxes and transplant. The seed is very small and should be covered lightly and kept moist until plants are well established, when they should be transplanted to two feet apart. May be sown outdoors in fall. Hardy bicnnial or perennial, usually blooming the second season; three to five feet high.

Fuchsia Known also as "Lady's Eardrops" from the bright colored pendulons double flowers with four parted, funnel shaped calyx. Plants with very beautiful blossoms may be grown from seed with proper care. Results are usually most satisfactory when grown indoors in pots in firm rich soil, but if seed is started early under glass, it often succeeds well in an outdoor window-box, or a shady situation in the garden. Tender perennial; one to two and one-half feet high.

Double Finest Mixed. Seed from finest named sorts. Pkt. 25c.

Gaillardia
Showy bedding and border plants, remarkable for the profusion, size and brilliancy of their flowers, blooming the first year and among the gayest ornaments of the garden in summer and autumn. Combinations of yellow and red predominate in the highly colored single and double flower-heads, two inches or more across, which are borne singly well above the foliage on long, siender stems, suitable for cutting. Leaves alternate, simple, and more or less toothed.

Sow seed outdoors early in spring; cover one-fourth inch deep. Make rows eighteen inches apart and thin eight to ten inches apart in the row; or a longer season of bloom may be secured by planting in frames and transplanting. Plants one to one and one-half feet high.

one aud one-half feet high.

Picta. Plants about one foot high; flowers single, purplish-crimson and yellow.

Hardy annual; with root protection in whiter is a perennial. Oz. 20c.....Pkt. 5c.

Picta Lorenziana. Gaily colored flowers, double with tubular florets, produced from July even until hard freezing weather. Invaluable for bouquets. Hardy annual; one to one and one-half feet high; with root protection in winter is often treated as a perennial. Sulphur, orange, claret and amaranth mixed.............Pkt. 5c.

Grandiflora. Flowers scarlet and orange, single, often three inches across with flat petals. Excellent for cutting. Hardy perennial, blooming the first year...Pkt. 5c.

Foxglove

Geranium (Pelargonium) When properly grown, the constant succession of bloom until frost comes, the brilliant colors of the flowers and the exquisite zone or horseshoe markings of the leaves of some of the varieties, render the Geranium very desirable for pot culture as well as for bedding out of doors and

for growing in window boxes

for growing in window boxes.

The seed is slow to germinate. Sow in a pot or box in the house in rather light soil, preferably containing a little leaf mold and sand. Cover seed one-fourth inch deep, and keep as near 65° F. as possible. Water moderately, and as soon as the open border, and on approach of trost reinove to cover. They will blossom the succeeding spring. Half hardy perennial; about two feet high.

Scarlet Mixed (Zonale) The seed we offer will produce a large percentage of double flowers in many beautiful shades of scarlet and red.

Pkt. 25c.

GILLIFLOWER-(See Stock)

Gladiolus These magnificent plants for bedding and cutting with their long spikes of tubular lily-form flowers can be raised from seed in nearly every conceivable color and shade, some being most beautifully striped and blotched. Sow seed thickly, as soon as the ground is warm in spring, covering one-fourth inch deep. The plants should have very carewhich have formed should be taken up in the fall and best dry during winter. The streament of the stream of the

kept dry during winter. The stronger bulbs will flower the second season; the balance the third season. Ten-der perennial; about two and one-half feet high.

Finest Mixed. Finest named sorts mixed....Pkt. 15c. For Gladiolus Bulbs see Bulbs and Roots, page II.

Globe Amaranth (Gomphrena bosa) A desir everlasting, valued for its handsome small, globular flower heads which, if cut when well matured, will retain their beauty through the winter. Seeds germinate slowly: start in hot bed, or soak in warm water to soften the woolly husk. Set the plants one foot apart. Tender annual; twelve to eighteeu inches high. high.

5c.

Gloxinia Greenhouse perennial plants producing soft, velvety green leaves, and rich, beautifully colored trumpet-shaped flowers. Gloxinias thrive best in an equal mixture of leaf mold, loam and sand. If started in February will usually bloom the latter part of summer. Seed may also be sown in fall. The plants are delicate and not easily grown, but the flowers are of such beauty that one generally feels amply repaid for the effort.

Hybrida Mixed. A strain of the richest color and variety of markings. Plants ten to twelve inches high.

— (Cueurhite). A very extension

Gourd (Cucurbita) A very extensive genus of trailing annuals with curiously shaped yellow fruit, commonly known as Ornamental Gourds. The vines are of easy culture and make a rapid growth, so are much used for covering old fences, trellises, stumps, etc. The foliage is ornamental, and the markings of some of the fruit extraordinary.

Do not plant the seed till danger of frost is over, and select light, rich soil and a sunny situation. Water freely. Tender annual; ten to twenty feet high.

Apple Shaped. Fruits are nearly round, yellow, sometimes striped. Oz. 30c. Pkt. 5c.
Bottle. This produces haudsome, eurious, bottle-shaped fruits. Oz. 30c. Pkt. 5c.
Corsican. Smooth, turban-shaped fruit. Oz. 30c. 5c.
Dish Cloth. Loug, green, corrugated fruit, the inside fibrous mass of which, when shell and seeds are removed, makes an excellent sponge. Oz. 30c. Pkt. 5c.
Hercules' Club. Distinctly club-shaped, the longest of all the varieties. Oz. 30c. Pkt. 5c.
Japanese Nest Egg. Used as nest eggs; fruits are white, do not crack and are not injured by heat or cold. Oz. 30c. Pkt. 5c.
Orange. Also known as Mock Orange. Nearly round, orange-colored. Oz. 30c. Green, and vellow becutted by 

Gypsophila Delicate, free-flowering plants covered with star-shaped flowers, valuable for mist-like effects and as trimming in bouquets; also for hanging baskets or edgings. Sometimes called Baby's Breath. Will thrive in almost any well prepared ground but does best on a limestone soil. Make handsome specimens dvied.

Elegans Large Flowering Pure White. An improved large-flowering strain, superior to the common Elegans not only in size of flowers but also in color. A very charming sort for combining in bouquets with Sweet Peas or other cut flowers.

Oz. 25c. Pkt. 5c.
Elegans Mixed. Very small, delicate white and rose-pink
flowers. Hardy annual; one foot high. Pkt. 5c.
Muralis. Charming, easily grown border plants having very
small pink flowers. Hardy annual; six inches high. Pkt. 5c.

HEDYSARUM (See French Honcysuckle) HELIANTHUS—(Sec Sunflower)



GYPSOPHILA, ELEGANS LARGE FLOWERING PURE WHITE

Helichrysum (Everlasting) Sometimes ealled Straw Flower. Large full, double daisy-like flower heads with prominent centers and stiff overlapping seales, produced in various shades of bright yellow and scarlet on stems of good length. Desirable as dried specimens and for use in making winter bouquets. For this purpose the flowers should be gathered when on the point of expanding.

panding.

Sow early in spring; thin to one foot apart each way.

Hardy annual; two to two and one-half feet high.

Monstrosum, fl.pl., mixed. Largest double flowers. Oz. 40e. Pkt. 5c.

King of the Blacks. Deep purple, almost black..... "ICc. Dark Varieties Mixed. Very choice. Oz. \$1.25...... "10c. HESPERIS MATRONALIS-(See Rocket)

Hollyhock (Allhaea rosea) For a background to a flower garden nothing is better than the improved strains we offer of this tall old fashioned garden perennial. The large, richly colored blossoms, set as rosettes around the strong growing flower stalks.

Sow seed in June or July, in open ground and in the antumn, when the plants have made five leaves, transplant to permanent position two to three feet apart. The following summer they will bloom. All double varieties are hardy perennials; five feet high.

Early Flowering. Blooms and the strong garden of the strong provides the strong provides and the strong provides are strong provides and the strong provides and the strong provides and the strong provides and the strong provides are strong provides and the strong provides and the strong provides and the strong provides are strong provides as a strong provides and the strong provides are strong provides are strong provides and the strong provides are strong provides and the strong provides are strong provides are strong provides are strong provides and strong provides are strong provides and strong provides are strong provides and strong provides are strong provides are strong provides and strong provides are strong provides anamed provides are strong provides and strong provides are strong

ntals; five feet high.

Early Flowering. Blooms rendily as an annual the first year from seed sown in spring. A wide range of colors in large single or semi-double flowers. Pkt. 15c. Chater's Finest Mixed. Double perfection "15c. Double Blood Red. Oz. \$1.25. "10c. Deep Rose. Oz. \$1.25. "10c. "10c. "Lemon Yellow. Oz. \$1.25. "10c. "10c. "Pink. Oz. \$1.25. "10c. "5 almon. Rich salmon color, suffused with pink. "10c. "10c. "Salmon. Rich salmon color, suffused with pink. "10c. "10c. "Othoice Mixed. All colors. Oz. \$1.00. "5c. Mixed. Oz. 75c. "5c.

Hyacinth Bean (Dolichos lablab) A fine climber with clusters of purple or white flowers followed by ornamental seed pods. Tender annual; from ten to fifteen feet high.

IBERIS-(See Candyluft)

Ice Plant (Mesembryanthemum crystallinum) A envious plant for hanging baskets, rock-work, vases and edgings; leaves and stems succulent, appearing as though covered with ice crystals. Tender annual trailer; six lent, appearing as thou inches high. Oz. 25c... ..........Pkt. 5c. IMMORTELLES (See Acroctinium, Globe Amaranth, Helichrysum, Rhodanthe)
IMPATIENS BALSAMINA—(See Balsam)

Ipomoea

Beautiful annual outdoor elimber of luxuriant growth for eovering verandas and arbors, or for sereening unsightly objects. Sow preferably in heat and transplant to open border; or sow in open border after the ground becomes warm. Soak seed in luke-warm water before planting. Tender annual: ten to fifteen feet high.

IPOMŒA GRANDIFLORA—(See Moon Flower) IPOMŒA QUAMOCLIT—(See Cypress Vine)
IPOMŒA PURPUREA—(See Morning Glory) JAPANESE HOP—(See Humulus Japonicus) JOSEPH'S COAT—(See Amaranthus tricolor)

Job's Tears (Coix lachryma) Curious ornamental grass with broad, corn-like leaves and lustrons slate colored seeds used for beads. Valuable for winter bouquets with everlasting flowers. Plant outdoors early in spring in hills three feet apart, four or five seeds in a hill, and cover half an inch deep. Hardy annual; three feet high. Oz. 15c. Pkt. 5c.

Kochia Trichophylla (Mexican Fire Bush, or Summer Cypress) A quiek growing foliage or hedge plant, very symmetrical and attractive in summer and fall. The foliage is as fine as moss and of clean, bright green color. Early in the fall innumerable little flowers appear and the bush takes on a deep red tinge. Sow outdoors early in spring, covering one-fourth inch deep. Make the rows two feet apart and thin eighteen inches apart. For earlier blooming start indoors and transplant to open ground. Hardy annual; about two and one-half feet high. Oz. 35c. Pkt. 5c.

Larkspur (Delphinium) The Larkspur with its long elustered spikes of beautiful irregular flowers, often with long spurs, is especially valuable for its shades of blue. The annual forms are very desirable for bedding and the perennials are strikingly effective as a background for borders and for planting among shrubbery. Seed of annual varieties may be sown outdoors early in spring. For earlier blooming start very early indoors or sow in fall. Thin one to one and one half feet apart. The perennial sorts are sown in fall or early in spring. fall or early in spring.

Annual Varieties 

### Perennial Varieties





KOCHIA (MEXICAN FIRE BUSH)

Lantana The plants form small shribs, producing of heliotrope-like clusters of single, fragrant flowers that change color. Succeeded by green berries that turn to a deep blue. Start under glass and transplant when danger of frost is over. May also be grown in pots. Tender perennial; about two feet high.

Finest French Hybrids mixed. Oz. 30e.....Pkt. 5c.

Lobelia The four dwarf (Erinus) sorts are charming plants, well adapted for bedding, pots or rockeries. They make a neat edging for beds of white eovered with flowers for a long time. The flowers are usually blue with lighter center and are borne in neat clusters, each irregularly lobed flower being about five-sightly inch peross

seed may be sown outdoors after danger of frost is over; or start the plants in pots in greenhouse or hotbed, early in spring and transplant in May to place outdoors. Half hardy annual; usually about six inches high.

Emperor William. A very fine, ereet and compact variety with clear intensely blue flowers. Oz. \$1.75.........Pkt. 5c.

Queen of Whites. A neat little plant, very dwarf, with many pure white flowers; useful for borders......Pkt. 10c.

Crystal Palace. A compact, exceptionally graceful sort, very desirable for edgings, having bright deep blue flowers; very dark green foliage......Pkt. 5c.

Gracilis. The flowers are bright blue with small white enters, fine for baskets and vases, trailing gracefully and blooming profusely. Plants slender, six inches high.Pkt.5c.



MARIGOLD, EL DORADO

Love-in-a-Mist (Nigella) Also known as Lady-in-the-Green and as Devil-in-a-Bush, because the blossoms are partly dense fringe or wreath of mossy fibres. Both plant and flower are handsome and require but little eare. Sow seed in spring in any good garden soil, or may be sown in fall. Hardy annual.

Lupin A very attractive free-flowering plant with long graceful terminal spikes of fragrant pea-shaped blossoms, feet apart. A very attractive free-flowering plant with long graceful terminal spikes of fragrant pea-shaped blossoms, feet apart. Sow seed in place in spring and thin to one and one-half flardy annual; about three feet high.

MALCOMIA MARITIMA—(See Virginian Stock)

Marigold

No flower garden seems complete without this fine old fashioned garden plant with its brilliant displays of yellow and orange, both tall and dwarf sorts, and with finely cut or entire bright green foliage. The African (Tagetes erecta) varieties are tall, usually one and one-half to three feet, and are more dwarf and are well adapted for large beds, backgrounds or mixed borders, while the French (Tagetes land are well adapted for borders and pot culture as well as bedding. All of these varieties have finely cut foliage, while the Pot Marigold (Calendula officinalis) has entire leaves, somewhat elasping the rather hairy stems.

For best results start seed early indoors and transplant six inches apart when danger from frost is over, but good blooms of all varieties of Marigold are often successfully obtained from seed planted in the open ground after danger from frost is past. Make the rows one foot apart. Use well pulverized soil, preferably light sandy loam and cover the seed with about one-fourth inch of fine soil flrmly pressed down. When about two inches high, thin six to twelve inches. Hardy annuals; in bloom till frost comes.

African Double Dwarf, Lemon Colored. Very early and a pro-fuse bloomer of very compact habit. One of the best of this class. Comes true from seed; about eighteen inches high. Desirable for shrubbery or mixed border.........Pkt. 5c.

African Orange Quilled. A double variety with quilled petals; flowers showy, bloom very early and are used for eutting. Plants rather dwarf, about fifteen inches high......Pkt. 5c.

African El Dorado, Double. Flowers about three inches in diameter, imbricated, extremely double and in tints of primrose, orange and gold. Two to three feet high. Oz. 40e.Pkt. 5c.

French Legion of Honor (Little Brownie) A single, dwarf, bushy variety, very desirable for borders. The plants bear rich golden yellow flowers with garnet blotches in the center of each petal and are about one foot high. Oz. 30c. Pkt. 5c.

Prince of Orange (Calendula officinalis fl. pl.) This very distinct variety has large double, golden yellow flowers, the petals striped or shaded dark orange; produced in great abundance. Height of plant about one foot. Oz. 25c..Pkt. 5c.

MARVEL OF PERU—(See Four O'Clock) MATHIOLA-(See Stock)

Maurandia Graceful slender climber with glossy lvy-shaped leaves. It produces an abundance of showy irregular trumpet-shaped flowers, one and one-half inches long, usually purplish blue, white or rose colored with lighter throat. Suitable for greenhouse and hanging baskets in the winter and very satisfactory outdoors especially if a small trellis is given as summer. small trellis is given as support.

Seed should be started in hotbed or indoors and the young plants set out in open border after danger of frost is over. Tender perennial, blooming the first season; six to ten feet high.

MEXICAN FIRE BUSH—(See Kochia)

Mignonette (Reseda) A well known hardy annual producing dense cone-shaped flower-spikes, made up of thickly set flowerets of modest colors. It is often used for cutting to combine in bouquets with other more pretentious flowers lacking its delicate and pleasing fragrance.

Seed is usually sown outdoors after danger of frost is over seed is usually sown outdoors after danger of frost is over and if sown at intervals in spring and early summer a succession of bloom, under favorable conditions, is assured till frost. Well pulverized soil, preferably light sandy loam, should be used and the seed covered one-fourth inch deep. Make rows one foot apart; thin to six inches. For very early blooming, seed may be sown in the fall, or started indoors and transplanted. May also be grown in pots. Thrives best in a cool temperature and is usually most fragrant in rather light soil. Hardy annual: one foot high Hardy annual; one foot high.

Machet White Pearl. Flowers almost pure white, borne on spikes six inches to a foot in length. Pkt. 5c.

Reseda odorata grandiflora (Sweet) Large flowered, very sweet; light yellowish white. Oz. 15c; Lb. 65c. Pkt. 5c.

Mimosa Pudica (Sensitive Plant) A curious plant with globular heads of small pink flowers, chiefly valued because of the extreme irritability of its leaves which close and droop at the slightest touch, also in cloudy, damp weather and at night. Start in hotbed in pots, and transplant to a warm situation six inches apart. Tender annual; height one and one-half feet. Oz. 40c...... Pkt. 5c.



MIGNONETTE

Mimulus Strikingly handsome flowers of casy cultivation. Perennial in the greenhouse, annual in the open air. Sow the seed, which is exceedingly fine, under glass in spring or fall in rich moist soil, mixed with sand, and in a somewhat shaded situation. Cover the seed lightly and keep well watered.

Moschatus (Musk Plant) An attractive trailer with bright green foliage and many small yellow flowers of musky odor. Destrable for hanging baskets and window gardens. Oz. \$2.00. Pkt. 5c. Cardinalis grandiflorus. Dark red. "10c. Punctatus (Muskey Flower) Large curionsly shaped yellow flowers, spotted with shades of red and rich maroon. An effective pot plant about eight inches high; blooms first year. Oz. \$1.75. Pkt. 5c. MIRABILIS—(See Four O'Clock)

Momordica Gracefully ellmbing vines with small yellow blossoms, followed by fruits of curious shape. Foliage gracefully cut and although tender annuals, the vines run ten feet or more during the season. The seed is very hard and germination will be hastened if a notch is carefully cut through the shell before planting. For best results, sow indoors early in spring and transplant after danger of frost is over, or sow in place as soon as ground is warm and dry.

Balsam Pear (Charantia) The fruit is pear-shaped, green changing to bright red and has a warty skin; when ripe it bursts open and shows a brilliant interior of large earmine seeds.

Pkt. 5c.

Balsam Apple (Balsamina) Like Balsam Pear but foliage smaller; fruit much smaller and nearly round, green striped when young, becoming searlet. Oz. 25c.

Pkt. 5c.

Moon Flower (Ipomæa grandiflora alba) One of the most vigorous summer climbers and will grow under favorable conditions thirty to forty feet in a single season and be covered evenings and cloudy days with very large, white trumpet-shaped flowers widely extended, often four inches across. Leaves large, frequently four to five inches across. The hard outer coat of the very large, light yellow seed should be cut through with a sharp knife, eare being taken not to cut any deeper than the hard shell and the seed planted about one inch deep in moist soil in a box or pan and set in a warm place. If soil be kept moist, germination will take place in about two weeks. After plants are up, transplant outdoors in a sunny situation when danger from frost is past. Known as Ipomæa Noetiflora. Tender annual. Oz. 65c...Pkt. 10c.

Morning Glory

(Convolvulus major, Ipomea purpurea) A handsome showy climber of easy culture and suitable for covering arbors, windows, trellises, old stumps, etc., if support be given the seed is usually sown outdoors early in spring in row where plants are to remain. Well pulverized soil should be used and the seed covered one-half inch deep; thin four to six inches apart. If very early blooming is desired, seed may be started indoors and transplanted. Give some support such as strings or cord to the vines as soon as they begin to run and they will often exceed ten feet in height before the season is over. Seed triangular, black, except White, which is light yellow. Hardy almost 

Giant Japanese Mixed. (Imperial) The flowers of this variety are of largest size, often three inches or more across; some are brilliant red or rich blue, others are equally brilliant, with broad margins of clear white; some are striped or dotted with blue or red on white or lemon yellow ground, others are clouded with blue and red. The foliage in some plants comes plain green, in others it is mottled with white and shades of yellow or yellowish green. Seed black, larger than other varieties of Morning Glory. Oz. 25c.

Pkt. 5c.

Mourning Bride

(Scabiosa or Sweet Scabious) An old fashioned but most attractive flower. Its great abundance and long succession of richly colored, fragrant blossoms on long stems make it one of the most useful decorative plants of the garden. Desirable for cutting as well giving a fancied resemblance to a pin cushion.

Seed may be sown in place as soon as ground can be worked; or for earlier blooming sow in hotbed early in spring and transplant one and one-half feet apart. Hardy annual; about two to two and one-half feet high.

Double Dark Marcon. A beautiful and attractive variety; flowers dark marcon shaded purple. Oz. 20e.

Pkt. 5c.

Double Mixed. Colors include deep and light purple, searlet, pure white and a dark mulberry red; some of the darker shades are tipped with white. Oz. 20c.

Pkt. 5c.

MYRSIPHYLLUM—(See Smilax)



NASTURTIUMS

Few plants are more easily grown or remain longer in bloom than the Tropcolum. with its large shield-shaped leaves and beautifully irregular flowers having long spurs and brilliantly eolored petals. In favorable soil flowers are produced in abundance throughout the season. Much used for window boxes. If the black aphis appears spray the foliage vigorously with water.

Seed is usually sown outdoors, as soon as the weather is warm and settled, in the row where the plants are to remain. Well pulverized soil, preferably well drained and moderately rich, should be used and the seed covered with about one inch of fine soil firmly pressed down. A sunny situation is essential for free blooming. If the soil is very rich the plants give a large amount of foliage but few flowers. For earlier blooming, start indoors and transplant to the open ground after danger of frost is over.

Dwarf Varieties (Tropæolum minor) Sometimes ealled Tom-Thumb sorts. The tlowers are brilliant and attractive. The plants are evenly dwarf and are often used for a border. When about two inches high, thin so as to give each plant about one foot of room. Hardy annual; about one foot high.

oc.	Rose. A warm rose-pink. Oz. 15c	**	5c.
Бс.	Scarlet. Searlet-orange. Oz. 15e	44	5c.
Бc.	Schilling's Striped. Bright yellow with brownish red or		
ъс.	Dwarf Mixed. Many desirable shades and colors. Oz. 15e; ¼ Lb. 80e; Lb. 85c	**	5c.
5	c. c.	c. Rose. A warm rose-pink. Oz. 15c	Pearl. Pale yellow. Oz. 15c

Trailing Varieties (Tropæolum Lobbianum) The Lobbianum differs from the common tall, climbing or running richer, more varied colored flowers. When about two inches high thin to six Inches apart. Give some support to the vines as soon as they begin to run and they will usually grow six to eight feet during the season. The trailing sorts are much used for covering arbors and trellises. Half hardy annual.

Tol covering allors and tremses. Than hardy aminal.				
Bright Yellow. Yellow with purplish carmine stain. Oz. 15c; ½ Lb. 50c. Pkt. 5		King of the Blacks. Black-red or crimson-maroon, with darker markings; dark foliage. Oz. 20c; ½ Lb. 50c, P	kt.	5c.
Brilliant. Intense searlet-red, dark foliage. Oz. 20c; 14 Lb. 50c	5c.	Light Yellow. Attractive light yellow or yellowish white with maroon stain. Oz. 20e; ¼ Lb. 50e	**	5c.
Giant of Battles. Sulphur, red blotehes. Oz. 20c "	5c. 5c.	Queen Wilhelmina. Foliage variegated, being marbled and veined with light green and white. Flowers rosy scarlet. Oz. 20c.	44	5c.
Hemisphæricum. Straw, blotched and suffused orange- scarlet; very large foliage, very strong growing, usually twelve to fifteen feet high. Oz. 15e; ½ Lb. 40c	5c.	Rose. Bright and attractive. Oz. 20c; ¼ Lb. 50c  Spitfire. Bright, flery searlet flowers; very floriferous. Oz. 15e; ¼ Lb. 50c		
foliage, very strong growing, usually twelve to fifteen	5c.	Trailing Mixed. Lobbianum varieties. A wide range of colors and shades. Oz. 15e; ¼ Lb. 25c; Lb. 75c	**	5c.

			Nasturtiums	
are stripe	ed or blotche	ed with sh	ades of red on	yellow and
orange gr	ound, formir	ig a combin	nation of exceed high, Half hi	ing brilliancy
			ingii, man m	

Nicotiana Handsome bedding plants of the tobac-co family, valuable for long and free blooming. The flowers are salvershaped, with long tubular corollas.

Sown outdoors when ground is warm and dry or for earlier blooming start in boxes indoors early in spring and transplant to open ground after danger of frost is past. Cover the fine sed one-eighth inch deep. Half hardy annuals; about three feet high.

Affinis. Flowers large, white and fully expanded only in evening or eloudy days. Very fragraut. Oz. 30e. Pkt. 5c.

Sanderæ, mixed. Flowers white, carmine-rose or violet, a little smaller than Affinis and unlike it, in full bloom during the day. Very floriferous. ..... " 10c.

NIGELLA—(See Love-in-a-Mist) CENOTHERA—(See Primrose)

Oxalis Very pretty, spreading herbaceous plants with elover-like leaves and richly colored blossoms. They are especially desirable for house culture as langing-basket or window plants and are cultivated also in borders and

Sow seed in gentle heat in early spring and when well started transplant where they are desired to flower. The plants thrive well in a mixture of loam and sand. They require an abundance of water during the growing season and should have plenty of sunlight. Half hardy perennial; six to nine helpes high.

Pansies are now produced in an almost infinite variety of colors and markings. Their brilliancy of shading, extended season of blooming and long keeping characteristics make them general favorites. The strains now offered are fur superior to the old Henrt's Ease or Viola Tricolor and the esteen in which they were held by older generations has been heightened by the greater forward of advanced types of very large varieties in this country as well as in Europe, and our stocks are the very best obtainable. We spare neither pains nor expense to satisfy the most critical trade. Every year we visit the gardens of the most expert specialists in Europe and are in position to give our customers the benefit of their knowledge.

We have nominally both out of doors and under glass extensive trials of Pansies from the most successful European growers and from prominent seedsmen. While the variations in shades of color and markings appear almost limitless our list includes the very best strains the world produces.

Seed may be sown indoors very early in spring, or a little later in the open ground, and transplanted when an incb high. Such plants will eommence to bloom in June. If sown in July, the plants will bloom in the full, or if sown in September, the following spring. Well pulverized soil should be used and the seeds covered one-eighth to one-fourth inch deep with fine soil firmly pressed down. The largest and best flowers are produced by young plants which have been grown rather slowly in a purtially shaded situation, and in very rich soil; coolness and moisture are necessary. A situation sheltered from high winds and exposed to the morning sun is most favorable and frequent sprinklings are advantageous. Grown indoors pausies make a good winter blooming pot plant. Hardy perennial, four to six inches high.

### LARGE FLOWERING

King of the Blacks (Faust) Large velvety, pure black blossoms. This is probably the darkest flower grown. Oz. \$1.25. Pkt. 10c. King of the Blacks (Faust) Large ververy, pure black blossonis. This is probably the darker of the flowers are large, rich, velvery red or mahogany. Excellent for massing or edgings. Very hardy. Oz. \$1.50. "10c. Pure Yellow. Brilliant, deep lemon yellow color, large flowering variety. Oz. \$1.50.....



GIANT TRIMARDEAU

White. Flowerslarge and of fine form. An early and very floriferous straiu. Oz. \$1.25......Pkt. 10c.

Collection of eight splendid varieties......50c.

### GIANT FLOWERING

Bugnot's Very Large Stained, mixed. An exceptionally fine mixture of very large, blotched and stained flowers. Each petal distinctly blotched, and its margin usually veined. Sturdy plants. Many shades. 1/2 Oz. \$1.25. Pkt. 15c.

Emperor William. Deep lavender-blue petals, dark Prussian blue about the eye; very large flowering. Oz. \$1.25. Pkt. 10c.

Giant Flowering Parisian, mixed. The flowers of this splendid mixture are of largest size, very fine form and range of colors, often in the lighter shades, Each petal is usually beautifully blotched. Oz. \$2.00..........Pkt. 5c.

Giant Trimardeau, mixed. Our stock of this vnriety produces the largest punsles grown. Flowers of richest, most varied shades; generally marked with three large blotches. Plants very hardy and vigorous. We recommend this mixture as one sure to give general satisfaction where conditions are at

to give general satisfaction where conditions are at all suitable for pansy growth. Oz. \$2.00....Pkt. 5c.

Giant Yellow (*Trimardeau*) Very large yellow flowers with large black centers. A very distinct and attractive variety............Pkt. 15c.

Lord Beaconsfield. The lower petals are very deep violet-purple, shading in upper petals to white, slightly tinted with purple. The flowers are very large and finely formed. Oz. \$1.25............Pkt. 10c.

Odier, or Very Large Stained, mixed. Known also as Cassier's. Very large flowers, distinctly veined and each petal beautifully blotched. This is a very fine strain of pansies with wide range of splendid colors. Sturdy plants, very vigorous and floriferous. Oz. \$4.00. Pkt. 15c.

Peas, Everlasting (Lathyrus: tifolius) An easily grown, hardy perennial elimber with smaller flowers lacking the fragianee of Sweet Peas, but producing for many weeks a succession of blossoms in clusters of eight to ten each. Only a few flowers can be expected the second season but in the third and fourth, the plants then being well established, an abundance of foliage and blooms is afforded. The plants die down late in the fall and start ngain in the spring.

Sow the seed outdoors enrly in spring, using well prepared soil and covering the seed about one inch deep with fine soil firmly ssed down. The perennial sorts are suitable for covering stumps and fences, and on a trellis will often grow five to six feet.

PELARGONIUM-(See Geranium)

Petunias arc unsurpassed for massing in heds. They are also used along walks and driveways and are often grown in window boxes. Their richness of color, duration of hloon and casy culture will always make them popular. They endure drought exceptionally well. The full, double petunias do not produce seeds. To procure double flowers one must use the seeds saved from single flowers which have been carefully fertilized by hand with pollen from the double ones. The seed we offer is the result of careful hybridization and can be depended upon to give as large a proportion of double flowers as any.

In some strains the flowers are very large, measuring four to five inches across; in others, they are deeply fringed; still others have star-like markings radiating from the throat and extending nearly or quite to the outer margin of the blossom; again, others have full, double flowers. The colors range from white to deep red-purple and are variously striped and blotched.

Plant the seed, which is exceedingly fine, in a warm, open, sunny place. Seeds may be sown directly in the open ground; or for early results the plants may be started in cold-frame, hothed or in pots indoors, in a temperature averaging sixty to seventy degrees. Water with a fine spray and do not permit the seedlings to dry out. The plants are tender and should not be trusted in the open until danger of frost is over. Any good, friahle garden soil, well pulverized and in good condition may be used, and the seed covered with about one-eighth to one-fourth inch of fine soil firmly pressed down. The rows should be two feet apart. Thin to eighteen Inches apart. The plants hegin to bloom when small and continue until cut off by frost.

Tender percennial, blooming the first year; about one and one-half feet high.

Petunias are also sometimes grown under glass in winter. The hest method is to sow seeds in late summer or early fall and grow stocky plants in pots, but old plants can be lifted on the approach of cold weather, cut back and taken inside for winter bloom.

### LARGE FLOWERING PETUNIAS

Large Flowered Mixed. Plants vigorous and flowers very large; some strlped, others self colored. 10 Oz. \$1.00....... Pkt. 10c.

brilliant Rose. Large flowers of very bright, yet delicate and exceptionally attractive rose color. One of the finest single varieties in cultivation and comes true from seed...Pkt. 25c.

General Dodds. Large, single flowers of an exceedingly rich, dark purple color. A vigorous and very persist-ent bloomer and there are few garden plants that will make so satisfactory a display......Pkt. 10c.

Extra Double Fringed. Many colors; flowers beautifully fringed. Pkt. 25c.

flowers beautifully irringed...Pkt. 25c.

Grandiflora Robusta, fl. pl. Dwarf, of robust growth, forming a compact, upright, branched bush about ten inches in height and fourteen inches in width, with large flowers, many double and in all shades of colors existing in petunias. The latest of the varieties to hloom......Pkt. 25c.

Pentstemon Handsome, half ceous percunials about two feet high and very desirable for bedding and borders. They usually bloom the first year, especially if started early. The flowers are bell-shaped or tubular, an inch and a half long, and are borne in racemes or spikes. The colors include white and various shades of rose and purplish red striped with white.


Sow outdoors after danger of frost

Sow outdoors after danger of frost is past. It is well to use some mulching for protection through winter.

Mixed ......Pkt. 10c.

Peony (Paonia herbacea Chinensis) Well known herbaceous perennial plants, with very double thowers and abundant dark green foliage, which may be grown either from seed or roots.

Double Mixed ......Pkt. 25c. (Peony Roots are listed in our autumn Bulb Catalogue.)





DOUBLE PETUNIAS

# Phlox Drummondi Flower-ing) Un-

equalled in the magnificent display of their many and brilliantly colored flowers. The plants are hardy bush-like annuals with many broad flat-topped clusters of nearly round and star-shaped flowers. They are of caslest culture and bloom profusely through a long season. Especially attractive in masses or ribbon beds of contrasted colors; useful as window-garden plants and very desirable for combining in mixed bouquets.

and very desirable for combining in mixed bouquets.

Seed is usually sown very early in spring outdoors in rows one foot apart. A sunny situation is desirable. Well pulverized soil, preferably rich and mellow, should be used and the seed, which germinates rather slowly, covered with about one-fourth inch of fine soil firmly pressed down. Thin to four inches apart. For very early blooming, seed may be sown outdoors in fall, or started indoors and transplanted early in April. Hardy annual; one foot high.

Alba, Pure white, very desirable, Oz. 90c. Black Warrior, Very deep maroon, Oz. 90c. lsabellina, Creany yellow, Oz. 90c	Pkt.	10c. 10c. 10c.
Kermesina Alba Oculata. Rosy erimson,	44	
white eye. Oz. 90e	44	10c.
Rosea. Rose, with distinct eye, Oz. 90e	64	10c.
Rosy Chamois. Deep salmon-rose. Oz. 90c	4.6	10c.
Scarlet. Maroon center. Ox. 90c	8.6	10c.
Splendens. Crimson, pure white eye; one		
of the finest of this strain. Oz. 90c	4.4	10c.
Violet. Deep violet-blue, white cyc. Oz. 90c.	44	10c.
Extra Choice Mixed. Best large flowered		
varietles. Our mixture is unexcelled for		
profusion of bloom and wide range of		
brilliant colors. Oz. 75c		5c.

Pinks (Dianthus) The Dianthus family furnishes many of the most beautiful and profitable flowers including the Carnation, Sweet William, Chinese and Japanese Pinks, in all their varieties. The Pinks are old-fashioned favorites and as a class are more varied in color than the Carnations but lack their fragrance. Both the single and double Pinks are well adapted for bedding and borders, and are suitable also for for bedding and borders, and are well adapted for bedding and borders, and are suitable also for cuttling as the stems are of good length and the brilliantly colored flowers, often one and one-half to two inches across, contrast vividly with the rather narrow bright light green leaves.



SINGLE PINKS

Seed may be sown in the open ground in spring after danger of frost is past, in the place where the plants are wanted to bloom. Use well pulverized soil, preferably sandy loam. Make the rows one foot to fifteen inches apart and cover the seed with one-fourth inch of fine soil firmly pressed down. When two inches high, thin six to eight inches apart. Earlier blooming is obtained, in the north, if plants are started in the house. Plants compact, bushy, usually about one foot high. Where climate permits they may be treated as perennials, but practically are hardy annuals. When grown however for spring blooming, if in a well drained situation and protected by a light mulch of straw, cut fodder or leaves, the plants are less likely to winter kill than if in a moist unprotected part of the garden during the colder months. The plants thus wintered over will produce more and better blooms than those of the first season.

produce more and better blooms than those of the first season.

Crimson Belle. Rich, vivid crimson color; flower single, of large size and splendid substance, evenly and finely laciniated. Pkt. 10c.

Eastern Queen. Single flowers beautifully marbled and striped with light shades of redupon lighter ground. Border of petals finely cut or laciniated..........Pkt. 10c.



DOUBLE PINKS

Royal Pinks (Heddewigi nobilis) These very large, single flowers afford a wide range of colors. Petals deeply ent and fringed and flowers in splendid shades from blood-red to carmine, pink and even white. Plants dwarf and very free flowering. Pkt. 10c.

Heddewig's Single Mixed. A splendid mix-ture of single flowers of the best shades and beautifully marked. Plants dwarf; very free flowering. Oz. 50c.....Pkt. 5c,

Double Dark Purple. An attractive and particularly useful color in pinks. The flowers are double, of large size, fine form and are suitable for cutting... Pkt. 15c.

Double Diadem Mixed (Heddewig's) Very regular, double, and all tints from crimson purple to deep black purple. Oz. 90c. ... Pkt. 5c.

Double Japan Mixed (Chinensis Igniniatus)

Oz. 90c. Pkt. 5c.

Double Japan Mixed (Chinensis laciniatus)
The flowers are rich in line; very double deep fringed petals. Colors vary from white to rose, lilac, carmine, erimson, searlet, purple brown and almost black, spotted and striped. Oz. 80c. Pkt. 5c.

Double China Mixed (Chinensis) White and dark crimson selves, also white tipped light purple and shades of red with darker blotchings. A mixture of double pinks unsurpassed in variety of brilliant coloring and marking. Oz. 30c. Pkt. 5c.



Poppy

(Papaver) These well-known introgramments and perenning flower in great profusion throughout the summer. Both the single and double varieties are very desirable for bedding and borders. The flowers are remarkable for their large size, delicacy of tissue and wide range of bright dazzling colors.

As early in spring as ground can be worked sow the seed, which is quite small, where the flowers are to bloom as the annual varieties do not bear transplanting. Pulverized soil, preferably light sandy loam, should be used. Make rows fifteen inches apart and cover seed one-fourth inch deep. When two inches high, thin from six inches to one foot. To insure continuous bloom during a long senson the flowers should be cut regularly and no seed pods allowed to form.

### Annual Varieties

### Perennial Varieties

Percnnial poppies do best in rows one and one-half feet apart and one foot apart in the row. The plants have stout, leafy flower-stalks; leaves rough, pinnately parted; lobes oblong-lanceolate, toothed. Seed may be sown outdoors either in spring or fall.

Bracteatum. Flowers very large, single brilliant orange-crimson; base of petals bluish black. A garden perennlal of most striking appearance; about two feet high......Pkt. 5c. 

The Carnation Poppy is an improved double form of the single *Papaver Somniferum*, used for the extraction of opium. We do not firmish seed of the opium poppy.

Portulaca

Sometimes called Rosc Moss. Few flowers make such a dazzing display of color in the bright snushine as a bed of portulacas. The glossy cup-shaped slugle flowers and rose-like double flowers, about one inch across, range through many shades of red, white, plak, orange, yellow, striped, etc. Plants low growing or creeping with thick, fleshy stens tinged with red and small quill-shaped leaves. Desirable also for edgings. They are in bloom through a long season. Sow seed outdoors, after weather is warm and settled, where the plants are to stand in rows one foot apart. They should have a sunny situation. Well pulverized soil should be used but it does not need to be rich. Cover seed about one-eight inch deep. Thin to two inches apart. For massed beds seed can be sown broadcast, the soil sifted on and the whole bed carefully pressed with a board. For earliest blooming start under glass and transplant to place after danger of killing frost is over. Tender annual; about nine inches high.

### Single Varieties

 Alba, Pure white. Oz. 40c.
 Pkt. 5c.


 Aurea, Deep golden. Oz. 40c.
 " 5c.

 Fine Mixed. A wide rauge of colors. Oz. 35c.
 " 5c.

### Double Varieties

The seed we offer can be depended upon for a large proportion of fine, very double flowers and the few that come single can be pulled out if desired.

Double	WhitePkt	. 10c.
**	Scarlet. Very bright and attractive"	10c.
**	Orange	10c.
**	Mixed. Many beautiful shades. Oz. \$2.75 "	10c.



CARDINAL POPPY

POOR MAN'S ORCHID-(See Schizanthus)

Primrose, Evening (Enothera) Large, showy saucer-shaped blossoms, usually fully expanded only towards and during evening. The blossoms are yellow or white and are very freely produced.

Acaulis Alba (Low White Evening) Plants of prostrate habit, the leaves lying on the ground. This sort produces many large flowers about three inches across which open clear white and turn to deep primrose plnk. Sow in open ground early in spring. Make rows fifteen inches apart; thin six inches apart in row. Hardy perennial; six inches high. Pkt. 5c.

Primula Sinensis (Chinese Primrose)
This beautiful windership to plant is especially valuable in that its brightly colored and finely formed flowers and prettilly cut foliage may be bad in perfection from November until late in spring. The splendid salver-formed flowers are produced in large clusters.

Sow seed incloors in well drained, shallow pans or boxes from April to last of July, to insure flowering the following winter. For best results use finely sifted leaf mold, loam and sand in equal parts. Cover slightly and place the pans in a temperature of about 80° F. Water with a fine spray. If covered too deeply or if allowed to dry after being wet the seed will not germinate. Transplant into pots and keep in a cool place so that the plants will grow slowly until ready to bloom. Seed may also be sown in fall. Greenbouse perennial, six to ten inches high.

Pyrethrum

Spring as soon as ground can be worked, or for best results start the seed indoors and transplant after danger from frost is past. (See also Matricaria)

Parthenifolium Aureum (Golden Feather) Beautiful dwarf gold leaved bedding plant. Flowers white. Half hardy perennial, often treated as au annual: height oue foot. Oz. 50c.. Pkt. 5c. Parthenifolium Aureum Selaginoides. Finely cut, fern-like leaves of bright golden yellow color. Extra fine for bedding. Half hardy perennial; twelve to fifteen inches high. Pkt. 10c.

Rose Multiflora Dwarf Perpetual, Mixed. Plants under good care will commence to flower when six inches high and about two months old, and continue to grow and bloom until they form compact bushes about sixteen inches high, well covered with single and double flowers.

Open the berries and separate the seeds, sowing in pots of rich sandy soil and keep at about 70° F, and moderately moist. When plants are about one inch high transplant and give plenty of light and air. Tender perennial; blooming the first .....Pkt. 15c. ROSE MOSS (See Portulaca)



SALVIA

Salpiglossis

Very showy bedding or border plants with richly colored, funnel-shaped flowers which are purple, scarlet, crimson, yellow, buff, blue or almost black, beautifully marbled and pencilled.

For early blooming seed may be started indoors as early as the middle of March and the young plauts set out in the garden one foot apart, or seed may be sown outdoors after settled warm weather. Useful for cutting. Blooms from August to October. Half hardy annual; about two feet high.

Fine Mixed. Hybrids. Easily grown large, long stemmed flowers, in many beantiful shades and markings. Oz. 50c.. Pkt. 5c.

Large Flowering Mixed. A mixture of improved dwarf, very large flowering sorts, more compact than ordinary varieties and with much larger, more richly colored flowers..Pkt. 10c.

Salvia (Flowering Sage) Among the most brilliantly colored of garden flowers and extremely useful for bedding; also valuable for pot culture and cutting. Blooms are borne in long spikes well above the foliage and are of fiery red, crimson or blue, continuing in flower a long time. The densely filled flower spikes are often eight to ten inches long and include thirty or more tube-like florets, one to two inches in length.

Start early in heat and transplant into light soil one to two feet apart; or seed can be sown outdoors after danger from frost is past. Tender perennial, but blooms the first season; height one and one-half to three feet.

Sold also as "Splendens Bonfire." Splendens.

SCABIOSA—(See Mourning Bride)

SCARLET FLAX-(SeeLinum)

Schizanthus Retusus trimaculatus. Also known as Butterfly Flower or Poor Man's Orchid. Dainty compact branching plants with finely cut foliage, covered when in bloom with elusters or spikes of brilliantly eolored butterfly-like flowers. Valuable for garden decoration or pot culture. Petals bright yellow with margins and tube of carmine or purple-rose, shading from lighter to darker shades. The seed may be sown outdoors after danger of frost is past, where the plants are to remain; or start inside and transplant when weather is suitable. Hardy annual; about twenty inches high.

Pkt. 15c.

inches high....

SENSITIVE PLANT—(See Mimosa Pudica)

perennial climber, ten fect high. Oz. 50c.....Pkt. 5c.

Snapdragon

Is now one of the best perennials suitable for flowering as an annual. The long showy spikes of curlously shaped tubular flowers with irregular spreading lobes and finely marked throats are fragrant as well as brilliantly colored. They are very desirable for cutting as the spikes of bloom are borne well above the dark glossy leaves and keep fresh for a long time.

For blooms the first season outdoors, sow seed very early mider glass and transplant to open border as soon as the ground is warm and dry, in rich loamy soil in a sunny situation, setting one foot apart each way and giving them plenty of water; or sow seed in August or September and cover plants with a mileh on approach of cold weather. These fall-sown plants may be transplanted into pots and flowered in the house, and in this case give them the same temperature and treatment as geraniums and carnations. Tender perennial, often treated as annual or biennial; one and one-half to two feet high.

Majus album. Pure white, light yellow throat.....Pkt. 5c.

Majus album. Pure white, light yellow throat......Pkt. 5c. Majus brilliant. Crimsou and yellow, throat white.... " 5c.
Majus Delila. Reddish-violet, white throat..... " 5c.

Fine Mixed. Includes all of the best colors. Oz. 50e... " 5c.

Stock (Mathiola) Sometimes called Gilliflower. Coasidered almost indispensable where a fine display of flowers is wanted and particularly valued for edgings, bedding and pot culture. The improved varieties we offer of this favorite gardea plant produce dense spikes of very fragrant and beautiful rosette-like double flowers in a wide raage of attractive colors. They are suitable for entiting, being produced on four types is of loag flowering period, and if the earlier ones are started indoors, a profusion of fragrant and pleasing flowers is afforded for the entire season.

Sow outdoors early in spring, using well fertilized, earcfully pulverized soil and cover seed with one-fourth inch of fine soil firmly pressed down. Make the rows fifteen inches apart; thin to six inches apart. For earlier blooming start indoors and transplant. Height of plants, one to one and one-half feet.

### Early Flowering Brompton

Early Flowering Brompton

A decidedly superior, large-flowering annual strain with the splendid foliage and bloom of the older type but flowering with the German Ten Weeks and decidedly superior in length of stem and size of flower spike. This group is also called Beauty Stocks, Giants of Nice, "Cut and Come Again" and Victoria Stocks.

Belle of Naples, Old rose or light purplish rose. Pkt. 15c.
Camaldoli, Dark violet or light purplish red. "15c.
Snow White (Victoria). "15c.
Vesuvius, Blood-red or deep purplish red. "15c.
Early Flowering Brompton Mixed, Includes shades of white, old rose, blood-red, purple and violet. Oz. \$3.00. Pkt. 5c.

### Double German Ten Weeks (Large Flowering)

### Intermediate or Autumnal Stocks

Sown at the same time as the Ten Weeks, the Intermediate sorts 

### Winter or Biennial Brompton Stocks



SUNFLOWER, STELLA



STOCK, DOUBLE GERMAN TEN WEEKS

Sunflower

(Helianthus) These stately, old fashioned flowers with the newer improved varieties are eoming into high fences. Valuable also as a screen to hide unsightly places and sometimes used to mitigate the evil of adjacent swamp holes. Their very tall dense growth and bright yellow disc-like flowers of very large size and long blooming period make them one of the most deserving and useful of hardy anauals. of hardy anauals.

Suaflowers grow readily in almost any soil but do best on light, rich limestone or alluvial land well supplied with moisture and not shaded by trees or buildings. Sow the seed outdoors in spring after danger of frost is over, preferably in well pulverized soil either broadcast or in rows two to three feet apart and cover about one-half inch deep. When the young plants are about four inches high, thin one and one-half to two feet apart to secure the best development.

STRAW FLOWER—(See Helichrysum and Rhodanthe)

SWEET ROCKET-(See Rocket)

# SWEET PEAS

(Lathyrus odoratus) No garden is too small for a row of Sweet Peas and no estate, however extensive or magnificent, should fail to include many varieties of this most popular flower. Its long blooming season usually extends from early summer until very hot dry weather and no other climber equals it for cutting, either for use in bou-

quets or for table decoration.

llundreds of varieties have been offered for sale by seedsmen but owing to recent marked improvements many sorts are de-cidedly inferior and have been dropped from

In describing varieties, by 'standard" is meant the wide petal at the top of the flower; the "wings" are the two petals below.

Extra Early Blanche Ferry and Earliest White, being the earliest known varieties are excellent for growing indoors.

For Outdoor Planting there are two general classes. The more extensive is the Grandiflora or large flowering division. This class, owing to its general vigor of growth, its freedom of blooming and extremely wide range of colors, is best suited for most conditions of growth and location.

conditions of growth and location.

The Spencers are of exceptionally large size, the standard and wings waved or frilled and the general effect remarkably graceful and attractive. A characteristic of the best Spencers is an "open keel." The petal or envelope enclosing the pistil, stamens and anthers is called the keel. In a typical spencer flower grown under favorable conditions the anthers and stigma are not clamped together and the envelope of the keel is large and baggy and open at the top. The plants of Spencer varieties are usually in bloom much longer than other sweet peas, as most of the blossoms fall off after maturity without setting pods. The Spencers are decidedly shy seeders, hence the price will doubtless always be higher than for the older types. In addition to these two classes which

always be higher than for the older types. In addition to these two classes which are generally recognized, there is also a third subdivision or class, called the Unwin type, in which the blossoms are waved like the Spencers but are not so large, although distinctly larger than those of the Grandiflora type. The Unwins are frequently of heavier texture than the Spencers and are sometimes more dependable for growing under adverse conditions. They seed more freely, hence are usually cheaper in price than the Spencers, but are dearer than the Grandifloras. The larger Unwin varieties which we list will be found in the Spencer division.

Culture. Early in spring make a tench

we list will be found in the Spencer division. Culture. Early in spring make a trench three to four inches deep in rich, mellow soil, so arranged that no water can stand in it and plant the seed in the bottom, covering at dirst only one inch deep. Sweet Peas, particularly the white seeded sorts, are often a little difficult to start. If the soil is too dry they will remain a long time without germinating; if it is too wet and cold they will not spront at all. In soils at all heavy, or composed largely of clay, put about one inch of sand in the bottom of the trench and sow the seed on this, covering with more sand. Cover the row with a board to shed the rain and protect the soil from the hot sun but remove this as soon as the young plants appear.

the soil from the hot sun but remove this as soon as the young plants appear.

When the plants are two inches high, cultivate and as they grow gradually fill up the trench. When the plants are about five inches high it is desirable to furnish some support for the vines to run upon, preferably a wire netting firmly supported by stakes to prevent sagging, but strings or brush are often used with satisfactory results.

The roots should not be allowed to become too dry. Water applied thoroughly once or twice a week preferably early in the morning or in the evening, is usually better than light sprinkling more frequently.

For the aphis or plant lonse, spraying

sprinkling more frequently.

For the aphis or plant lonse, spraying with solutions of some tobacco extract or whale-oil soap is usually effective; and for the Red Spider, which also canses trouble at times, spraying with pure water is usually sufficient. A frequent change of location has also been found important.

A better growth of vine and earlier blooming often results from planting seed late in the fall instead of early in the spring.

The blooms should be pleked before they form pods or the plants will soon stop flowering.



SWEET PEAS, WHITE SPENCER

## SWEET PEAS—Continued

This group includes the largest and most beautifully formed sweet peas. The Spencers have very large waved flowers which are produced abundantly on long strong stems, making the blossoms most desirable for entting.

- APPLE BLOSSOM SPENCER. Bright rose standard with wings of very light primrose flushed or tinted rose-carmine, Very large Spencer form. A free blooming sort and a very reliable bloodered sweet pea of robust growth. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00 Oz. 35c; 1/4 Lb. \$1.00
- ASTA OHN. Suffused lavender or tinted mauve sometimes with plakesh tinge. Spencer form, large and wavy. The best of the deeper lavender sweet peas. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
- AURORA SPENCER. Flowers brilliant orange-rose, striped and flaked on white. One of the most attractive very large striped Spencers. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
- BLANCHE FERRY SPENCER. This is similar in color to the old Blanche Ferry but like all Spencers the type is not unalterably fixed. Rose-piak standard; wings white, suffused and tinted with light pink. It is a very pleasing bi-colored sweet pea and is one of the most attractive varieties yet introduced. Pkt. 5c; Oz. 40c; 1/4 Lb. \$1.25
- CAPTAIN OF THE BLUES SPENCER. Purple, with blue wings, beautifully waved; margin of petals marbled. Flowers of large Spencer form, but lighter shade than Captain of the Blues; more truly Waverly Spencer in color. A very distinct and pleasing variety. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00

  CONSTANCE OLIVER. Cream ground, beautifully suffused with pale orange-pink, sometimes called bright pink on primrose ground. A large Spencer of vigorons growth, and one of the finest cream pinks. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00

  COUNTESS SPENCER, Bright clear pink, sometimes darker towards the edges; very large, open form; long stems. The first variety introduced of the Spencer type and still the best deep pink sweet pea. Pkt. 5c; Oz. 30c; ¼ Lb. 90c.
- deep pink sweet pea. Pkt. 5c; Oz. 30c; 1/4 Lb. 90c.
- DAINTY SPENCER. White suffused and edged with rose-pink; large Spencer form; picotee edged; very free blooming. Pkt. 5c; Oz. 35c; 1/4 Lb. \$1.00
- ELFRIDA PEARSON. A very large light pink on white ground, beautifully edged and shaded. Plants sturdy and very vigorous, A most useful pink Spencer for decoration and exhibition. The best light blush pink. Pkt. 10c; Oz. 40c; ¼ Lb. \$1.25
- FLORENCE MORSE SPENCER. A very large, delicate blish shaded and edged with rose-pink. Excellent for cutting. One of the very best light pink sweet peas. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- FLORA NORTON SPENCER. Flowers bright blue with tint of purple; nicely wayed. One of the very best blue Spencers. Pkt. 5c; Oz. \$1.00; 1/4 Lb. \$2.50
- GEORGE HERBERT. A bright, rose-crimson or rose-carmine Spencer variety of large state suffused with magenta and showing veins in wings. Both standard and wings beautifully waved. The best carmine and rose sweet pea yet introduced. Pkt. 5c; Oz. 30c; ¼ Lb. 90c.
- LADYS UNWIN. Clear light bright pink with deeper shade at edge of standard; texture heavy. One of the best of the large waved types. Pkt. 5c; Oz. 25c; ½ Lb. 75c. GLADYS UNWIN.

- KING EDWARD SPENCER. Brilliant erimson-searlet; very large size and of open form. The best of the pure red or crimson Spencers. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- KING WHITE. The form, size, vigor, waviness and purity of color, give pre-eminence to its claim as the best Spencer yet introduced. Seed white. Pkt. 15c.
- LOYALTY SPENCER. Bright blue flaked and striped on white ground. Flowers of large Spencer form. The best blue striped sort yet introduced. Pkt. 10c; Oz. \$1.00; 1/4 Lb. \$2.50
- MARGARET MADISON. A self-colored soft light azure blue or pale lavender Speneer. The form and coloring when grown under favorable conditions are exquisite. Pkt. 10c; Oz. \$1.00; 1/4 Lb. \$2.50
- MRS. ROUTZAHN. A most attractive Spencer of largest size and very graceful form; apricot and buff, shaded light rose at edges. One of the very best cream pink sweet peas. Pkt. 5c; Oz. 40c; ¼ Lb. \$1.25
- NORA UNWIN. Flowers large, of waved type, heavy texture, beautifully frilled. Seed white. This desirable white sweet pea is practically a Spencer. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- OTHELLO SPENCER. A beautiful, deep, pure maroon of very large Spencer type. The most reliable of the maroon shades of Spencers. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
- PRIMROSE SPENCER. We consider this the best primrose, or eream and ivory sweet pea yet developed. Spencer type, large wavy petals, frilled at edges; clear, distinct color. Seed white. Pkt. 5c; Oz. 35c; ¼ Lb. \$1.00
- STIRLING STENT. A rich deep metallie salmon, suffused with orange. A beautiful Spencer, especially in artificial light, requiring shading to show true color. Pkt. 10c; Oz. \$1.00; 1/4 Lb. \$2.50
- TENNANT SPENCER. A light rosy purple or purplish mauve Spencer of very large size and excellent form. The best mauve sweet pea. Pkt. 5c; Oz. 35c; ½ Lb. \$1.00
- THOMAS STEVENSON. Brillaut orange-searlet of large Spencer form, the standard showing more orange than the wings. Vines vigorous and very floriferous. The intense coloring is heightened by shading. Pkt. 10c; Oz. \$1.00; 1/4 Lb. \$2.50
- VERMILION BRILLIANT. This variety is considered the best scarlet Spencer yet introduced. Flowers of good size, nicely waved. Color almost true scarlet, with a slight tinge of orange. Pkt. 10c; Oz. \$2.00
- WHITE SPENCER. Standard and wings of pure white, beautifully waved and fluted. An especially attractive variety of very large size. Seed white. One of the very best white sweet peas. Pkt. 5c; Oz. 75c; ¼ Lb, \$2.00

### **GRANDIFLORA VARIETIES**

The Grandifloras, sometimes called the Eekford class, are an older type than the Waved or Spencer sorts and the flowers are not so large. They are usually not so long in bloom, but are decidedly cheaper and more easily grown. In addition to the classification by colors, there are two typical forms of grandifloras recognized, the "open form" and the "hooded form," referring to the shape of the standard. In the open form, illustrated by Blanche Ferry, Katherine Tracy and King Edward VII., the standard is nearly round, smooth and straight on the edges. The standard in the hooded form, of which well known examples are Dorothy Eckford, Countess of Radnor and Othello, has slightly rolling sides at the top, giving the flower a shell shaped appearance.

A group of Early Flowering sorts, sometimes ealled the Christmas class, includes as representative varieties Extra Early Blanche Ferry, Earliest White and Mont Blanc.

- DOROTHY ECKFORD. Flowers large, pure white, shell shaped, extra good substance. Considered the best of this class. Seed white. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25
- EARLIEST WHITE. The earliest blooming white sweet pea. Hooded form. Seed black. A most desirable variety for foreing. Pkt. 10c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25
- EMILY HENDERSON. A clear white of open form. Early, free bloomer. Seed white. Pkt. 5c; Oz. 10c; ¼ Lb. 30c; Lb. \$1.00
- MONT BLANC. Flowers of open form, good size, very clear white, very early. Vines dwarf, slender, graceful, with narrow leaves. Seed white. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

### PRIMROSE OR VERY LIGHT YELLOW

HON, MRS, E. KENYON, Clear primrose; large semi-hooded flower. White seeded. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50 MRS. COLLIER. A lighter shade of primrose than Mrs. Kenyon. Seed white. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

### LIGHT PINK

- DAINTY. The flowers of this grandiflora variety are white shaded lightly and edged with light pink. They are of good size, hooded form and are borne on very long stems. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.50
- KATHERINE TRACY. Flowers soft but brilliant pink; open form. The plants are vigorous, and give a profusion of flowers which continue of good size until the end of the season. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50
- LOVELY. The flowers are large, abundantly produced and of attractive hooded form. Standard and wings both deep pink shading to very light pink at edges; white ground. The plants often have four flowers on a stem. One of the best of this chiss. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25
- PRIMA DONNA. One of the very best of the hooded pink grandiflora varieties. The flowers are of good size, clear soft shade; self-colored. The vines are of vigorons growth, often with three or four flowers on a stem. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25



SPENCER SWEET PEAS, ELFRIDA PEARSON

## SWEET PEAS—Continued

GRANDIFLORA VARIETIES

### ROSE WITH WHITE WINGS

# BLANCHE FERRY. Blooms very early and continues to produce abundantly through a long season. Standard medium sized, open form, bright rose-pink; wings large, rounded, nearly white. Pkt. 5c; Oz. 10c; ¼ Lb. 30c; Lb. \$1.00

EXTRA EARLY BLANCHE FERRY. The earliest known sweet pea. Vines vigorous and hardy though of dwarf habit. It will be found to be the flist to furnish flowers either in greenhouse or out of doors and it will continue to furnish them in great abundance longer than most varieties. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

### ORANGE-PINK

BOLTON'S PINK. Orange-pink veined with rose; large size, semi-hooded form. Pkt, 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

MISS WILLMOTT. A flue orange-pink, showing veins of deeper tint—Flowers semi-hooded, good size, on long stems; plant very vigorous. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1,25

ST. GEORGE. Flowers flame color. The brightest of the orange-pinks; large, of open form and slightly waved Unwin type; wonderfully brilliant. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

### SHADES OF RED

KING EDWARD VII. Superior to Firelly. A bright crimson-scarlet or pure red of largest grandiflora size; open form, One of the very best. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.25

LORD ROSEBERRY. Magenta-rose, veined with deeper rose; good size, hooded form. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

MILLIE MASLIN. An attractive crimson-red. Large hooded or shell-shaped flowers. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

PRINCE OF WALES. Flowers large, shell shaped; pure rose-crimson. A very attractive sort, larger and fluer than Her Majesty. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

QUEEN ALEXANDRA. Flowers very bright red, large, semi-hooded. Unsurpassed in brilliancy of color. The nearest scarlet in sweet peas. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

ALOPIAN. Rich, cardinal-red, deeper than King Edward VII; large, hooded form. Pkt. 5c; Oz. 20c; ¼ Lb. 60c; Lb. \$1.75

### PINK AND RED STRIPES

AMERICA. Carmine striped and splashed on white ground. Open form, good size. Pkt. 5c; Oz. 10c; ¼Lb. 30c; Lb. \$1.00

AURORA. Large, hooded form; striped and flaked with orange-salmon-pink over white. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

MRS. JOSEPH CHAMBERLAIN. Large llowers, hooded form; white, striped with light purplish rose. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

### LAVENDER AND LIGHT BLUE

COUNTESS OF RADNOR. A beautiful lavender of hooded foran, nearly self colored. Pkt, 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

FRANK DOLBY. A lavender and mauve of Unwin type, similar to Lady Grisel Hamilton, but the flowers larger and beautifully waved and frilled. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

### LAVENDER AND LIGHT BLUE, Continued

HELEN PIERCE. Flowers veined and finely mottled bright blue on ivory-white; semi-hooded form. Very attractive in its "gloxinia-like" coloring. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

LADY GRISEL HAMILTON. A large soft Invender, tinted manve; similar to Countess of Radnor, but nearer blue; hooded form. One of the best. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.50

LOTTIE ECKFORD. Picotee edged with magenta-blue; standard white, heavily shaded lilac; wings with lighter shade of lilac. Large, hooded form. Better than Maid of Honor. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

MRS. GEORGE HIGGINSON, JR. A very clear delicate shade of lilac-blue, self colored; medium size, semi-hooded form, Pkt, 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.50

### MAUVE AND PURPLE

MRS. WALTER WRIGHT. A large, hooded, rosy purple. Superior to Dorothy Tennant. Pkt.5c; Oz.15c; ¼ Lb.40c; Lb.\$1.50

ROMOLO PIAZANNI. Flowers rosy purple, changing to lilac and blue. Large size, hooded, and better than Fascination. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.50

### BLUE AND PURPLE

COUNTESS OF CADOGAN. Purple, soon turning to blue; wings bright blue; medium size, hooded form. A little darker than Navy Blue and of better form. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

DUKE OF WESTMINSTER. Purple standard, with wings shading to violet; large size, hooded form. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.50

FLORA NORTON. Flowers light clear blue; medium size, hooded form. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

LORD NELSON (Brilliant Blue) Deeper in color than Navy Blue; good size; semi-hooded. This is considered the best grandiflora dark blue. Pkt. 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

NAVY BLUE. Indigo and violet, with wings of navy blue shading to light blue; medium size, semi-hooded. Pkt, 5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

### **BLUE AND MAROON STRIPES**

HESTER. Large, open graadillora type; purplish blue, marbled and shaded on white ground. Pkt. 5c; Oz. 15c; ½ Lb. 40c; Lb. \$1.25

SENATOR. Purplish maroon and indigo heavily striped and splashed on light ground; medium size, hooded form. Pkt.5c; Oz. 15c; 1/4 Lb. 40c; Lb. \$1.25

### VIOLET AND MAROON

BLACK KNIGHT, Glossy deep marooa, one of the darkest; medium size, opea form. Better than Boreatton. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

HORACE J. WRIGHT. Large violet-maroon flowers with violet wings; somewhat waved, hooded form. Better than Duke of Sutherland. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

OTHELLO. A very dark maroon, practically self colored with almost black veining. Large size, looded form, very attractive. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

STANLEY, A deep maroon, warmer than Boreatton; good size, open form. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

### Mixtures of Sweet Peas

Most people obtain more satisfaction from planting Sweet Peas ia mixture than from growing aamed sorts, but to be successful it is necessary that the seed be of the best quality obtainable. Often what is offered as mixed seed is stock harvested from plants that have come up as volunteers on ground where Sweet Peas have been grown before, or a lot of seed which has been grown, saved or handled so carelessly that it cannot be sold as any distinct variety. The use of such seeds will not give satisfactory results. We assure our customers the Mixtures of Sweet Peas which we offer are the results of as great care in selecting as any stocks we grow and as fine flowers are obtained from them as from any seed that can be bought. We invite comparison with any and all others, no matter uader what name or at how high prices offered and are certain that a trial will demonstrate the superiority of our mixtures.

Choice Mixed This mixture has been most carefully grown from our selected stock seed and it will afford a splendid most pleasing and brilliant colors are included. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.25

Ferry's Superb Mixed We make up this mixture by combining in carefully considered proportions twenty-one fully considering the desirability of color, form and freedom of blooming in our many trials of nearly two hundred different named sorts. Nowhere else can one procure a more magnificent mixture of finely formed and beautifully colored, large flowering Sweet Peas. Pkt. 5c; Oz. 15c; ¼ Lb. 40c; Lb. \$1.50

Spencers Mixed A splendid mixture of Spencer varieties grown for us by the most careful methods from proven stocks. A wide range of colors is thus assured in this comparatively new class of Sweet Peas of such remarkably large size and wonderfully attractive form. Pkt. 5c; Oz. 30c; ¼ Lb. 90c; Lb. \$3.00

Ferry's Superb Spencers Mixed We make up this magnificent mixture by cotabining eighteen separate named Spencers of its class. Unsurpassed as a mixture of this superb class and showing the most desirable range of colors and the finest forms. No better mixture in all the world than this. Pkt. 10c; Oz. 50c; ¼ Lb. \$1.50

(See page 88 for list of named Spencer varieties.)

(Dianthus barbatus) A well known sweet scented old fashioned perennial for bedding and borders, forming fine clumps in any good garden soil and under proper conditions lasting for several seasons. It is one of the most desirable for display in the garden. The plants are easily grown, hardy and free flowering, colored and marked, and are borne on stiff stems in great profusion, forming dense round topped hends or clusters, often three to four inches across. The colors are exceedingly varied, ranging from white through many shades of rose, lilae, red, carmine, erinason and marcon to nearly black, usually two shades to each plant. The petals are barbed or bearded and the leaves are lanceolate in shape, and grow opposite or conduplicate.

Sow outdoors very early in spring, preferably in rich, mellow soil, in rows one foot apart. Cover seed with one-fourth inch of fine soil firmly pressed down. When two inches high, thin to six inches apart. In the more northerly latitudes, protect with mulching in winter. Seed can also be sown in fall. There are usually no flowers until the second season, but if seed is started very early under glass and transplanted, blooms may be had late in autumn. The old clumps may be divided but it is usually more satisfactory to start vigorous young plants every year or two. Hardy perennial; one and one-half feet high.

Velvety Maroon. Flowers velvety dark maroou; very desirable on account of its rich, deep color. Oz. 25c	kt.	Sc.
White, pure. Beautiful white flowers, sometimes faintly marked about the eye. Oz. 25c.	44	5c.
Fine Mixed. This mixture will be found especially satisfactory. Oz. 25c.	44	5c.
Double Mixed. Double flowers in a great variety of colors and shades. Oz. 50c.	44	50

TAGETES—(See Marigold) TROPÆOLUM CANARIENSE— (See Canary Bird Flower)

TROPÆOLUM LOBBIANUM— (See Nasturtium, Trailing)

TROPÆOLUM MINOR— (See Nasturtium, Dwarf)

Torenia A fine annual with trumpet-shaped, sky-Fournieri blue flowers, each having three spots of dark indigo blue and a yellow stain in the center. Plants of bushy habit, about ten inches high. Extremely handsome when grown in pots or out of doors in a shaded location. eation.

# Verbena known annual of low

growing decumbent habit of growth is very desirable for massing in beds on the lawn. It is suitable also for borders and window boxes.

Large clusters of showy flowers are borne in succession through a long season until frost. Each truss or cluster is about two to three inches across, and includes a dozen or more single flowers about three-fourths of an inch across, tubular with five spreading lobes. The length of stem and texture of the flowers make them of value for bouquets and table decorations. There is a wide range of colors, shades and stripes usually running from pure white to deep purple. Large clusters of showy flowers

Verbenas usually flower well in August from seed sown in open ground in May. Germination will be hastened if the seed is soaked in lukewarm water before planting. It is desirable to have the soil well fertilized and carefully pulverized. Cover seed about one-fourth ineh deep. When the young plants have three or four leaves transplant in rows two feet apart and about twenty-four inches apart in the row, choosing preferably a sunny situation. At this distance the plants, if conditions are favorable, will spread so as to cover the ground completely. completely.

Earlier blooming may be had if plants are started indoors and transplanted in the open ground after danger of killing frost is over. Half hardy perennial trailer, one foot high, usually treated as an annual.

Hybrida Defiance. May be relied upon to produce the true, deep searlet color. No variety gives a more brilliant effect when used as a bedding plant. Oz. \$1.25.............Pkt. 10c.

Hybrida Blue. All shades of blue. Oz. 75c..... " 10c.

Hybrida Auriculæflora. Various shades of pink, red, purple and blue, all with distinct white eye. Oz. \$1.00.....Pkt. 10c.



SWEET WILLIAM

Hybrida White. Produces large, pure white flowers; very floriferous, fine for florists; comes true from seed. Oz. \$1.00.Pkt. 5c.

Mammoth White. The largest trusses of the finest formed and elearest white flowers of any named sort. It comes absolutely true from seed, thus enabling us to seemre the greater vigor and more abundant bloom of the seedling, united with the fine flowers of the named varieties.......Pkt. 10c.

Fine Mixed. This desirable mixture includes a wide range of 

ammoth Mixed. Embraces a wide range of the most beautiful colors, the clusters being of largest size. Oz. \$1.75.Pkt, 15c. Mammoth Mixed.

Vinca (Pertwinkle) These very attractive bushy plants with glossy green foliage produce in abundance handsome round or salver shaped single flowers, suitable either for culture in pots or boxes or for summer bedding and borders. If sown early under glass and transplanted in a warm, sheltered situation will bloom in summaer and antunan and may be potted for the house before frost. The plants require no trimming, are in containing the lacreasing demand for Vincas in parks and private grounds for summer bedding and borders. Tender perennial, blooming the first season, about fifteen inches high.

Pure White. Beautiful pure white. Oz. 75c.........Pkt. 5c. | Rosea Alba, White with erimson eye. Oz. 75c.......Pkt. 5c, Rosea, Rose with crimson eye; flowers often two inches in diameter. A very desirable window plant. Oz. 75c. "5c. Mixed. The above named varieties mixed. Oz. 75c. "5c. VIOLA TRICOLOR-(See Pansy)

Wallflower (Cheiranthus cheiri) This is a favorite European gardea flower. The long, fragrant terminal spikes of the Wallflower when properly grown are very eoaspieuous in beds and borders and are them ont into pots and sink in the earth. On approach of cold weather remove the pots to the house and the plants are small prick bloom all winter. Tender bushy bienaial or pereunlal that will live through the winter in a mild elinaate; height of plants about one and one-half feet.



ZINNIA

Wistaria Chinensis One of the most beautiful and rapid growing of the hardy perennial elimbers. When well established in good soil it will often grow fifteen to twenty feet during the season and frequently blooms both in spring and fall. The llowers are very fragrant, siagle, pale blue, peashaped and are borne in long, drooping grape-like clusters, oftea over a foot in length. Foliage light green, pianate. The seed should be sown in mellow loam early in the spring, or in greenhouse or hotbed in winter and when plants are one foot high transplanted into permanent situations.

Pkt. 20c.

Zinnia
Sometimes ealled Youth and Old Age. The well known bush-like plants of Zinnias produce a profusion of large double imbricated flowers, usually about two inches across, borne on stiff stems. They are much used for bed-

ding and are suitable for borders and for cutting.

There is much satisfaction in a bed of Zinnias with their twisted and recurved petalled flowers in many bright colors, and when nearly every other flower has been killed by frost this plant is still ia full bloom. Few flowers are more easily grown or bloom more abundantly throughout the season, and the wide range of color is not less reasarkable than their unusual depth and richness.

Sow the seed early in spring, in open ground in good, rich soil, preferably in rows one and one-half feet apart and covering about one-fourth inch deep. When the young plants are one to two inches high thin to six inches apart Start under glass for earlier blooming. Half hardy annual: tall growing, usually about one and one-half to two feet bigh

Double	yellow. Oz. 40c	Pkt. 5c.
44	scarlet. Oz. 40c	" 5c.
44	deep red. Oz. 40c	" 5c.
**	magenta. Oz. 40c	" 5c.
44	orange. Oz. 40c	" 5c.
3.6	white. Oz. 40c	" 5c.
**	black purple. Oz. 40c	" 5c.
66	dark crimson. Oz. 40c	" 5c.
64	striped or zebra, mixed. Oz. 60e	" 5c.
Double	choice mixed. Includes the above colors	a very

fine mixture, Oz. 40c; Lb. \$4.00......Pkt. 5c.

Haageana, double. Dwarf variety with double flowers of a deep orange color, about one and one-quarter inches in diameter; fine for cut flowers; height one foot...Pkt. 10c.

Mexicana Hybrida, variegated. Distinctive in its well-formed single flowers of deep maroon and golden yellow, strikingly contrasted. Flowers similar to French Legion of Honor Marigold, but are earlier and more easily grown. Hardy annual; one foot bigh......Pkt. 15c.

### BULBS AND ROOTS FOR SPRING **PLANTING**

Included in this class are some of our most showy garden flowers and their enliture is very easy. In the spring, after danger from frost is over, plant in a rich, loamy soil, having a sunny position and flowers the same season are assured. All bulbs and roots will be sent by mail or express, charges prepaid, when ordered at single or dozen rates. At the 100 rate they will be sent by express or freight, the purchaser paying the charges unless otherwise stated. Not less than six of any one variety supplied at dozen rates and not less than 25 at the 100 rate. Orders with money should be sent to us as early as possible and they will be filled in rotation. Bulbs subject to injury by frost will not be sent until such danger is over.

Begonia

Tuberous Rooted. The tubers which we offer are of the very best quality and with proper eare will give a beautiful display early in the summer. For growing in pots or boxes in the house, plant in rich, sandy soil, give good drainage and water freely after the leaves start but do not let the soil become sour or soggy from over-watering. If it is desired to have a bed outdoors, select a shady, from frost is over. After the plants start into vigorous growth keep well watered.

	EACH	DOZ.
Single,	pink10c.	65c.
44	scarlet10c.	65c.
**	white10c.	65c.
**	yellow10c.	65c.
	mixed10c.	65c.
Double	, pink10c.	\$1.00
	scarlet10c.	1.00
	white 10c.	1.00
**	yellow10c.	1.00
**	mixed10c.	1.00

# Caladium

Esculentum. Known also as Elephant's Far. One of the finest tropical plants which can be grown in the open air in the north. It can be made to produce three to ten leaves three to four feet long and nearly as wide, on stalks four to six foot high.

nearly as wide, on stalks four to six feet high.

The soil best suited to Caladiums is a mixture of fibrous loam, leaf mold, peat and well rotted cow or sheep mannre in equal parts, with a sprinkling of saud added. Bulbs may be planted outdoors as soon as danger of frost is over, covering about three inches deep; or for largest growth start early indoors in pots and set out when the weather iswarm and settled. But little water must be given to the roots till active growth commences, when, as the plants decommences, when, as the plants develop, they require an abundance. Humidity and warmth are necessary for their best development.

First Size Bulbs. Nine inches and over in circumference. Each 25c; doz. \$2.50

econd Size Bulbs. Seven to nine inches in eireumference. Each 15c;

doz. \$1.50
Third Size Bulbs, Under seven inches in circumference. Each 10c; doz. \$1.00

# ahlia The "Dee-orative" types are character-

The "Dee-

ized by gracefully formed flowers of large



gracefully formed flowers of large size and broad petals being intermediate in form between the compact "Show" sorts which are nearly round and the "Caetus" varieties which have loosely formed blossoms with long twisted petals. The roots are tender and easily injured by frost. They should be set out three feet apart, after all danger of frost is over. The best blooms are sometimes obtained if planting is deferred until about June 1. The soil should be deeply dug and well drained but only moderately enriched with thoroughly rotted barnyard manure. A stiff clay should be avoided. A snuny situation is desirable as well as plenty of space and air. Place the roots horizontally, covering two to three inches deep. Give thorough entivation and during dry weather water well once a week. Larger blossoms are usually obtained if most of the side shoots are removed. Dablias usually do not require much fertilizer and fresh barnyard manure especially should not be used. The plants should be supported by tying to stakes. The roots should be placed during winter in a cool cellar but not allowed to freeze.

Blue Oban. One of the choicest decorative varieties, very large; nearest to a blue daldia. Each 20c; doz. \$2.00

large; nearest to a bine dalilia. Each 20c; doz. \$2.00

Cuban Giant (Giant) Dark, glowing erimson, shaded maroon; flowers of immense size; decorative. Each 20c; doz. \$2.00

Gabriel (Cactus) Striking shades of searlet and chuamon; long twisted, incurved petals. Each 20c; doz. \$1.75

Jack Rose. Large brilliant erimson. One of the best decorative dalilias for garden or cutting. Each 20c; doz. \$2.00

rative dahlias for garden or eutting. Each 20c; doz. \$2.00

Jeanne Charmet. Remarkably free flowering and vigorous
decorative variety. Rose shaded and edged with earnine.
Flowers of largest size. Each 25c; doz. \$2.50

Lyndhurst. A dazzling bright searlet; large full-centered
decorative sort. Excellent for eutting. Each 15c; doz. \$1.50

Maid of Kent. Cardinal red tipped with white; variable.
Each 15c; doz. \$1.50

Mrs. Roosevelt (Giant) Very double; very large, often over
six inches across; color. a delicate shade of soft pink.
Decorative; excellent for cutting. Each 25c; doz. \$2.50

Twentieth Century (Single) Intense rosy erimson, white tips and white disc around yellow center. Each 20c; doz. \$2.00 White Swan (Show) Snow white; unusually full and round with

long stems. Each 15c; doz. \$1.50 Yellow Duke (Giant) Pure canary-yellow flowers of very large size. A grand decorative variety. Each 20c; doz. \$2,00

				noz.
į	Dahlia,	Double,	pink15c.	\$1.50
	**		scarlet15c.	1.50
	**		white15c.	1.50
	46		yellow15c.	1.50
	**	**	mixed15c	1.50

Dielytra (Bleeding Heart. Dicentra Spectabilis) A hardy perennial plant, with finely cut foliage, blooming in the spring. Flowers graceful, heart-shaped, pink and white; borne in long racemes. Each 15c; doz. \$1.50

# GLADIOLUS

The Gladiolus Is one of the most decorative plants in the garden, and as a cut flower lends itself readily to any nrrangement. If the spikes are cut when the lowest flower is in bloom, the others will open in succession and remain fresh a week or ten days. No flower has gained more rapidly in public favor than the Gladiolus; this could not well be otherwise, for in addition to the great intrinsic merit of the flower, it is limrdy and blooms the first season from bulbs.

Gladioll wlll thrive in almost any good soil except a stiff clay. They require full sunlight and are linble to injury only from rank manner. Plant the bulbs six to nine inches npart, the large ones four inches and the small ones two inches deep. Make an early planting of the smallest bulbs first as soon as the ground is sufficiently dry and warm. Continue to plant at intervals of two weeks during the spring and early summer; in this way a succession of bloom may be had from midsummer until frost. A free use of water during the senson of active growth and particularly as the buds begin to show color will be beneficial in producing fine blossoms. In the autumn, before freezing, they should be dug up and the tops allowed to dry down, after which the dry tops, earth and old bulbs can be removed. Store in a cool, dry place, secure from frost until spring.

### GIANT FLOWERED VARIETIES

A class of hybrids between Gladiolus Gandevensis and Gladiolus Saundersoni which for varied and exquisite beauty has never a equaled. The flowers are of very large size, frequently eight inches across, borne on spikes four to five feet high, the upper been equaled. two feet covered with flowers.

America. The finest of the light cororer sorts. Very light pink, exquisitely tinted with invender. Unsurpassed in freedom of bloom and size of flower spike. A magnificent variety. Each 10c; doz. 75c.

Attraction. Bright deep rich erimson with large white center and throat. One of the

most pleasing sorts. Each 10c; doz. \$1.00

Baron Hulot. Flowers dark velvety purple and of the Lemoine type. One of the very best so-called blues. Each 10c; doz. \$1.00

olumbia. Very attractive, light orange-scarlet blotched and penciled with bluish purple; throat freely mottled. Each 7c; doz. 70c.

Dawn. Strong, straight and vigorous plant. Flowers large, very beautiful shell pink, slightly penciled in throat. Excellent for cutting. Each 15c; doz. \$1.50

Jane Diculafoy. Flowers creamy white, lower petals stained marcon. Remains in bloom a long time; exceptionally fine for bouquets. Each 15c; doz. \$1.50

Sunlight, Light rosy erimson with canary yellow throat; attractively blotched flowers. Each 10c; doz. \$1.00

Giant Flowered, fine mixed. Each 5c; doz. 50c.

### CHOICE NAMED VARIETIES

These named varieties are selected with special reference to beauty of flower, range of color and habit of plnut.

Augusta. Pure white, with blue anthers.

Strong, straight spikes. Each 6c; doz. 60c.

Baron Staffe. Clear lilac, stained pale violet and yellow. Each 15c; doz. \$1.50
Brenchleyensis. Rich, brilliant, dark searlet, Much used on necount of its brilliant color, and distinct marking. Each 5c; doz. 40c. eres. Beautiful white flowers, spotted rose

Ceres. Beautiful white flowers, spotted rose on lower petals. Each 5c; doz. 35c. Eugene Scribe. Flowers very large and wide, perfect, tender rose, blazed with enraninate

perreet, tender rose, onzed with enrinhatered; benutiful. Each 10c; doz. \$1.00

Kunderdi Glory. A very striking variety with fluted or ruffled petals. Flowers very large, delicate cream pink with a crimson stripe on each lower petal; fine spike. Each 15c; doz. \$1.50

Mrs. Francis King. A most effective variety for decorations. Spikes extra long; for decorations, Spikes extra long; flowers brilliant pink, blazed with vermilion.

Each 5c; doz. 5oc.

Madam Monneret. Bright, clear pink. A inte vnriety and very populnr. Each 5c; doz. 50c.

May. Pure white, finely flaked with bright, rosy erimson, superb spike. Fine for foreing. Each 5c; doz. 50c.

Shakespeare. Flowers well opened on long spike; a very delicate white, blazed with rosy-carmine, large rose-colored stain. Good for foreing. Each 10c; doz. \$1.00



GLADIOLUS

### GLADIOLUS MIXTURES

These choice assortments must not be confounded with the common mixed sorts. We recommend this stock with perfect confidence, as it is composed only of choice varieties and purchasers can depend upon having a magnificent variety of colors. Single and dozen prices include postage. The 100 rate is by express at purchaser's expense.

EACH	DOZ.	PER 100	EACH	noz.	PER 100
Shades of Pink and Rose5c.	40c.		Extra Fine American Hybrids Mixed 5c.	50c.	\$3.00
" "Scarlet and Red4c.	40c.		Groff's Hybrid Seedlings. A great variety	40	0.00
" "Orange and Yellow6c. White and Light Varieties4c.	60c. 40c.		of shades and markings	40c.	2.00
Striped and Variegated Mixed5c.	50c.	3.00		25c.	1.75

## LILIES

No flower is more expressive of the No flower is more expressive of the idea of queenly beauty and faultless purity than the Lily. Nearly every variety we offer will, with a little care, endure the severity of our winters, and some are among the most hardy of our garden flowers. Most lilies last a long time after cutting and are admirably suited for decorative

and are admirably suited for decorative purposes.

Bulbs should be planted as soon as the frost is out of the ground; the earlier the better. Select a well-drained spot, dig the soil deep and make it fine, enriching it abundantly with well-rotted eow manure, adding a liberal mixture of sand. Set the bulbs from three to five inches deep according to size. During the winter it is advisable to cover the surface of the bed with a thin layer of manure which will afford a slight protection to the bulbs and also materially enrich the soil. In spring the manure may be removed or dug in between the rows. Care should be taken that they have proper drainage, no water being allowed to stand around the roots. Once firmly established, they should not be disturbed oftener than once in five years. years.

To produce extra fine specimens, plant bulbs in pots early in spring and grow them in the house or under glass.

Auratum (Gold-Banded Lily of Japan) This favorite garden lily is one of the grandest plants in cultivation. Its immense ivory-white flowers are thickly studded with yellow and crimson spots, while in the center of each petal is a golden band, fading at its edges into the white. Such choice bulbs as we offer, if well cared for, will give from five to ten magnifleent flowers the first year and under good cultivation will, after beand under good cultivation will, after becoming well established, give many more. Height outdoors in the open, usually three to five feet. 20c. each; \$2.00 per doz.

Longiflorum (Giganteum) Beautipet-shaped flowers, similar in form to Lilium Harrisii, the well-known Bermuda Easter Lily, and preferred by some to that variety. It does not come into bloom as early, but the flowers are of better substance. Exteusively used by florists for cut flowers. When grown in the open ground it blooms in June or July. Height outdoors in the open, usually two to three feet. 12c. each; \$1,25 per doz.

\$1,25 per doz.

Speciosum Rubrum (Roseum) The Speciosum or most charming and brilliantly beautiful of the Japanese Lilies. The six broad, white or pink petals are thickly dotted with rose or crinison spots. Especially thrifty and hardy. One of the best for garden culture. Height, two to four feet. 20c. each; \$2.00 per doz.

Speciosum Album Pure white flowers with a greenish band through the of the best for general eulture. Height of plants in the usually two to four feet. 25c. each; \$2.00 per doz.



LILIUM AURATUM

Tigrinum Splendens (Improved Single Tiger Lily) pearanee with very large, nodding flowers of excellent form; eolor, orange-salmon with dark spots. The plants are of more robust habit, with longer flower spikes than the older type and are highly recommended. Height outdoors in the open usually three to four feet, sometimes taller. 12c. each; \$1.25 per doz.

Tigrinum Flore Pleno (Double Tiger Lily) This stately habit, bearing immense clusters of very large, double flowers on tall, strong stems; color, bright orange-red spotted with black. Height outdoors in the open usually three to five feet. 12c. each; \$1.25 per doz.

Madeira Vine Sometimes called Mignonette Vine. This tuberous rooted climber of dense, branching growth has thick, heart-shaped, glossy green leaves and delightfully fragrant, small feathery, white blossoms produced in long langing racemes. It is of rapid growth, and is fine for porches and covering arbors in a single season. Perennial, but take up roots in fall as the plant will not endure frost. Each 5c; doz. 40c.

Tritoma Pfitzeri. An improved variety of the plant some flowers are produced in large spikes of rich orange-red tinted flower tubes. Plant two feet apart. Tritomas are hardy south of Cineinnati when well covered in winter. In the north, dig up the plants in November, place in boxes with dry earth and store in a cellar. In spring place in a warm, sheltered, well drained spot, preferably with a background of shrubbery. Each 15c; doz. \$1.50

Tuberose
The flowers of this well-known tuberous rooted plant are waxywhite, double and exceedingly fragrant. They are very useful

in bouquets and house decoration.

If early flowers are wanted fill five-inell pots half full of well-rotted eow manure and the remainder with good, rich, sandy soil. Plant the bulbs in this in March or April, water moderately and hasten growth by putting in a warm, light place. When weather has become warm, plunge the pots in the earth out of doors. They will usually flower before cold weather; if they do not, the pots can be brought in and bulbs will bloom in the house.

Double Dwarf Pearl, first size bulbs, 4c. each; 40c. per doz; \$2.00 per 100. We will supply second size Tuberose bulbs for 10 cents, 25 cents per dozen. The 100 rates are by express at purchaser's expense.

About September First next we will issue our Annual Catalogue of CHOICE DUTCH BULBS AND SEEDS FOR FALL PLANTING. It will be sent free to all customers without ordering it, and to others who apply for it.

# Ames


New Universal ::: Hand:::

# Garden Tools

Space will permit our showing and describing only a few of the Ames New Universal Tools, but we will send a fully illustrated catalogue free to all who ask for it. We deliver at depot or express office in Detroit, Mich., at prices given herein.

New Universal No. 14, \$5.25


Double Wheel Hoe, Cultivator, Plow and Rake



New Universal No. 16, \$7.25





New Universal Combination Hill and Drill Seeder No. 22



New Universal No. 11, \$4.75

Single Wheel Hoe, Cultivator, Plow and Rake





New Universal Constellation No. 19, \$8.25

Seeder, Hoe, Cultivator, Plow, Rake and Marker

New Universal No. 17, \$6.50

New Universal No. 12, \$4.25 Single Wheel Hoe, Cultivator and Plow

New Universal No. 13, \$3.00 Single Wheel Hoe, with Hoe Blades Only

New Universal No. 15, \$3.75 Double Wheel Hoe, with Hoe Blades Only

New Universal No. 24, \$6.25
Expansion Double Wheel Hoe, Cultivator, Rake and Plow

New Universal No. 26, \$7.75

High Arch Expansion Wheel Hoe, Cultivator, Rake and Plow


Hand Wheel Plow No. 10, \$2.00

The Iron King Seed Drill, \$8.00

With Fertilizer Attachment, \$10.00

# Planet Jr. Garden Tools

Space will permit our showing and describing only a few Planet Jr. Tools, but we will send to all who ask for it a fully illustrated catalogue of Planet Jr. Garden Implements. We deliver at depot or express office in Detroit, Mich., at prices given herein.




Planet Jr. No. 25, \$13.50

Combined Hill and Drill Seeder and Double Wheel Hoe, Cultivator and Plow



Planet Jr. No. 3 Hill and Drill Seeder, \$10.50



15 inch steel driving wheel. Hopper holds 3 qts.

Planet Jr. No. 11, \$9.00

Double Wheel Hoe

With 2 pairs hoes, 2 pairs cultivator teeth, 2 pairs rakes, 1 pair plows and 1 pair leaf lifters.



Planet Jr. No. 2 Drill Seeder, \$7.50 Similar to No. 1 Combined Drill, but larger. Has no cultivating attachments.

Planet Jr. No. 5, \$13.00 Hill and Drill Seeder Built on the same lines as No. 3 Drill, but larger.

Planet Jr. No. 12, \$7.00

Double Wheel Hoe With 1 pair hoes, 2 pairs cultivator teeth, 1 pair plows and 1 pair leaf lifters.

Planet Jr. No. 13, \$4.75 Double Wheel Hoe With 1 pair hoes only.

Planet Jr. No. 1, \$9.50

Combined Drill Seeder, Wheel Hoe, Cultivator and Plow



Planet Jr. No. 16, \$5.85

Single Wheel Hoe

With 1 pair hoes, 3 cultivator teeth, 2 rakes, 1 plow and 1 leaf guard.



Planet Jr. No. 17, \$5.00

Single Wheel Hoe

With 1 pair hocs, 3 cultivator teeth and 1 plow.

Planet Jr. No. 18, \$3.50

Single Wheel Hoe

With 1 pair hoes only.

Planet Jr. No. 19, \$3.75

Single Wheel Hoe

With 1 large garden plow, 1 ten-inch sweep, 1 six-inch sweep, 1 four-inch cultivator tooth, 1 two-inch cultivator tooth.



The Christy Garden Weeder Price 25 cts., Postpaid

Hazeltine Hand Weeder and Scraper

Price 25 cts., Postpaid

**Excelsior Weeding** Hook

Price 20 cts., Postpaid

Never-Break Solid Forged Steel Garden Trowel
6 Inches Long. Hardwood Handle. Superior in Style, Finish and Quality. Price 25 cts., Postpaid.

PLANT BED CLOTH

Medium Grade, 20 yards or over, 10 cents per yard At purchaser's expense for transportation.

## REFERENCE TABLES

Number of plants to the	acre at given distances	Standard weights of
Dis. apart. No. plants. 12 x 1 In	Dis. apart. No. plants.   36 x 36 In 4,840   Dis. apart. No. plants.   60 x 60 lu 1,743	various articles Per bu.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
16 x 1 ''392,040 30 x 12 '' 17,424	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Beans
18 x 1 '' 318,480 30 x 16 ''13,068 18 x 3 ''116,160 30 x 20 ''10,454	48 x 18 " 7,790 10 x 1 " 4,356 48 x 18 " 7,790 10 x 6 " 726	Canary Seed60 "
18 x 12 '' 29,040 30 x 24 '' 8,712	48 x 24 '' 5,445 10 x 10 '' 435 48 x 30 '' 4 356 12 x 1 '' 3 630	Castor Beans 46 "
20 x 1 "313,635 36 x 3 " 58,080	48 x 36 '' 3,630 12 x 5 ''	Clover Seed60 "
20 X 20 " 15,681 36 X 12 " 14,520 24 X 1 "261,360 36 X 18 " 9,680	48 x 48 2,723 12 x 12 302 60 x 36 2,901 16 x 1 2,722	Corn, field, shelled 56 " on ear70 "
21 x 18 "15,520 36 x 24 " 7.260	60 x 48 " 2,178 16 x 16 " 170	" sweet, sold by measured bushel.
Quantity of seed requisite to produce a g Quantity per acre.	Quantity per acre.	measured bushel.  Flax Seed 56 "
Artichoke, 1 oz. to 500 plants 6 oz. Asparagus, 1 oz. to 800 plants	Grass, Timothy	Grass, Timothy45
Asparagus Roots	Wood Meadow 2 " Hemp. ½ "	Hemp Seed 41 "
Barley	Horse Radish Roots	Hungarian48 " Millet, common50 "
Beans, pole, I pint to 100 hills ½ " Beet, garden, I oz. to 100 feet of drill?" lbs.	Kale, 1 oz. to 5,000 plants, or 200 feet of drill.	Millet, German or Gold-
Broccoli 1 oz. to 5.000 plants 2 oz.	Kolıl Rabi, ¼ oz. to 100 feet of drill 4 lbs. Leek, ¼ oz. to 100 feet of drill 4 "	en
Brussels Spronts, 1 oz. to 5,000 plants 2 O Buckwheat ½ bu.	Lettuce, ¼ oz. to 100 feet of drill	" wrinkled56 "
Cabbage, 1 oz. to 5,000 plants	Melon, Musk, 1 oz. to 100 hills1 to 3	Rape 50 "
Carrot, ¼ oz. to 100 feet of drill 2½ lbs. Canliflower, 1 oz. to 5,000 plants	Nasturtinm, 2 oz. to 100 feet of drill 15	Rye56 " Sugar Cane(Sorghum)50 "
Celery, 1 oz. to 15,000 plants Chicory	Okra, 1 oz. to 100 feet of drill	Vetelies or Tares,60 "
Clover, Alsike and White Dutch 6 '4 Alfalfa or Lucerne,	" " for Sets	We sell the following
" Crimson Trefoil10 to 15 "	Parsnip, ¼ oz. to 100 feet of drill 3 lbs.	articles by weight
Collards, 1 oz. to 5,000 plants	Parsley, ¼ oz. to 100 feet of drill 3 " Peas, garden, I pint to 100 ft. of drill1 to 3 bn.	Grass, Rhode Island Bent "Creeping Bent
Corn, rice (shelled)	" field	" Red Top Fancy
Corn, sweet, ¼ pint to 100 hills	Pumpkin, ½ quart to 100 hills3 to 4 lbs. Radish, ½ oz. to 100 ft. of drill10 to 12	" Tall Meadow Oat
Cheunber, 1 oz. to 100 hills	Ruta Baga	" Awnless Brome " Orchard
Egg Plant, 1 oz. to 2,000 plants 4 oz.	Sage in drills 4 to 5 lbs	" Hard besone
Endive, 4 oz. to 100 feet of drill	Salsify, 34 oz. to 100 feet of drill	Fescue
Garlie, bulbs, 1 lb, to 10 feet of drill Gourd, 2 oz. to 100 hills	Summer Savory 34 "Sunflower 84 "	" Tall Fescue " Sheep's "
Grass Blue Kentucky	Squash, Summer, 4 oz. to 100 hills	" Meadow Fescue or English Blue Grass
" Blue, English 1 " " Hungariau and Millet 22 " " Meadow Fescue 1 "	Tomato, 1 oz. to 4,500 plants Tobacco, 1 oz. to 5,000 plants	" Peremial Rye " Westerwold Rye
" Mixed Lawn 3 to 5 "	Turnip, 1 oz. to 250 feet of drill 1 to 3 lbs	" Wood Meadow
" Red Top Fancy	Vetches, Spring	" Kentucky Blue " Canadian "
FOREIGN NA	MES OF VEGETABLES AND HERBS	
ENGLISH GERMAN FRENCH Anise Auls, Grifuer Anis., Auis.,	SPANISH ITALIAN DANI	SH-NORWEGIAN POLISH
Artichoke Artischoke Artichaut	Alcachofa Articiocca A	tiskok Karczocky.
Asparagus. Spargel Asperge Balm. Citronen Melisse Melisse citron	elle Toronjil, Citronella Melissa Br	dsamurt Balsun,
Basil Basilikum Basilic grand	AlbacaBastiteoBe	silkiiii Bazylia.
Beet Rübe Betterave. Borage Boretsch Bourrache Broceoli Spargelkohl Chon Brocoli Brussels Sprouts. Rosenkohl Chou de Brux	RemolachaBarbahietolaRo	oedbede Buraki, Burazo Roraz
Broceoli Spargelkohl Chou Brocoli	Broenli Broeoli Br	occoli-Kaal Brokuly.
Cambage, Kopikolii, Krani Chon pomme.	Coi repello, Cavolo exppliceto ne	ovenkaanKapusta.
Cabbage, Savoy., Wirsing Chou de Milai		Kapusta.
Caraway Feld-Kümmel Cumiu des pr Carrot Carotten, Möhren. Carotte	Zanalioria Carota Gi	derod Marchew.
Canllflower Blumenkohl Chou-flenr	Coliflor Cavoloflore Ble	omkaalKalafiory.
Celery Sellerie Céleri Celeriac Knoll-Sellerie Céleri-rave	Apio-nabo Scdano-rapa Kr	opselleriSelery
Chervil Kerbel Cerfenil.	PerifolloCerfoglioKj	pervelCzechrzyca.
Chicory Cichorien wurzel Chicorée sauv Coriander Coriander Coriandre	Culantro Coriandorlo Ko	riander Koledra.
Corn Salad. Feldsalat. Måche. Corn. Mais Mais	Maiz Mais Ma	is Knkurydza.
Cress. Water	is Mastuerzo Agretto Ka staine Berro Nasturzio aquatico Br	rse Rzerzucha. bendkarse Rzerzucha
Cucumber Gurkon Cancombra	Cohombro Cetriolo Ag	wodna. ōrk Ogorek.
Pandelton Löwenzahn Pissenlit	Diente de leon Dente di leone Lo	evetand rapawa.
Egg PlantEierpflanzeAuberglae	Eneldo Aneto 1711 Berengena Petroneiano Ae	plante Gruszka
Endive, Curled . Endivien Chicorée End	ive Endivia Endivia En	divieEndywia.
Broad Leaf Escariol Ronde Fennel Fenchel Fenchel Fenchel Garlle Knoblauch All Horehound Andorn Marrube blan	HinojoFinocehioFe	nnikelKoper.
HorehoundAndornMarrube blan	c Marrubio Marrubio	

### FOREIGN NAMES OF VEGETABLES AND HERBS-Continued

-	NGLISH	GERMAN	FRENCH	SPANISH		DANISH-NORWEGIAN	
Hor	rse Radisb	.Meer Rettig	Raifort sanvage	.Taramago	Rafano	Poharrod	Chreen
Talista	Juram						
Mei	on, water						
OKE	28	· Ochel · · · · · · · · · · · · · · · · · · ·	Cromiogradi	Giombo	( )(r+1+(a	Lilbialuna	CHILDREN TO THE PARTY OF THE PA
0		Zwłabal	Oman	0-1-11-	****************		blatozotta.
Dom	Oller - recent	Zwiebel	Darroll	Cebolla	Clpollo	. Roedloeg	Cebula.
Par	siey	Peterslie Pastinake	Panaie	Chiminia	Prezzemolo	. Persille	Pietruszka.
Poo	emb	Erbsen	Poie	Chicant	Pastinaca	. Pastinak	Pasteruak,
Pan	3	Pfeffer	Pimant	Dimiente.	Pisello	. Erter	Groch.
Pun	nnkln	Mclonen-Kürblss	Potlron	Calabara totanina	Peperone	Spansk Peber	Pieprz,
Rad	ish .	Radies	Radis	Rubanita	Danamilla	. Graeskar	Bania.
Ros	emary	Rosmarin	Rounrin	Romero	Regunering	Rinbarber	Rubarbarum.
R.HT.	а вия	A OHITHOG. WERCKER	CHOII-BAVEL	COLDABO VADIONI	Carolo nonono	Des	
SAII	ron	Sairan	Sairan	AZRIPHN	ZO FEMERATION	Column	Y #
3.00	ρ	Sumer	Same	Salvia	Salvea	Coluin 6	V I I I
Sals	if v	Haferwurzel	Salsifis	Salsifi blanco	Sussefrien	Havrord	iamunuma
Sorr	el						
Sum	imer Savory	Bonnenkraut	Sarrieue animene	A ledrea commu	Santarecoin	Sor	In house
-8000	18Ch	SDIDBI	EDINAPO	Estinaca	Spingon	Ruinat 0	Land Barrier San
San	aan	K HTDDSS	U 3 (18) P 32 (2)	l'alahezo	122/4/40	Carroule our auleau 1	# :
NV18	s carri	Beisskoni	Poiree	KINGS	Riuto	Dlack bada	
ועוויי	7Y1 (-)	Tuvmian	Thym	Tomillo	Timo	Winston >	Normal Communities
Tom	iato	Liebesaprei	Pomme d'Amont'	Tomate	Pouco d'oro	Toniet 1:	Panidon.
11(1)[1	nm .	Weisse-Rune	Nnviet	Naho	Variona	Taranaiana T	la area barrela la recons
Wor	mwood	Werninth	Absintlie	Ajenjo	Assenzio	Malurt I	iotun.

## BOOKS

These books have been carefully selected and we believe they are the best moderate priced publications on the subjects treated, and in so far as they do not couldt with our own directions as heretofore given, we recommend them to our customers.

ASPARAGUS. By F. M. Hexamer. 1ts Culture for Home Use and for Market. Planting, Cultivation, Harvesting, Marketing, Forcing, etc. Illustrated. 174 pages. Cloth. Price 50c.

BEAN CULTURE. By Glenn C. Sevey. A Practical Treatise on the Production and Marketing of Beans. Illustrated. 144 pages. Cloth. Price 50c.

CABBAGES, CAULIFLOWER, ETC. By C. L. Allen, Gives complete instructions from sowing the seed till harvest, including Brussels Sprouts, Kohl Rabi, Kale, etc. Illustrated. 125 pages. Cloth. Price 50c.

CATECHISM OF AGRICULTURE, THE. By T. C. Atkeson. This book aims to impart the fundamental principles of agriculture by means of practical questions and answers in simple language in accordance with the trutbs of science and experience. Illustrated. 100 pages. Cloth. Price 50c.

CELERY CULTURE. By W,R,B Beattie. A practical guide for beginners and a standard reference for experienced celery growers. Fully illustrated. 150 pages. Cloth. **Price 50c.** 

FARMER'S CYCLOPEDIA OF AGRICULTURE. By E. V. Wilcox and C. B. Smith. A practical, concise and thorough presentation of the entire subject of agriculture. Farm, orchard and garden crops, animals, feeding, dairying, poultry, Irrigation, drainage, fertilizing, spraying, etc. 6000 topics. 500 Illustrations. 700 pages. Cloth. Price \$3.50

GARDENETTE (THE), or City Back Yard Garden by The Sandwich System. By Benj. F. Albaugh. A Guide for the Amateur Gardener, setting fortb a unique method intended especially for those who have limited areas available for this purpose. Illustrated. Paper. Price 60c.

GRASSES AND HOW TO GROW THEM. By Prof. Thos. Shaw. A practical discussion of the economic grasses of the United States and Canada from the standpoint of the stocknum and farmer. Characteristics, adaptation to climate and soil, rotation, sowing, pasturing and harvesting are treated fully. Illustrated. 454 pages. Cloth. Price \$1.50

HOME FLORICULTURE. By Eben E. Rexford. A Practical Guide to the Treatment of Flowering and Other Ornamental Plants in the House and Garden. Illustrated. 312 pages. Cloth. Price \$1.00

MANUAL OF GARDENING. By L. II. Bailey. A Practical Guide to the Making of Home Grounds and the Growing of Flowers, Fruits and Vegetables for Home Use. This anthoritative book treats fully of the growing of vegetables, fruits and offinamental plants, the handling of the land and of the plants, their protection, etc., keeping in mind the special needs of the home-maker. Illustrated. 539 pages. Cloth. Price \$2.20

MELON CULTURE. By James Troop. The Production of Melons for Ilome Use and for Market; Forcing, Insects, Diseases and their Control, etc. Illustrated. 118 pages. Cloth. Price 50c.

MUSHROOM CULTURE. This contains very complete yet easily understood directions for growing mushrooms from Purc Culture spawn. It is n practical book for the amateur as well as the experienced grower. Hlustrated. Paper. Price 35c.

ONIONS ON MUCK SOIL. By C. C. Taylor. A concise pamphlet on how to grow onions on muck soil. Paper. Price 10c.

ONION RAISING. By Jas. J. H. Gregory. What Kinds to Raise, and the Way to Ruise Them. Twentieth Edition (Revlsed). Illustrated. 66 pages. Paper. Price 30c.

PEAS AND PEA CULTURE. By Glenn C. Sevey. A Practical and Scientific Discussion of Peas. Garden Varietics, Cultural Methods, Insect and Fungous Pests, Peas as Forage and Soiling Crops, Sweet Peas, etc. Illustrated. 102 pages. Cloth. Price 50c.

SCHOOL AGRICULTURE. By Milo N. Wood. This treats of the fundamental laws of husbandry in a way valuable for all, and especially for those desiring a general knowledge of elementary agriculture. Blustrated, 340 pages. Cloth. Price 90c.

TOBACCO CULTURE. Plain Directions as Given by 14 Experienced Growers Residing in Different Parts of the United States. Illustrated. 50 pages. Paper, Price 25c.

TOMATO CULTURE. By Will W. Tracy. Contains the most complete and reliable information yet published on the Tomato, its planting, cultivation in field, garden and greenhouse, harvesting, packing, marketing, also insect enemics and diseases and their control. Illustrated. 150 pages. Cloth. Price 50c.

VEGETABLE GARDENING, By Samuel B. Green, A Manual on the Growing of Vegetables for Home Use and Marketing. For Farmers and Gardeners. Twelfth Edition (Revised). Hinstrated. 252 pages. Paper. Price 50c.

ADDRESS ALL ORDERS TO D. M. FERRY & CO.,

